Gleniff Mill · tree schedule

East / North: metres from the survey's south-west corner. Model X / Y, height and Ø: millimetres on the 1:500 model, from its south-west corner. Square: the 25 m (50 mm) reference square on the template. Heights to about ±1 m; crown Ø is the diameter of a circle of the same area.

No.	Square	East m	North m	Height m	Crown Ø m	Model X	Model Y	Model ht	Model Ø	Note
1	A10	11.1	228.5	7.2	9.6	22.3	457.0	14.4	19.2	
2	A9	12.0	223.1	6.1	5.3	24.0	446.3	12.2	10.6	
3	A9	15.9	222.0	5.9	4.5	31.8	444.0	11.8	9.0	
4	A10	18.2	229.0	6.3	5.0	36.3	458.1	12.6	10.0	
5	B9	29.1	223.7	9.9	10.0	58.3	447.4	19.8	20.0	
6	C10	59.3	225.4	4.1	3.7	118.6	450.8	8.2	7.4	
7	C10	67.5	235.2	3.4	3.1	134.9	470.5	6.8	6.2	
8	C9	69.7	224.3	3.7	5.9	139.4	448.5	7.4	11.8	
9	D10	76.7	233.8	5.7	6.5	153.5	467.6	11.4	13.0	
10	D10	85.8	230.4	5.3	6.9	171.5	460.9	10.6	13.8	
11	A9	12.8	210.8	10.0	10.3	25.6	421.5	20.0	20.6	
12	A9	13.7	205.2	12.0	9.7	27.3	410.3	24.0	19.4	
13	A9	16.8	213.6	9.7	10.8	33.5	427.2	19.4	21.6	
14	A9	19.6	202.3	9.8	5.5	39.2	404.7	19.6	11.0	
15	A9	22.4	215.0	7.5	5.7	44.8	430.0	15.0	11.4	
16	B9	25.2	204.6	13.0	9.3	50.4	409.2	26.0	18.6	
17	B9	30.6	213.6	11.9	8.1	61.1	427.2	23.8	16.2	
18	B9	30.8	206.0	12.0	7.8	61.7	412.0	24.0	15.6	
19	B9	31.4	219.2	11.0	9.6	62.8	438.4	22.0	19.2	
20	B9	34.2	211.3	11.6	6.5	68.4	422.7	23.2	13.0	
21	B9	37.3	207.4	10.3	6.2	74.6	414.8	20.6	12.4	
22	B9	42.1	210.8	4.2	3.9	84.2	421.5	8.4	7.8	
23	B9	43.5	218.1	7.7	6.5	87.0	436.2	15.4	13.0	
24	B9	46.6	216.9	8.3	7.9	93.2	433.9	16.6	15.8	
25	C9	52.0	205.4	14.7	11.1	103.9	410.9	29.4	22.2	
26	C9	60.7	202.6	16.0	9.9	121.4	405.2	32.0	19.8	
27	C9	61.3	217.8	4.8	7.0	122.5	435.6	9.6	14.0	
28	C9	71.7	215.8	7.9	8.3	143.4	431.7	15.8	16.6	
29	D9	79.8	210.2	5.3	8.5	159.7	420.4	10.6	17.0	
30	D9	89.7	220.6	3.1	3.5	179.4	441.2	6.2	7.0	
31	D9	90.0	217.5	3.4	2.7	180.0	435.0	6.8	5.4	
32	D9	92.0	204.6	3.7	3.7	183.9	409.2	7.4	7.4	
33	D9	92.2	201.8	3.9	2.3	184.5	403.5	7.8	4.6	
34	D9	94.8	206.6	3.4	4.4	189.5	413.1	6.8	8.8	
35	A8	8.9	191.9	10.8	8.7	17.8	383.9	21.6	17.4	
36	A9	10.3	200.9	10.0	7.5	20.6	401.9	20.0	15.0	
37	A8	12.3	190.5	9.3	6.7	24.5	381.1	18.6	13.4	
38	A8	16.5	197.8	8.9	5.1	33.0	395.7	17.8	10.2	
39	A8	17.0	192.5	9.1	8.9	34.1	385.0	18.2	17.8	
40	A8	19.6	182.4	9.9	9.6	39.2	364.7	19.8	19.2	
41	A8	20.1	197.3	8.8	4.7	40.3	394.5	17.6	9.4	
42	B8	29.1	182.7	8.5	6.3	58.3	365.3	17.0	12.6	
43	B8	33.7	182.7	8.5	3.5	67.3	365.3	17.0	7.0	
44	B8	36.2	195.6	11.0	7.7	72.4	391.2	22.0	15.4	
45	B8	38.2	182.9	13.0	12.9	76.3	365.9	26.0	25.8	
46	B8	39.9	192.5	11.6	4.7	79.7	385.0	23.2	9.4	
47	B8	39.9	196.2	10.4	8.1	79.7	392.3	20.8	16.2	
48	B8	43.8	188.6	7.1	4.2	87.6	377.1	14.2	8.4	
49	B8	46.0	193.6	4.4	2.9	92.1	387.2	8.8	5.8	
50	B8	47.7	186.9	4.9	5.4	95.5	373.7	9.8	10.8	
51	C8	53.4	192.2	13.7	8.0	106.7	384.4	27.4	16.0	
52	C8	55.9	187.2	11.6	7.5	111.8	374.3	23.2	15.0	

Gleniff Mill · tree schedule

No.	Square	East m	North m	Height m	Crown Ø m	Model X	Model Y	Model ht	Model Ø	Note
53	C8	58.2	196.7	14.9	4.9	116.3	393.4	29.8	9.8	
54	C8	58.2	191.7	13.4	6.8	116.3	383.3	26.8	13.6	
55	C8	62.7	198.4	15.8	7.2	125.3	396.8	31.6	14.4	
56	C9	70.5	200.4	9.8	7.2	141.1	400.7	19.6	14.4	
57	C8	73.1	182.4	6.8	6.4	146.2	364.7	13.6	12.8	
58	C8	74.2	191.1	8.4	8.4	148.4	382.2	16.8	16.8	
59	D8	76.2	199.2	8.7	7.2	152.4	398.5	17.4	14.4	
60	D8	77.6	189.4	8.5	4.7	155.2	378.8	17.0	9.4	
61	D8	77.9	182.4	8.5	7.0	155.7	364.7	17.0	14.0	
62	D8	80.1	192.5	8.0	7.0	160.2	385.0	16.0	14.0	
63	D8	85.2	181.5	8.3	11.8	170.4	363.1	16.6	23.6	
64	D8	91.7	195.9	7.3	9.9	183.3	391.7	14.6	19.8	
65	A7	6.1	163.8	7.7	6.4	12.1	327.6	15.4	12.8	
66	A7	10.3	169.7	9.3	9.2	20.6	339.4	18.6	18.4	
67	A8	12.8	181.0	10.9	14.1	25.6	361.9	21.8	28.2	
68	A7	17.6	165.8	11.9	13.7	35.2	331.6	23.8	27.4	
69	A8	19.3	177.0	9.1	5.6	38.6	354.1	18.2	11.2	
70	A7	22.4	173.7	8.6	5.6	44.8	347.3	17.2	11.2	
71	A8	23.0	178.4	8.6	7.2	45.9	356.9	17.2	14.4	
72	B7	26.3	161.6	8.3	7.7	52.7	323.1	16.6	15.4	
73	B7	31.7	172.2	9.1	5.6	63.4	344.5	18.2	11.2	
74	B7	35.4	168.6	11.7	6.4	70.7	337.2	23.4	12.8	
75	B7	37.3	164.4	14.1	7.4	74.6	328.8	28.2	14.8	
76	B7	42.7	174.5	12.1	7.7	85.3	349.0	24.2	15.4	
77	B7	43.0	161.3	12.9	8.9	85.9	322.6	25.8	17.8	
78	B7	46.0	172.2	12.0	10.0	92.1	344.5	24.0	20.0	
79	B7	48.0	169.4	11.9	10.5	96.0	338.9	23.8	21.0	
80	C7	57.9	166.1	4.7	4.4	115.8	332.1	9.4	8.8	
81	C7	60.1	171.7	5.8	5.4	120.3	343.4	11.6	10.8	
82	C8	64.9	179.3	11.5	6.0	129.8	358.6	23.0	12.0	
83	C8	65.2	175.6	13.0	7.4	130.4	351.2	26.0	14.8	
84	C8	74.2	178.4	10.4	7.8	148.4	356.9	20.8	15.6	
85	D7	76.2	173.9	9.0	7.3	152.4	347.9	18.0	14.6	
86	D8	81.0	180.7	6.3	4.1	161.9	361.4	12.6	8.2	
87	D8	81.5	177.6	6.0	3.1	163.1	355.2	12.0	6.2	
88	D7	82.7	168.6	13.0	14.0	165.3	337.2	26.0	28.0	
89	D7	85.8	169.2	12.9	8.3	171.5	338.3	25.8	16.6	
90	D7	93.4	169.4	8.4	9.4	186.7	338.9	16.8	18.8	
91	D8	93.4	179.3	3.8	5.6	186.7	358.6	7.6	11.2	
92	D7	98.2	168.3	8.0	8.2	196.3	336.6	16.0	16.4	
93	E7	101.8	169.4	9.1	5.9	203.6	338.9	18.2	11.8	
94	E7	107.2	169.2	9.3	16.8	214.3	338.3	18.6	33.6	
95	E7	115.3	169.7	5.1	5.8	230.6	339.4	10.2	11.6	
96	E7	120.1	162.4	10.7	8.2	240.2	324.8	21.4	16.4	
97	E7	120.1	167.8	4.9	4.4	240.2	335.5	9.8	8.8	
98	E7	123.2	162.1	11.1	6.2	246.4	324.3	22.2	12.4	
99	E7	123.8	165.5	8.8	3.5	247.5	331.0	17.6	7.0	
100	F7	126.6	161.8	11.1	6.9	253.2	323.7	22.2	13.8	
101	F7	127.2	172.5	9.5	9.7	254.3	345.1	19.0	19.4	
102	F7	130.5	163.5	11.3	10.2	261.1	327.1	22.6	20.4	
103	F7	133.3	173.4	4.3	3.5	266.7	346.7	8.6	7.0	
104	F7	137.0	166.3	8.4	10.1	274.0	332.7	16.8	20.2	

Gleniff Mill · tree schedule

No.	Square	East m	North m	Height m	Crown Ø m	Model X	Model Y	Model ht	Model Ø	Note
105	F7	144.1	166.3	8.0	8.1	288.1	332.7	16.0	16.2	
106	F7	146.6	161.3	7.4	4.5	293.2	322.6	14.8	9.0	
107	F7	149.1	167.2	5.2	2.8	298.2	334.4	10.4	5.6	
108	F7	149.1	163.5	4.8	2.6	298.2	327.1	9.6	5.2	
109	F7	149.1	172.8	3.2	3.5	298.2	345.6	6.4	7.0	
110	G7	151.9	174.2	3.8	3.1	303.9	348.4	7.6	6.2	
111	I7	212.8	172.8	4.2	3.4	425.5	345.6	8.4	6.8	
112	I7	213.3	170.3	4.1	3.0	426.6	340.6	8.2	6.0	
113	I8	215.0	176.8	4.0	5.2	430.0	353.5	8.0	10.4	
114	I7	216.7	164.9	3.9	3.0	433.4	329.9	7.8	6.0	
115	J7	230.8	163.2	3.0	3.2	461.6	326.5	6.0	6.4	
116	A6	7.8	146.7	6.0	6.6	15.5	293.3	12.0	13.2	
117	A7	10.6	159.0	7.7	10.7	21.1	318.1	15.4	21.4	
118	A6	19.6	149.8	8.6	10.9	39.2	299.5	17.2	21.8	
119	A7	21.0	160.2	8.5	5.9	42.0	320.3	17.0	11.8	
120	A7	23.5	156.2	9.2	7.1	47.0	312.4	18.4	14.2	
121	A6	23.8	148.1	10.9	9.3	47.6	296.1	21.8	18.6	
122	A7	24.9	151.7	9.4	5.3	49.9	303.5	18.8	10.6	
123	B6	26.1	145.5	12.6	6.6	52.1	291.1	25.2	13.2	
124	B7	37.0	159.9	15.3	7.9	74.1	319.8	30.6	15.8	
125	B7	39.0	153.1	13.9	7.4	78.0	306.3	27.8	14.8	
126	B6	40.4	141.6	12.5	11.2	80.8	283.2	25.0	22.4	
127	B7	42.7	153.1	11.7	6.9	85.3	306.3	23.4	13.8	
128	C6	53.1	145.5	11.8	12.3	106.2	291.1	23.6	24.6	
129	C7	54.2	156.5	12.1	11.6	108.4	313.0	24.2	23.2	
130	C7	63.5	151.2	6.1	4.3	127.0	302.3	12.2	8.6	
131	C6	64.1	141.6	9.7	11.8	128.1	283.2	19.4	23.6	
132	E7	104.9	160.2	6.4	7.0	209.8	320.3	12.8	14.0	
133	E7	112.8	160.7	3.3	2.8	225.6	321.4	6.6	5.6	
134	F6	126.6	145.3	9.4	6.8	253.2	290.5	18.8	13.6	
135	F7	127.4	152.3	7.8	4.6	254.9	304.6	15.6	9.2	
136	F6	129.1	141.6	4.1	3.9	258.2	283.2	8.2	7.8	
137	F7	133.6	159.6	6.6	2.8	267.3	319.2	13.2	5.6	
138	F7	140.1	159.0	12.3	6.4	280.2	318.1	24.6	12.8	
139	F7	143.2	156.8	15.3	11.4	286.4	313.6	30.6	22.8	
140	G7	151.9	150.9	10.7	12.6	303.9	301.8	21.4	25.2	
141	G7	153.6	161.0	4.8	5.4	307.2	322.0	9.6	10.8	
142	G6	158.4	149.5	7.4	5.0	316.8	299.0	14.8	10.0	
143	G6	158.7	143.3	10.7	11.1	317.4	286.6	21.4	22.2	
144	G7	159.5	161.0	4.9	6.2	319.1	322.0	9.8	12.4	
145	G7	162.6	154.3	5.8	5.9	325.3	308.5	11.6	11.8	
146	I7	217.8	156.2	4.4	4.6	435.7	312.4	8.8	9.2	
147	J6	226.0	143.6	4.9	5.0	452.0	287.1	9.8	10.0	
148	J7	244.3	159.0	3.4	4.4	488.6	318.1	6.8	8.8	
149	A6	11.4	137.4	8.7	14.1	22.8	274.8	17.4	28.2	
150	A6	19.3	129.2	12.0	15.4	38.6	258.5	24.0	30.8	
151	A6	23.8	132.6	10.0	4.9	47.6	265.2	20.0	9.8	
152	B6	28.3	139.6	10.0	9.2	56.6	279.3	20.0	18.4	
153	B6	29.7	135.1	10.5	6.9	59.4	270.3	21.0	13.8	
154	B6	31.1	127.8	11.2	16.6	62.2	255.7	22.4	33.2	
155	B6	32.8	133.7	11.1	4.7	65.6	267.5	22.2	9.4	
156	B6	33.9	130.6	10.9	7.8	67.9	261.3	21.8	15.6	

Gleniff Mill · tree schedule

No.	Square	East m	North m	Height m	Crown Ø m	Model X	Model Y	Model ht	Model Ø	Note
157	B5	38.2	122.8	7.0	6.8	76.3	245.5	14.0	13.6	
158	B6	40.1	133.7	11.4	9.0	80.3	267.5	22.8	18.0	
159	B6	43.8	128.9	9.9	8.8	87.6	257.9	19.8	17.6	
160	B6	44.4	125.3	6.5	5.4	88.7	250.6	13.0	10.8	
161	C5	52.0	123.0	7.3	6.4	103.9	246.1	14.6	12.8	
162	C6	53.9	128.9	12.6	8.9	107.9	257.9	25.2	17.8	
163	C6	55.6	136.3	10.9	7.7	111.2	272.5	21.8	15.4	
164	C5	62.4	123.6	9.8	7.7	124.8	247.2	19.6	15.4	
165	C6	65.5	132.9	16.4	12.8	131.0	265.8	32.8	25.6	
166	E5	100.4	121.9	4.8	5.2	200.8	243.8	9.6	10.4	check: mill ruin?
167	E6	122.9	132.9	5.0	5.8	245.9	265.8	10.0	11.6	
168	F6	125.7	139.6	4.6	8.0	251.5	279.3	9.2	16.0	
169	F6	130.5	132.6	3.4	3.2	261.1	265.2	6.8	6.4	
170	F6	131.7	137.9	5.2	6.8	263.3	275.9	10.4	13.6	
171	F6	131.7	126.4	3.2	6.4	263.3	252.8	6.4	12.8	
172	F6	144.9	133.4	4.4	4.2	289.8	266.9	8.8	8.4	
173	F6	146.9	127.3	6.6	10.0	293.7	254.5	13.2	20.0	
174	G6	151.9	132.6	5.2	4.6	303.9	265.2	10.4	9.2	
175	G6	154.5	125.3	10.2	8.2	308.9	250.6	20.4	16.4	
176	G6	154.8	128.7	9.3	5.8	309.5	257.3	18.6	11.6	
177	G6	164.3	134.0	12.9	11.8	328.6	268.0	25.8	23.6	
178	G6	169.1	127.5	12.7	6.7	338.2	255.1	25.4	13.4	
179	G6	173.3	130.9	5.8	6.4	346.7	261.8	11.6	12.8	
180	H6	176.4	139.3	6.1	6.1	352.9	278.7	12.2	12.2	
181	H6	181.5	128.9	6.6	7.4	363.0	257.9	13.2	14.8	
182	H6	183.8	132.6	5.4	4.1	367.5	265.2	10.8	8.2	
183	H5	197.6	121.1	10.2	11.8	395.1	242.2	20.4	23.6	
184	I5	202.6	124.5	4.3	4.4	405.2	248.9	8.6	8.8	
185	I6	214.2	139.3	4.9	6.3	428.3	278.7	9.8	12.6	
186	I6	219.5	133.2	3.7	7.9	439.0	266.3	7.4	15.8	
187	J5	235.6	121.9	6.6	13.1	471.1	243.8	13.2	26.2	
188	A5	14.8	107.6	9.5	7.8	29.6	215.2	19.0	15.6	
189	A5	18.2	103.9	10.3	13.4	36.3	207.9	20.6	26.8	
190	A5	23.2	116.9	11.5	13.7	46.5	233.7	23.0	27.4	
191	B5	30.8	103.9	9.0	7.3	61.7	207.9	18.0	14.6	
192	B5	35.6	105.3	7.4	5.8	71.3	210.7	14.8	11.6	
193	B5	38.2	108.7	7.2	6.8	76.3	217.4	14.4	13.6	
194	B5	39.6	111.5	7.3	5.4	79.1	223.0	14.6	10.8	
195	B5	44.1	104.2	9.3	16.9	88.2	208.4	18.6	33.8	
196	B5	44.4	114.3	9.6	10.4	88.7	228.7	19.2	20.8	
197	C5	53.4	118.8	8.1	8.0	106.7	237.7	16.2	16.0	
198	C5	53.6	115.2	8.4	8.3	107.3	230.4	16.8	16.6	
199	C5	56.5	110.4	5.3	5.9	112.9	220.8	10.6	11.8	
200	C5	56.8	103.1	4.3	3.4	113.5	206.2	8.6	6.8	
201	C5	59.3	101.7	4.4	4.3	118.6	203.4	8.8	8.6	
202	C5	68.6	115.2	4.9	4.4	137.2	230.4	9.8	8.8	
203	D5	90.3	116.0	5.9	9.4	180.5	232.0	11.8	18.8	check: mill ruin?
204	E5	110.8	119.7	4.7	7.6	221.6	239.3	9.4	15.2	check: mill ruin?
205	E5	115.3	101.1	10.0	4.5	230.6	202.2	20.0	9.0	
206	E5	119.3	117.4	3.7	4.7	238.5	234.8	7.4	9.4	
207	E5	123.8	115.7	3.4	4.9	247.5	231.5	6.8	9.8	
208	F5	127.7	112.1	8.7	4.8	255.4	224.2	17.4	9.6	

Gleniff Mill · tree schedule

No.	Square	East m	North m	Height m	Crown Ø m	Model X	Model Y	Model ht	Model Ø	Note
209	F5	131.7	118.0	11.9	7.5	263.3	236.0	23.8	15.0	
210	F5	133.1	111.8	10.8	7.8	266.1	223.6	21.6	15.6	
211	F5	140.1	113.5	14.7	11.0	280.2	227.0	29.4	22.0	
212	F5	144.6	108.2	13.3	13.4	289.2	216.3	26.6	26.8	
213	G5	155.3	105.3	11.7	4.9	310.6	210.7	23.4	9.8	
214	G5	155.3	120.0	9.9	7.3	310.6	239.9	19.8	14.6	
215	G5	157.3	111.0	15.8	11.2	314.6	221.9	31.6	22.4	
216	G5	160.9	120.8	10.7	7.4	321.9	241.6	21.4	14.8	
217	G5	167.4	117.1	16.3	16.6	334.8	234.3	32.6	33.2	
218	G5	173.9	103.9	12.9	5.4	347.8	207.9	25.8	10.8	
219	H5	176.4	120.0	14.3	6.9	352.9	239.9	28.6	13.8	
220	H5	178.1	113.8	16.0	10.7	356.2	227.5	32.0	21.4	
221	H5	182.1	109.0	15.7	9.0	364.1	218.0	31.4	18.0	
222	H5	184.6	113.8	13.6	13.5	369.2	227.5	27.2	27.0	
223	H5	188.5	104.5	20.5	12.2	377.1	209.0	41.0	24.4	
224	I5	200.4	116.6	9.7	7.8	400.7	233.2	19.4	15.6	
225	I5	204.6	108.4	16.7	13.7	409.2	216.9	33.4	27.4	
226	I5	208.5	112.9	4.4	3.9	417.1	225.9	8.8	7.8	
227	I5	209.1	103.9	12.6	3.8	418.2	207.9	25.2	7.6	
228	I5	210.8	116.6	4.9	7.6	421.6	233.2	9.8	15.2	
229	I5	216.1	112.6	4.5	7.0	432.3	225.3	9.0	14.0	
230	I5	220.1	105.6	6.3	5.5	440.2	211.2	12.6	11.0	
231	J5	225.4	107.3	10.0	7.5	450.9	214.6	20.0	15.0	
232	J5	248.0	108.2	3.0	8.9	495.9	216.3	6.0	17.8	
233	K5	255.0	102.5	4.8	8.8	510.0	205.0	9.6	17.6	
234	K5	264.0	105.9	3.0	12.8	528.0	211.8	6.0	25.6	
235	M5	308.8	120.0	3.2	10.6	617.6	239.9	6.4	21.2	
236	M5	321.2	106.7	9.6	11.6	642.4	213.5	19.2	23.2	
237	A4	4.9	90.7	7.3	8.5	9.9	181.4	14.6	17.0	
238	A4	6.9	87.3	8.2	10.3	13.8	174.7	16.4	20.6	
239	A4	17.9	86.2	7.2	5.3	35.8	172.4	14.4	10.6	
240	A4	19.6	94.9	11.4	10.8	39.2	189.9	22.8	21.6	
241	A4	19.9	83.4	7.8	7.1	39.7	166.8	15.6	14.2	
242	A4	23.5	86.5	7.5	7.1	47.0	173.0	15.0	14.2	
243	B4	29.4	98.3	10.4	9.6	58.9	196.6	20.8	19.2	
244	B4	29.7	83.7	9.8	10.4	59.4	167.4	19.6	20.8	
245	B4	30.8	93.0	9.1	5.3	61.7	185.9	18.2	10.6	
246	B4	34.5	99.4	11.6	8.5	69.0	198.9	23.2	17.0	
247	B4	36.8	94.7	13.0	11.9	73.5	189.3	26.0	23.8	
248	B4	43.2	90.2	9.3	10.1	86.5	180.3	18.6	20.2	
249	C4	52.8	90.2	6.4	4.3	105.6	180.3	12.8	8.6	
250	C4	53.1	95.2	6.4	6.9	106.2	190.4	12.8	13.8	
251	C4	55.6	91.8	5.7	6.5	111.2	183.7	11.4	13.0	
252	C4	67.2	81.2	11.9	4.5	134.3	162.3	23.8	9.0	
253	C4	70.3	94.4	15.4	19.1	140.5	188.7	30.8	38.2	
254	C4	71.1	89.3	15.8	5.5	142.2	178.6	31.6	11.0	
255	C4	74.5	88.5	16.2	9.1	149.0	176.9	32.4	18.2	
256	D4	95.6	83.7	8.8	6.4	191.2	167.4	17.6	12.8	
257	D4	99.5	92.4	16.6	14.7	199.1	184.8	33.2	29.4	
258	E4	102.4	87.3	15.1	7.9	204.7	174.7	30.2	15.8	
259	E4	111.1	91.3	13.5	7.7	222.2	182.6	27.0	15.4	
260	E4	111.4	95.8	11.2	5.7	222.8	191.6	22.4	11.4	

Gleniff Mill · tree schedule

No.	Square	East m	North m	Height m	Crown Ø m	Model X	Model Y	Model ht	Model Ø	Note
261	E5	111.4	100.5	10.5	5.9	222.8	201.1	21.0	11.8	
262	E4	114.5	97.5	10.8	8.7	229.0	194.9	21.6	17.4	
263	E4	115.0	84.0	17.4	6.8	230.1	167.9	34.8	13.6	
264	E4	124.3	91.0	16.3	17.6	248.7	182.0	32.6	35.2	
265	F4	125.5	83.7	12.1	11.1	250.9	167.4	24.2	22.2	
266	F4	131.1	96.1	12.8	7.0	262.2	192.1	25.6	14.0	
267	F4	131.9	82.8	8.9	4.5	263.9	165.7	17.8	9.0	
268	F4	136.4	94.9	12.7	14.7	272.9	189.9	25.4	29.4	
269	F4	140.1	82.6	9.1	9.0	280.2	165.1	18.2	18.0	
270	F4	146.3	92.1	10.1	4.8	292.6	184.2	20.2	9.6	
271	G4	152.2	89.0	10.8	5.5	304.4	178.1	21.6	11.0	
272	G4	156.4	89.0	11.6	11.7	312.9	178.1	23.2	23.4	
273	G5	164.9	100.5	11.5	10.9	329.8	201.1	23.0	21.8	
274	G4	170.0	98.0	14.2	7.8	339.9	196.0	28.4	15.6	
275	G4	170.2	92.4	13.0	10.7	340.5	184.8	26.0	21.4	
276	G4	173.9	97.5	15.6	3.9	347.8	194.9	31.2	7.8	
277	H4	182.1	98.9	19.9	15.3	364.1	197.7	39.8	30.6	
278	H4	188.3	89.9	23.7	14.7	376.5	179.7	47.4	29.4	
279	H4	189.4	97.5	20.1	8.8	378.8	194.9	40.2	17.6	
280	I4	200.9	99.7	14.1	8.2	401.9	199.4	28.2	16.4	
281	I4	205.4	87.9	17.5	10.9	410.9	175.8	35.0	21.8	
282	I4	210.5	96.9	15.8	13.0	421.0	193.8	31.6	26.0	
283	I4	211.6	89.9	17.0	13.4	423.3	179.7	34.0	26.8	
284	I4	212.2	81.4	19.1	9.7	424.4	162.9	38.2	19.4	
285	I4	223.5	89.0	13.6	7.1	446.9	178.1	27.2	14.2	
286	J4	226.6	81.2	15.2	9.2	453.1	162.3	30.4	18.4	
287	J4	227.1	91.3	14.5	8.0	454.2	182.6	29.0	16.0	
288	J4	231.1	92.7	13.6	10.1	462.1	185.4	27.2	20.2	
289	J4	231.1	97.7	12.4	9.8	462.1	195.5	24.8	19.6	
290	J4	233.6	82.3	12.9	7.5	467.2	164.6	25.8	15.0	
291	J4	234.7	93.2	13.6	11.4	469.5	186.5	27.2	22.8	
292	J4	237.0	82.3	13.7	7.2	474.0	164.6	27.4	14.4	
293	K4	252.8	82.0	13.3	8.6	505.5	164.0	26.6	17.2	
294	K4	255.8	84.0	13.6	8.7	511.7	167.9	27.2	17.4	
295	K4	260.1	96.1	4.6	8.1	520.1	192.1	9.2	16.2	
296	K4	261.8	84.8	12.0	5.5	523.5	169.6	24.0	11.0	
297	K4	264.6	82.3	11.9	10.6	529.2	164.6	23.8	21.2	
298	L4	276.7	81.2	10.2	13.9	553.4	162.3	20.4	27.8	
299	L4	281.8	88.2	5.6	4.7	563.5	176.4	11.2	9.4	
300	L4	283.2	84.0	5.8	4.4	566.3	167.9	11.6	8.8	
301	L4	286.8	97.2	3.0	4.2	573.6	194.4	6.0	8.4	
302	L4	291.3	86.5	7.5	9.2	582.7	173.0	15.0	18.4	
303	L4	298.4	85.9	10.6	11.7	596.7	171.9	21.2	23.4	
304	L4	299.5	95.5	3.6	3.8	599.0	191.0	7.2	7.6	
305	M5	307.1	100.3	5.5	7.7	614.2	200.5	11.0	15.4	
306	N4	331.6	86.2	10.5	8.6	663.2	172.4	21.0	17.2	
307	A4	6.1	77.8	7.4	6.4	12.1	155.6	14.8	12.8	
308	A4	11.7	76.9	8.8	7.3	23.4	153.9	17.6	14.6	
309	A3	15.6	74.4	7.2	5.2	31.3	148.8	14.4	10.4	
310	A4	18.4	79.5	7.4	5.1	36.9	158.9	14.8	10.2	
311	B4	25.8	77.5	9.8	13.5	51.5	155.0	19.6	27.0	
312	B4	28.9	75.5	8.6	4.3	57.7	151.1	17.2	8.6	

Gleniff Mill · tree schedule

No.	Square	East m	North m	Height m	Crown Ø m	Model X	Model Y	Model ht	Model Ø	Note
313	B3	34.5	69.6	9.7	8.8	69.0	139.3	19.4	17.6	
314	B4	35.6	77.5	9.7	12.4	71.3	155.0	19.4	24.8	
315	B3	40.4	69.6	8.4	8.1	80.8	139.3	16.8	16.2	
316	B4	43.5	75.8	5.7	7.2	87.0	151.6	11.4	14.4	
317	B4	44.9	80.0	6.4	5.7	89.8	160.1	12.8	11.4	
318	B3	44.9	65.1	5.9	8.0	89.8	130.3	11.8	16.0	
319	B4	49.4	79.8	8.6	4.8	98.9	159.5	17.2	9.6	
320	B3	49.7	63.7	5.8	3.2	99.4	127.4	11.6	6.4	
321	C3	50.8	66.8	6.5	6.2	101.7	133.6	13.0	12.4	
322	C4	51.1	77.8	8.6	6.3	102.2	155.6	17.2	12.6	
323	C3	55.3	66.5	7.4	4.5	110.7	133.1	14.8	9.0	
324	C3	56.5	74.7	7.4	5.9	112.9	149.4	14.8	11.8	
325	C3	60.1	67.7	8.8	6.6	120.3	135.3	17.6	13.2	
326	C3	61.5	63.4	9.1	9.0	123.1	126.9	18.2	18.0	
327	C3	64.9	61.8	9.0	7.5	129.8	123.5	18.0	15.0	
328	C3	65.8	70.5	7.0	8.4	131.5	140.9	14.0	16.8	
329	C3	70.0	63.7	5.2	3.8	140.0	127.4	10.4	7.6	
330	C4	73.1	78.3	17.3	10.7	146.2	156.7	34.6	21.4	
331	D3	76.2	67.7	12.5	8.8	152.4	135.3	25.0	17.6	
332	D4	79.6	80.3	14.4	7.8	159.1	160.6	28.8	15.6	
333	D3	81.8	72.4	16.7	12.3	163.6	144.9	33.4	24.6	
334	D3	86.6	69.9	16.8	12.6	173.2	139.8	33.6	25.2	
335	D3	95.0	68.2	12.1	7.0	190.1	136.4	24.2	14.0	
336	E3	101.2	62.0	17.0	11.8	202.5	124.1	34.0	23.6	
337	E4	102.4	78.1	18.0	12.6	204.7	156.1	36.0	25.2	
338	E4	109.1	77.8	20.1	17.1	218.3	155.6	40.2	34.2	
339	E4	115.9	77.8	18.0	7.5	231.8	155.6	36.0	15.0	
340	E3	118.4	64.8	17.4	12.3	236.8	129.7	34.8	24.6	
341	E3	119.8	69.6	14.8	10.1	239.7	139.3	29.6	20.2	
342	F3	126.0	74.7	10.6	8.3	252.1	149.4	21.2	16.6	
343	F3	126.0	62.0	9.1	7.3	252.1	124.1	18.2	14.6	
344	F3	131.7	70.5	4.9	5.0	263.3	140.9	9.8	10.0	
345	F4	134.5	76.7	4.8	4.9	268.9	153.3	9.6	9.8	
346	G4	161.5	80.3	6.3	4.7	323.0	160.6	12.6	9.4	
347	G4	164.6	77.5	5.3	5.4	329.2	155.0	10.6	10.8	
348	H3	186.0	61.8	3.8	4.8	372.0	123.5	7.6	9.6	
349	I4	204.0	79.8	19.7	18.3	408.1	159.5	39.4	36.6	
350	I3	204.3	71.0	13.5	8.9	408.6	142.1	27.0	17.8	
351	I3	211.1	73.3	15.7	3.5	422.1	146.6	31.4	7.0	
352	I3	211.3	69.3	15.8	10.4	422.7	138.7	31.6	20.8	
353	I3	216.1	71.6	16.2	8.9	432.3	143.2	32.4	17.8	
354	I3	218.4	61.2	11.9	4.1	436.8	122.4	23.8	8.2	
355	I3	220.4	68.2	16.9	14.0	440.7	136.4	33.8	28.0	
356	I3	224.9	61.8	12.9	4.4	449.7	123.5	25.8	8.8	
357	J3	229.9	68.2	13.7	5.5	459.9	136.4	27.4	11.0	
358	J3	230.5	64.3	14.3	8.5	461.0	128.6	28.6	17.0	
359	J4	230.5	78.3	12.9	7.6	461.0	156.7	25.8	15.2	
360	J3	233.9	75.0	13.2	7.5	467.8	149.9	26.4	15.0	
361	J3	233.9	69.1	13.1	5.3	467.8	138.1	26.2	10.6	
362	J3	237.8	72.7	12.5	5.6	475.6	145.4	25.0	11.2	
363	J3	239.2	66.5	13.3	10.4	478.5	133.1	26.6	20.8	
364	J4	239.5	77.8	12.2	4.4	479.0	155.6	24.4	8.8	

Gleniff Mill · tree schedule

No.	Square	East m	North m	Height m	Crown Ø m	Model X	Model Y	Model ht	Model Ø	Note
365	J3	243.4	70.8	11.8	6.4	486.9	141.5	23.6	12.8	
366	J4	246.0	80.9	13.6	12.1	492.0	161.7	27.2	24.2	
367	J3	249.4	66.5	9.5	6.9	498.7	133.1	19.0	13.8	
368	K4	255.6	77.5	12.0	5.5	511.1	155.0	24.0	11.0	
369	K3	257.0	66.2	13.2	12.4	513.9	132.5	26.4	24.8	
370	K3	257.5	74.4	12.1	5.1	515.1	148.8	24.2	10.2	
371	K3	260.4	73.3	11.4	8.5	520.7	146.6	22.8	17.0	
372	K3	264.6	74.4	12.4	5.1	529.2	148.8	24.8	10.2	
373	K3	269.9	74.1	13.6	8.9	539.9	148.3	27.2	17.8	
374	K3	270.2	65.7	13.0	13.1	540.4	131.4	26.0	26.2	
375	K3	270.5	69.9	13.0	5.4	541.0	139.8	26.0	10.8	
376	K3	272.5	61.5	11.3	9.1	544.9	122.9	22.6	18.2	
377	L3	284.3	64.6	7.9	8.7	568.6	129.1	15.8	17.4	
378	L4	289.1	75.8	4.8	6.9	578.1	151.6	9.6	13.8	
379	L3	290.2	61.2	4.0	7.7	580.4	122.4	8.0	15.4	
380	M4	300.9	79.5	6.6	5.8	601.8	158.9	13.2	11.6	
381	M3	312.4	73.0	13.6	19.5	624.9	146.0	27.2	39.0	
382	M3	319.5	71.6	13.2	8.9	639.0	143.2	26.4	17.8	
383	M3	323.4	72.4	13.4	9.5	646.9	144.9	26.8	19.0	
384	M3	324.6	68.2	12.1	5.2	649.1	136.4	24.2	10.4	
385	N3	326.5	73.3	13.8	4.2	653.1	146.6	27.6	8.4	
386	N3	330.5	70.5	11.3	8.1	660.9	140.9	22.6	16.2	
387	N4	331.6	76.7	13.2	13.3	663.2	153.3	26.4	26.6	
388	B3	49.1	60.4	6.1	5.9	98.3	120.7	12.2	11.8	
389	C3	61.0	54.5	7.5	9.5	122.0	108.9	15.0	19.0	
390	C3	67.7	57.3	5.4	6.1	135.5	114.5	10.8	12.2	
391	C3	70.5	51.9	6.1	3.7	141.1	103.8	12.2	7.4	
392	C3	72.2	54.7	6.1	4.9	144.5	109.5	12.2	9.8	
393	C3	74.2	52.2	5.0	3.4	148.4	104.4	10.0	6.8	
394	D2	79.3	47.7	8.2	3.8	158.6	95.4	16.4	7.6	
395	D3	84.3	58.7	18.8	7.6	168.7	117.3	37.6	15.2	
396	D2	84.6	48.8	9.9	8.5	169.3	97.6	19.8	17.0	
397	D3	84.9	52.5	8.9	3.4	169.8	105.0	17.8	6.8	
398	D3	91.1	59.2	16.6	11.8	182.2	118.4	33.2	23.6	
399	E3	100.7	57.8	17.8	12.5	201.4	115.6	35.6	25.0	
400	E3	104.1	51.1	14.7	7.8	208.1	102.1	29.4	15.6	
401	E3	116.5	51.1	18.8	15.0	232.9	102.1	37.6	30.0	
402	H3	191.6	55.9	9.9	4.4	383.3	111.7	19.8	8.8	
403	H3	196.7	59.2	5.4	6.0	393.4	118.4	10.8	12.0	
404	H2	197.6	48.3	7.3	4.3	395.1	96.5	14.6	8.6	
405	H3	198.1	52.8	8.1	8.8	396.2	105.5	16.2	17.6	
406	H3	199.2	58.4	5.6	3.5	398.5	116.8	11.2	7.0	
407	I2	201.2	48.5	8.0	5.2	402.4	97.1	16.0	10.4	
408	I2	210.8	43.5	7.8	8.4	421.6	87.0	15.6	16.8	
409	I3	221.8	58.7	13.5	7.9	443.5	117.3	27.0	15.8	
410	I3	224.3	51.9	13.1	10.6	448.6	103.8	26.2	21.2	
411	J3	227.4	55.0	13.9	9.5	454.8	110.0	27.8	19.0	
412	J3	230.5	55.9	14.6	10.5	461.0	111.7	29.2	21.0	
413	J2	232.5	41.2	5.1	4.3	464.9	82.5	10.2	8.6	
414	J3	238.9	51.1	12.1	8.1	477.9	102.1	24.2	16.2	
415	J2	239.8	47.7	11.3	6.2	479.6	95.4	22.6	12.4	
416	J2	240.6	44.3	11.2	8.9	481.3	88.6	22.4	17.8	

Gleniff Mill · tree schedule

No.	Square	East m	North m	Height m	Crown Ø m	Model X	Model Y	Model ht	Model Ø	Note
417	J2	245.7	49.1	10.8	7.6	491.4	98.2	21.6	15.2	
418	J3	246.8	59.8	13.0	12.7	493.7	119.6	26.0	25.4	
419	J2	247.4	43.8	11.6	8.3	494.8	87.5	23.2	16.6	
420	K3	255.3	55.9	10.1	8.4	510.6	111.7	20.2	16.8	
421	K2	255.6	45.2	5.8	5.1	511.1	90.3	11.6	10.2	
422	K2	262.3	41.2	9.4	8.5	524.6	82.5	18.8	17.0	
423	K2	262.6	49.7	10.5	10.1	525.2	99.3	21.0	20.2	
424	K3	263.7	60.9	11.2	8.2	527.5	121.8	22.4	16.4	
425	K3	270.8	55.6	11.3	10.7	541.5	111.1	22.6	21.4	
426	K2	271.3	41.2	8.7	3.8	542.7	82.5	17.4	7.6	
427	L2	275.8	46.6	10.5	7.4	551.7	93.1	21.0	14.8	
428	L2	278.9	42.4	9.4	5.4	557.9	84.7	18.8	10.8	
429	L2	279.5	49.4	11.8	8.2	559.0	98.8	23.6	16.4	
430	L2	283.2	44.3	9.4	3.4	566.3	88.6	18.8	6.8	
431	L2	283.4	41.5	10.1	7.5	566.9	83.0	20.2	15.0	
432	L2	287.1	41.5	10.5	6.1	574.2	83.0	21.0	12.2	
433	L2	289.1	45.2	10.9	6.0	578.1	90.3	21.8	12.0	
434	L2	290.8	48.5	10.3	10.0	581.5	97.1	20.6	20.0	
435	L3	292.4	54.5	8.6	10.9	584.9	108.9	17.2	21.8	
436	L2	293.6	42.4	9.4	5.5	587.2	84.7	18.8	11.0	
437	L3	299.2	52.2	12.6	12.3	598.4	104.4	25.2	24.6	
438	M2	300.9	41.5	11.4	8.9	601.8	83.0	22.8	17.8	
439	M3	301.2	58.4	5.4	4.5	602.4	116.8	10.8	9.0	
440	M2	308.8	42.1	10.1	7.4	617.6	84.1	20.2	14.8	
441	M2	311.9	46.0	9.2	7.6	623.8	92.0	18.4	15.2	
442	M3	313.3	52.5	9.5	11.3	626.6	105.0	19.0	22.6	
443	M3	318.4	51.6	7.7	4.3	636.7	103.3	15.4	8.6	
444	M2	322.0	48.3	11.7	11.1	644.0	96.5	23.4	22.2	
445	M3	322.0	55.9	6.8	6.2	644.0	111.7	13.6	12.4	
446	M3	323.1	58.7	7.0	5.0	646.3	117.3	14.0	10.0	
447	N2	327.4	46.3	11.2	6.4	654.7	92.6	22.4	12.8	
448	N2	328.8	41.8	10.3	8.4	657.6	83.6	20.6	16.8	
449	N3	329.6	58.7	4.2	5.5	659.3	117.3	8.4	11.0	
450	N3	330.5	53.3	8.2	5.5	660.9	106.6	16.4	11.0	
451	N2	331.9	45.2	8.6	3.8	663.8	90.3	17.2	7.6	
452	N3	332.4	50.8	8.2	5.3	664.9	101.6	16.4	10.6	
453	F2	132.8	39.8	5.8	4.6	265.6	79.6	11.6	9.2	
454	I2	216.4	40.1	5.1	5.6	432.8	80.2	10.2	11.2	
455	I2	221.8	33.1	7.5	5.3	443.5	66.2	15.0	10.6	
456	I2	223.7	37.9	7.4	5.9	447.5	75.7	14.8	11.8	
457	J2	227.7	31.1	5.2	3.5	455.4	62.2	10.4	7.0	
458	J2	228.0	33.6	4.8	3.9	455.9	67.3	9.6	7.8	
459	J2	234.2	29.7	8.8	6.3	468.3	59.4	17.6	12.6	
460	J2	236.1	31.9	8.8	5.7	472.3	63.9	17.6	11.4	
461	J2	243.7	25.2	6.1	4.7	487.5	50.4	12.2	9.4	
462	K2	264.3	36.5	8.0	5.3	528.6	72.9	16.0	10.6	
463	K2	267.9	33.1	8.3	5.3	535.9	66.2	16.6	10.6	
464	K2	269.9	37.3	9.2	8.0	539.9	74.6	18.4	16.0	
465	K2	271.1	30.6	8.6	7.5	542.1	61.1	17.2	15.0	
466	K2	273.6	29.1	8.5	4.6	547.2	58.3	17.0	9.2	
467	K2	275.0	32.2	8.1	5.1	550.0	64.5	16.2	10.2	
468	L2	276.1	39.5	9.7	4.6	552.2	79.1	19.4	9.2	

Gleniff Mill · tree schedule

No.	Square	East m	North m	Height m	Crown Ø m	Model X	Model Y	Model ht	Model Ø	Note
469	L2	279.5	39.5	9.8	3.7	559.0	79.1	19.6	7.4	
470	L2	280.6	29.1	8.5	11.5	561.3	58.3	17.0	23.0	
471	L2	282.3	35.9	9.4	4.6	564.6	71.8	18.8	9.2	
472	L2	283.7	33.4	9.5	6.8	567.4	66.7	19.0	13.6	
473	L2	290.8	31.1	8.1	5.1	581.5	62.2	16.2	10.2	
474	L2	291.3	34.2	9.0	4.5	582.7	68.4	18.0	9.0	
475	L2	291.3	37.0	8.4	4.2	582.7	74.0	16.8	8.4	
476	L2	293.3	27.7	9.0	7.3	586.6	55.5	18.0	14.6	
477	L2	295.0	31.7	8.4	4.5	590.0	63.3	16.8	9.0	
478	L1	297.0	21.8	5.9	5.1	593.9	43.7	11.8	10.2	
479	M2	300.1	35.6	9.7	9.0	600.1	71.2	19.4	18.0	
480	M2	301.2	26.1	8.6	7.6	602.4	52.1	17.2	15.2	
481	M1	302.6	22.7	8.2	4.7	605.2	45.3	16.4	9.4	
482	M1	305.7	23.0	8.6	4.2	611.4	45.9	17.2	8.4	
483	M2	306.2	35.6	9.8	6.4	612.5	71.2	19.6	12.8	
484	M2	308.8	39.3	9.8	5.3	617.6	78.5	19.6	10.6	
485	M2	308.8	29.1	8.7	6.0	617.6	58.3	17.4	12.0	
486	M2	311.6	29.7	8.6	3.9	623.2	59.4	17.2	7.8	
487	M2	311.9	37.0	10.7	10.9	623.8	74.0	21.4	21.8	
488	M1	311.9	23.2	8.5	4.1	623.8	46.5	17.0	8.2	
489	M2	312.2	27.2	8.7	5.8	624.3	54.3	17.4	11.6	
490	M2	315.8	25.2	8.9	5.4	631.7	50.4	17.8	10.8	
491	M1	315.8	22.4	8.7	5.9	631.7	44.8	17.4	11.8	
492	M2	316.4	30.0	8.8	6.4	632.8	60.0	17.6	12.8	
493	M2	317.8	35.0	8.7	5.4	635.6	70.1	17.4	10.8	
494	M2	320.9	25.5	8.2	4.5	641.8	51.0	16.4	9.0	
495	M2	321.7	34.5	8.6	6.9	643.5	69.0	17.2	13.8	
496	M2	324.6	25.2	8.6	6.0	649.1	50.4	17.2	12.0	
497	M2	324.8	36.7	9.1	6.4	649.7	73.5	18.2	12.8	
498	N2	326.5	28.0	8.6	5.6	653.1	56.0	17.2	11.2	
499	N2	327.6	25.5	8.3	3.2	655.3	51.0	16.6	6.4	
500	N1	327.9	21.8	8.5	6.5	655.9	43.7	17.0	13.0	
501	N2	331.0	32.2	8.7	6.2	662.1	64.5	17.4	12.4	
502	N1	331.9	23.8	8.7	7.3	663.8	47.6	17.4	14.6	
503	N2	333.0	36.2	9.3	3.8	666.0	72.3	18.6	7.6	
504	N2	333.9	28.6	8.3	6.6	667.7	57.2	16.6	13.2	
505	K1	262.6	14.5	4.1	6.1	525.2	29.0	8.2	12.2	
506	L1	292.2	20.7	5.6	5.8	584.3	41.4	11.2	11.6	
507	M1	305.4	19.6	8.7	8.6	610.8	39.2	17.4	17.2	
508	M1	311.9	18.5	8.5	5.8	623.8	36.9	17.0	11.6	
509	M1	318.6	19.3	8.8	5.9	637.3	38.6	17.6	11.8	
510	M1	323.7	17.3	7.8	2.7	647.4	34.7	15.6	5.4	
511	N1	326.2	15.1	8.0	4.9	652.5	30.2	16.0	9.8	
512	N1	330.5	18.2	8.4	5.9	660.9	36.4	16.8	11.8	