

Frozen body: retain and test local repairs

Numeric body53 findings retained; new modest moving evidence narrows the visual coverage gap.

Retain the frozen base for bounded local repair trials; these films do not prove that local repair will suffice. No repair has been attempted or accepted. These independent observations concern the body surface; parent alone judges candidate art and fit.

Existing body findings remain unchanged

Domain	Frozen finding / remaining limit
Rest body	13,380 vertices / 26,756 triangles. One closed Euler 2 component; all vertex links manifold cycles; no rest self-contact, non-manifold edge, inconsistent winding or zero-area triangle.
Moving body	529 native Full/Four samples: peak 220 strict pairs. 703 actual47 Full/Four samples: peak 414. Finite totals match throughout; strict counts differ by 2 at actual 478 only. Shoulder/hip regional strict counts match.
Export / weights	Current diagnostic body maps all 9,037 native vertices and 18,016 oriented triangles. Native-four parity 0.669 micrometre. Shoulder four-slot loss max 0.357mm actual; hip essentially zero. Fifth-slot recovery alone cannot resolve folds.
Protected head	Unchanged head/cheek rendered. Head oriented export ancestry remains unproven; rest body/head interface 68 strict overlaps is separate from body self-contact. No face/head repair or garment/head clearance certificate.
New visual scope	Front, left side and rear (source-native +X / -Y / -X). Full top / Four bottom; later Four-only shoulder and hip crops. Existing opaque fitting boxers remain; covered hip surfaces still cannot receive a visible-clearance pass.

Independent played observations

Shoulders: Native frame 72 shows a local underarm crease; actual47 input 668 compresses that area. Triangle counts and projected guides do not establish visible depth.


Hips: Opaque boxers obscure proximal hip and crotch. Seated motion exposes skin through the underwear; this is control-fit evidence, not a body hip-clearance pass.

Full vs four: Paired silhouettes look broadly alike at this review scale. Extra influences provide no obvious visible rescue; small local differences remain possible.

Whole body / head: Overall silhouette remains recognizable. A raised, jagged neck interface becomes conspicuous in forward lean; body/head assembly review remains separate from body-self topology.

Body contacts are pose-dependent

The contact metric and visual severity are separate evidence; counts do not measure penetration depth.



Native Full/Four: 274/529 samples with strict crossings; peak 220 at frame 240. Actual47: 703/703 samples have strict crossings; peak 414 at input 669. Separate actual50 has 176 existing samples and peak 414, but its poses differ from actual47. That older film is not used for the new visual witnesses.

Proxy region	Native peak L/R	Actual47 peak L/R	Selected local witness
Shoulders	22 / 22	69 / 69	Native 72: 2.754mm; actual 668: 15.105mm
Hips	35 / 40	49 / 53	Native 242: 3.861mm; actual 512: 12.750mm

Rest sphere radius 145.8mm around upper-arm / thigh bone heads, an explicit proxy rather than anatomical segmentation. Strict plane endpoint excursion is a finite local crossing witness, not signed closed-volume depth. Body full/four maximum displacement remains 7.811mm native and 6.012mm actual47 near native vertex 931 at the shoulder-neck blend.

Native motion: exact exposed-body replay

Synthetic FK source only; no actual-bike support claim. Both full and four fields retain separate labels.



FOUR-row context from the paired full-body movie. Native frame 242, 5.041667s; exact labelled hold after continuous moving sequence. Source body strict pairs 207/207.

Matching body53 witness

NATIVE SYNTHETIC FK | source 242/528 | t=5.041667s | PAUSED EXACT SOURCE WITNESS

FOUR ONLY | SHOULDERS | front / left side / rear

Blue/orange: projected numeric triangles; depth occlusion untested. These guides are not a visible defect verdict.

FOUR ONLY | HIPS | opaque underwear can hide the numerical crossing

UNACCEPTED | protected head + opaque fitting boxers | source scale1 | CPU geometric normals | parent judges

Native frame 242, 5.041667s; hip witnesses 35/40 regional pairs. Opaque boxers hide local body surfaces; visible skin/boxer overlap is not a hip-clearance pass.

Actual47: recorded fields, no resimulation

Existing 703-tick matrix stream only; scale/orientation retained, pelvis translation centers the presentation.



FOUR-row context from the paired full-body movie. Actual47 input 668, 5.566667s; labelled exact hold after recorded motion. Body strict pairs 386/386; actual50 not used.

Matching shoulder/hip witness

ACTUAL47 RECORDED BODY FIELDS | source 668/703 | t=5.566667s | PAUSED EXACT SOURCE WITNESS

FOUR ONLY | SHOULDERS | front / left side / rear

Blue/orange: projected numeric triangles; depth occlusion untested. These guides are not a visible defect verdict.

FOUR ONLY | HIPS | opaque underwear can hide the numerical crossing

UNACCEPTED | protected head + opaque fitting boxers | source scale1 | CPU geometric normals | parent judges

Actual47 input 668, 5.566667s; shoulder witnesses 69/69 regional pairs. Neck interface and boxer contact are separate; projected guides do not certify visible depth.

Method, coverage and contact targets

No candidate / whole wearer clearance is inferred from the modest body-only moving control.

Direct-field capture contract

Native body and underwear use existing Float64LE world-position streams. Actual47 body uses exactly the body53 normalized LBS formula on existing 51 effective matrices; no new controller execution. Rendered body is the 9,037-vertex subset of the 13,380 fitting body, joined visually with the unchanged protected head/cheek. All 2,944 saved body53 witnesses at selected sources and all 8 regional anchors match Float64 XYZ exactly.

The preparation side +Y label is corrected here to source-native -Y (anatomical left); camera transforms and geometry are unchanged. Source 51 rest/pose, live original weights, positions, UV/materials and modifiers are preserved. Disposable triangle presentation meshes apply only glTF-to-native conversion, pelvis translation and yaw 0/90/180; no scale or undo of rider orientation. Source UV/material/smooth flags retained; geometric normals recomputed on presentation copies. CPU Cycles 4 samples / 2 threads per capture; production shader, GPU, LOD and physical-device equivalence are not claimed.

Full top is the original full-weight body reference; Four bottom is normalized primary-four. Protected head stays in its existing primary field in both. Moving cadence is native 12 source frames/s or actual 30 source frames/s, encoded 60fps by exact repeats. Later Four-only focus repeats those samples and holds explicitly labelled exact source witnesses. There is no interpolation, pose injection or extra simulation.

Separate garment target-scope correction

Agent1 checkpoint c3315c61/native92 concerns source 26 garment, not body53 self-contact. Both full/native-four fail peak 959 garment/logical-body and 4095 native-self pairs (4116 frozen-rest tessellation), with 306 body-contact and 460 native-self frames. Full/four garment loss 4.114mm does not explain the identical peaks.

Protected textured head is a separate target: garment/head 490 pairs at canonical rest, contacts in all 529 samples, peak 504; cheek 0. Earlier source 24 rest 0 body / 0 self audited the logical anatomical body and did not certify textured-head clearance. Pair definitions and tessellation scope differ from body53 finite-SAT body self metrics. New underwear films contain no source 26 garment and cannot pass its fit, appearance or head safety.

Remaining limits

Opaque boxers cover proximal hip and crotch surfaces; projected triangle guides have untested depth occlusion. Only sampled times and three yaw views are shown. Pro/landing/full 86-bank/facial/device/stranger clearance, successful repair and whole candidate acceptance remain absent. Body/head/bind/weights are unchanged; no source save/export, model/inference/installation/worker job, promotion or publication. All M0-M5 remain open.

Portable report and exact provenance

Local fonts embedded in this addition. Original PDF53 and old dressed films remain historical controls.

Movies and full source registry

native: 2050 frames / 34.166667s / 1920x1280 / 60fps / no audio. native-full-four-exposed.mp4

9ce4720187db661f6ebdd853ff0b43573fa9cef29fdf3e24c3b0af474747178f

actual47: 2144 frames / 35.733333s / 1920x1280 / 60fps / no audio. actual47-full-four-exposed.mp4

c4e3a3bf073205708f41ed612adbb1ca98d9a3ce80f4281fbd8c86610d6e99785

Exact hashes

Native 19 source

b545229e52c4fc5bcb97b4fbc81ccc3a0e5a2f9c87fe3c7338691317d965e449

Native driver

8c40c42af362a8d3d8ae44d27a0b07570f600b26adc66d325239413f66c7625b

Existing actual47 matrices

9db354f3ab54f9b860be83a2f372aceafb9b7d682a8c5e6bf42afd5153b82758

Body53 assessment

f8ad4cf4fe6d7fdc4020ac0d897d0863ce9944d1a316110630048bfdd1a15bbc

Original PDF53, preserved

b45138d8fe146baef3cf0916dbf36544d41dc174519f144496982c905335c79

Body55 preparation / camera pins

72aa96244ebee1c7de62244953fc6e3e5e2a36e0d344b285f1e3a7e16e94012

Embedded font Body: Arial.ttf / SHA256 525979822591a3447cfc49d943d6f7683508e25543407871c0ed8fed05fd2bd9

Embedded font BodyBold: Arial Bold.ttf / SHA256 d72db21f9242aedd6b917d8549ad5921766b24d5f8d0becfda2ff4c620b3c2e0

Embedded font Code: Courier New.ttf / SHA256 c886ca3172d8ce9189976992d145ec090500a4ff516ecb9d4df56b1a78336247

Root-owned Library writeback guard

Existing identity libfile_eb03359fe8fc8191b238f6f807e9af8b, expected current version 0, named whole-body-assessment.pdf.

Parent handles review, guarded update of the same identity and delivery; Agent3 performs no Library write/upload or user delivery. Preserve previous version history and original local PDF53.