







	subject_id	subject_name
▶	1	Advanced Data...
	2	Management I...
	3	Systems Analys...
*	NULL	NULL


	student_number	firstname	lastname	program_id
▶	035-20130-0205	Mairo	Eli	BSIT
*	NULL	NULL	NULL	NULL

	program_id	program_name
▶	BSIT	Bachelor of Sci...
*	NULL	NULL

	student_number	subject_id	year	term
▶	035-20130-0205	1	2016-2017	2nd
	035-20130-0205	2	2016-2017	2nd
	035-20130-0205	3	2016-2017	2nd
*	NULL	NULL	NULL	NULL







student_number	subject_id	academic_year	term
035-20130-0205	1	2016-2017	2nd
035-20130-0205	2	2016-2017	2nd
035-20130-0205	3	2016-2017	2nd
NULL	NULL	NULL	NULL

1NF

- The Problem Table is already looks like a 1NF. So I didn't need to show anything.

2NF

- I noticed that student info like **firstname**, **lastname**, and **program** kept repeating in every row just because the student was enrolled in multiple subjects. So I separated the student info into its own table to avoid repetition.

3NF

- I noticed that **program** and **subject** could be their own separate things with their own details. So I gave them their own tables too.

I think of it this way like instead of writing the same student's name and program over and over for each subject, you just store it **once** and reference it later. So, I think that's the whole point of normalization.

Final Result:

- The original table was broken down into **4 cleaner tables Program, Student, Subject, and Enrollment** where each table stores only the data that belongs to it.