

6.1810 xv6 Labs — Execution Screenshots

Rayyan Khan | ERP: 31604

Problem Set 1 — branch: problemSet1

Utilities: sleep, sixfive, memdump, find, find -exec

```
xv6 kernel is booting

hart 1 starting
hart 2 starting
init: starting sh
$ echo "Name: Rayyan Khan   ERP: 31604"
"Name: Rayyan Khan ERP: 31604"
$ sleep 10
$ sleep
Usage: sleep ticks
```

```
$ sixfive sixfive.txt
5
100
18
6
$ memdump
Example 1:
61810
2026
Example 2:
a string
Example 3:
another
Example 4:
C80
1819438967
100
z
xyzy
Example 5:
hello
w
o
r
l
d
```

```
$ echo deadc0de | memdump hhcccc
25956
25697
c
0
d
e
$ echo > b
$ mkdir a
$ echo > a/b
$ mkdir a/aa
$ echo > a/aa/b
$ find . b
./b
./a/b
./a/aa/b
$ find . wc -exec echo hi
hi ./wc
$
```

First Assignment — branch: assignment1

Challenge exercises: uptime, find with regex, shell wait builtin

```
xv6 kernel is booting

hart 2 starting
hart 1 starting
init: starting sh
$ echo "Name: Rayyan Khan   ERP: 31604"
"Name: Rayyan Khan ERP: 31604"
$ uptime
144
$ mkdir a
$ echo > a/bb
$ echo > a/bc
$ find . b.
./zombie
./a/bb
./a/bc
$ find . ^b$
$ uptime
809
$ sleep 100 &
$ wait
$ uptime
1007
$ |
```