



cannot use import statement outside



AI Mode →



AI Mode

All

Videos

Forums

Images

Short videos

News

More ▾

Tools ▾



AI Overview

The **"Cannot use import statement outside a module"** error happens because the JavaScript environment (Node.js or a web browser) is trying to read modern ES module syntax (`import` / `export`), but it is currently configured to read classic/CommonJS scripts.  flaviocopes.com +1

To fix this, choose the solution below that matches your project setup:

1. If you are using Node.js (Backend / JavaScript)

Node.js uses the older CommonJS system by default. You have two options to switch it to ES Modules:  Medium

- **Option A (Recommended):** Open your `package.json` file and add `"type": "module"` at the root level:  flaviocopes.com +1

json

```
file:///C:/Users/hp/react%20projects/social-app/index.js:1
const express=require("express")
               ^
```

```
ReferenceError: require is not defined in ES module scope, you
can use import instead
```

```
This file is being treated as an ES module because it has a '.j
s' file extension and 'C:\Users\hp\react projects\social-app\pa
ckage.json' contains "type": "module". To treat it as a CommonJ
S script, rename it to use the '.cjs' file extension.
```

```
    at file:///C:/Users/hp/react%20projects/social-app/index.js
:1:15
```

```
    at ModuleJob.run (node:internal/modules/esm/module job:430:
```

So we have 2 types of js versions :

1- commonjs(old) : .cjs so we cant use ES6 shortcuts inside it , so we cant use import instead we will use require .

2-moduleJs(new):.mjs , use ES6 ... so we use import not require

1. If you are using Node.js (Backend / JavaScript)

Node.js uses the older CommonJS system by default. You have two options to switch it to ES Modules:  Medium

- **Option A (Recommended):** Open your `package.json` file and add `"type": "module"` at the root level:  flaviocopes.com +1

```
json
{
  "name": "your-project",
  "version": "1.0.0",
  "type": "module",
  "dependencies": {}
}
```

Use code with caution.



- **Option B:** Change your file extension from `.js` to `.mjs` (e.g., rename `server.js` to `server.mjs`). Node.js automatically treats `.mjs` files as ES Modules.  Elementor +1

Query projection : is used when we need to exclude some fields :

```
const user=await
User.findById({_id:req.params.id}).select("-password -isAdmin");
```

So if we have multiple fields we will separate them by comma

In mongodb each document===SQL row

- **The \$push operator** appends a specified value to an array.
- **The \$pull operator** removes values from an array that matches a specified condition.

Basic syntax of \$push operator

Copy

```
{ $push: { <field1>: <value1>, ... } }
```

Basic syntax of \$pull operator

Copy

```
{ $pull: { <field1>: <value|condition>, ... } }
```

REFERENCE ERROR: USER IS NOT DEFINED.

- It reads `req.userId` from `req.body`, but this is a `GET` route. GET request bodies aren't reliably supported; use a route parameter or query parameter instead.