



SVEUČILIŠTE U ZAGREBU



Fakultet
elektrotehnike i
računarstva

Master Programme
Computing

Advanced Architectures of Telecommunication Networks

Ac. year 2022/2023

Towards network softwarization




What is softwarization?

- Try and replace network devices in form of „black boxes“ with programmable components to allow more flexibility and openness
- Think of an old, monolithic software solution vs. microservice-based solutions in the cloud
 - Similar “evolution” with similar motives and benefits!

Why softwarization?


- IoT and 5G requirements
 - One network for multiple services with different requirements



"SDN, NFV and their role in 5G", <https://www.dca.fee.unicamp.br/~chesteve/ppt/SIGCOMM16-Tutorial-5G-SDN-NFV-part1.pdf>

Why softwarization?

- Service deployment and orchestration



ACM SIGCOMM Tutorial | 2016-09-22 | Page 15

"SDN, NFV and their role in 5G", <https://www.dca.fee.unicamp.br/~chesteve/ppt/SIGCOMM16-Tutorial-5G-SDN-NFV-part1.pdf>

Why softwarization?

- Goals:
 - High level of flexibility and programmability in individual domains (mobile core, radio access network and transport network)
 - Cross-domain programmability and orchestration.
- To provide better...
 - Service Agility
 - Shorten the time for service creation and service adaptation (e.g., scaling).
 - Service Diversity
 - Share a single infrastructure among multiple services with wide range of requirements.
 - Resource Efficiency
 - Dynamically allocate the right amount of resources when and where needed



Ultimate goal of softwarization?

- So, what is the ultimate goal?
 - Example 1: I want to build a farm with 1000s of sensors and automate everything
 - I need connectivity, routing, cloud monitoring...
 - Example 2: I am an IPTV provider
 - My subscribers need to have high QoS and QoE
- Could I do any of these with traditional, monolithic networks?
 - Yes, but it would be more complex (and expensive)
- This is what network softwarization enables
 - among many other things!

When comparing with other domains...

- IaaS, SaaS, PaaS - and now: NaaS

On-site	IaaS	PaaS	SaaS
Applications	Applications	Applications	Applications
Data	Data	Data	Data
Runtime	Runtime	Runtime	Runtime
Middleware	Middleware	Middleware	Middleware
O/S	O/S	O/S	O/S
Virtualization	Virtualization	Virtualization	Virtualization
Servers	Servers	Servers	Servers
Storage	Storage	Storage	Storage
Networking	Networking	Networking	Networking


 You manage  Service provider manages

<https://www.leanix.net/en/wiki/saas/iaas-vs-paas-vs-saas>

(this is actually the evolution of cloud, services)

Where can softwarization be applied?

- Core network
- Access network
- Transport network



<https://info.support.huawei.com/info-finder/encyclopedia/en/5G+Transport+Network.html>

Core network softwarization – current problems


- Without softwarization:
 - single network architecture for multiple services
 - control and user functions mixed!
- Difficult to customize (remember different service requirements!)
- Difficult to scale
- What we need is flexibility in core network
 - Easier adoption to new services with various requirements
 - What about new/additional/specific hardware?
 - On-the-go (more or less) adaptation

Core network softwarization – what do we need?

- Separation of control and user- plane functions
- Separation of functionalities
 - E.g. remember software development and „separation of concerns“ -> higher granularity of core functions
- Functionalities virtualization
 - Better scalability
 - Adaptation on-the-go, per service/network slice
- Treat services as separate entities
 - Customization for each service
 - Per service scaling – selective
 - Flexibility
- But also:
 - Centralized control
 - Use of cloud and services in cloud!

Access network softwarization – current problems


- IP connectivity (remember previous lectures)
- Scaling for new scenarios?
- Imagine IoT requirements
 - How to segment access network
 - Edge services – example
 - Farming IoT service over the same access network as other services
 - Different bandwidth, latency, data requirements



"SDN, NFV and their role in 5G",
<https://www.dca.fee.unicamp.br/~chesteve/ppt/SIGC-OMM16-Tutorial-5G-SDN-NFV-part1.pdf>

Access network softwarization – what do we need?

- Resource pooling
 - Serve multiple „tenants” with provisional and scalable services
 - Softwarized services (also in the cloud)
- Centralized network management
- Centralized coordination of services and accesses for different services
- „Cloud-RAN”



"SDN, NFV and their role in 5G",
<https://www.dca.fee.unicamp.br/~chesteve/ppt/SIGCOMM16-Tutorial-5G-SDN-NFV-part1.pdf>

Transport network softwarization – current problems

- Monolithic realization of network functions
 - Difficult and manual adaptation, segmentation, scaling
 - Main functions: control and forwarding
- Proprietary Interfaces
 - Interconnection of different equipment?
- Inefficient Resource Utilization
 - No „resource pooling“, as-is
 - Optimization difficult, especially in near-real-time
- „Application Unaware“
 - Difficult to adapt to different applications and services (remember e.g. IoT requirements)

Transport network softwarization – what do we need?

- Provide (clearly) separated control and forwarding functions with defined interfaces
- Enable softwarization of control plane and functions
- Automatized delivery and configuration of network and services
- Dynamic creation and configuration of (virtual) connections or tunnels
- Resource optimization operation in order to fully use the available links

From traditional to softwarized network model...


- In short: minimize hardware dependancies and maximize software dependancies!

Traditional Network Model: APPLIANCE APPROACH



- Network Functions are **based on specific HW&SW**
- **One physical node per role**


Virtualised Network Model: VIRTUAL APPLIANCE APPROACH



- Network Functions are **SW-based over well-known HW**
- **Multiple roles over same HW**

<https://www.dca.fee.unicamp.br/~chesteve/ppt/2016-open-source-network-softwarization.pdf>

Network Softwarization = SDN & NFV



Ahmad Rostami, Ericsson Research (Kista) and Uwe Michel, T-Systems


(adapted from <https://www.dca.fee.unicamp.br/~chesteve/ppt/2016-open-source-network-softwarization.pdf>)



NFV and SDN are means of network softwarization!

- Software Defined Networking
 - flexible traffic „steering“ in a physical or virtual network environment
 - Network part
- Network Function Virtualization
 - flexible placement of virtualized network functions across the network & cloud
 - Application / appliance part
- SDN & NFV are complementary tools for achieving full network softwarization!

Evolution of network softwarization



Source: N. Feamster, J. Rexford, E. Zegura. The Road to SDN: An Intellectual History of Programmable Networks.
<http://gtnoise.net/papers/drafts/sdn-cacm-2013-aug22.pdf>

Benefits when using softwarized networks (1/4)

- Virtualization
 - use network resources without worrying about where it is physically located, how it is organized, etc.
 - configure, deploy, and update services and functions in (near) real-time
 - Example: virtualized router, firewall, lawful interception...
- Orchestration
 - manage thousands of devices
 - prepare for IoT and required mass orchestration
 - Example: smart home and IoT
- Programmability
 - update, setup, (re)configure „everything“ in (near) real-time
 - „edge“, „fog“, „mist“, „dew“ computing – bring services closer to the users
 - Example: off-load the core network

Benefits when using softwarized networks (2/4)

- Dynamic Scaling
 - change size, quality, quantity based on service requirements
 - possibly in near real-time – „proactivity“
 - Example: resource allocation during football game in mobile network
- Automation
 - As autonomous as possible
 - e.g. automatic updates, adaptation to increasing requirements, automatic resource allocation...
 - Example: automated software updates on network devices

Benefits when using softwarized networks (3/4)

- Visibility
 - better and easier resource monitoring
 - detecting issues in the network, rogue nodes etc. (security also!)
 - Example: reference to SIEMs – why monitoring is important?
- Performance
 - optimize network device utilization
 - Throttling – lowering bandwidth for some traffic types?
 - Example: network neutrality problem
- Multi-tenancy
 - Slice the network for different customers (as-a-Service)
 - Important: enable different configurations and environments for different „tenants” while even using the same underlying hardware
 - Example: IoT mixed with video-on-demand

Benefits when using softwarized networks (4/4)

- Service Integration
 - OSS and BSS (operations support system and business support system) should integrate and „work“ with network operations
 - Easily integrate business and operational domain requirements into services
 - Example: activating additional GBs on your mobile device using service activation platform from call-center
- Openness
 - Telecommunication vendors are typically very “closed” which limits new services, while telcos want to sell services themselves
 - Openness is very important in this sense – it enables telcos but also third-party service providers (!) to offer new services based on open standards, interfaces and software!



Next lectures

- SDNs and OpenFlow
- NFVs
- Both as basis of network softwarization
- Remember: it enables everything we are actually using nowadays!