

A

- A antigen 44–46
- A1 antigen 49, 50
- A,B antigen 47–49
- ABCB6, *see* Lan blood group system
- ABCG2, *see* JR blood group system
- ABO blood group system 27
 - amino acid sequence 28–29
 - antigens, *see* A antigen; A1 antigen; A,B antigen; B antigen
 - carrier molecule description 29
 - database accession numbers 28
 - disease association 43
 - expression 27–28
 - gene 28
 - glycosyltransferase functions 42–43
 - molecular basis of phenotypes
 - A subgroup phenotypes 32–35
 - A₁ and A₂ phenotypes 30–31
 - B phenotype 36
 - B subgroup phenotypes 36–38
 - cisAB and B(A) phenotypes 38–40
 - O phenotype 40–42
 - overview 29–30
 - phenotype distribution 43
 - terminology 27
- ABTI antigen 669
- Acetylcholinesterase, *see* Yt blood group system
- 3- *-N*-Acetylgalactosaminyltransferase, *see* Globoside blood group system
- 6- *-N*-Acetylglucosaminyltransferase, *see* I blood group system
- Acid treatment, effects on antigen expression 693
- AET, *see* 2-Aminoethylisothiuronium bromide
- ALe^b antigen 357, 358
- Anti-A 45, 46
- Anti-A1 50
- Anti-A,B 48
- Anti-ABTI 669
- Anti-ALe^b 357, 358
- Anti-An^a 519
- Anti-AnWj 684
- Anti-At^a 682
- Anti-Au^a 289
- Anti-Au^b 291
- Anti-B 47
- Anti-BARC 254
- Anti-Be^a 238
- Anti-BLe^b 359
- Alloantibodies, *see also specific alloantibodies*
 - characteristics *in vitro* 20–21, 704–705
 - clinical significance 21, 704
 - hemolytic properties 708
- Anti-BOW 406
- Anti-Bp^a 400, 408–409
- Anti-c 208
- Anti-C 205
- Anti-Can 674
- Anti-CD99 426
- Anti-cE 228
- Anti-Ce 212
- Anti-CE 225
- Anti-CEAG 262
- Anti-CELO 261
- Anti-CENR 259
- Anti-CEST 227, 260
- Anti-CH1 483
- Anti-Cl^a 93
- Anti-Co3 464, 465
- Anti-Co4 466
- Anti-Co^a 462
- Anti-Co^b 463
- Anti-Cr^a 530
- Anti-CRAM 547
- Anti-Crawford 244
- Anti-CROV 546
- Anti-CROZ 548
- Anti-Cs^a 649
- Anti-Cs^b 650
- Anti-C^W 214
- Anti-C^X 215

- Anti-DAK 256, 257
- Anti-DANE 116
- Anti-Dantu 105
- Anti-Dh^a 520
- Anti-Di^a 389
- Anti-Di^b 390
- Anti-DISK 414
- Anti-Do^a 446
- Anti-Do^b 447
- Anti-DOLG 454
- Anti-DOMR 453
- Anti-DOYA 452
- Anti-Dr^a 535
- Anti-DSLK 627
- Anti-Duclos 625
- Anti-D^W 226
- Anti-e 209
- Anti-E 206
- Anti-ELO 398
- Anti-Emm 683
- Anti-En^a 110
- Anti-ENAV 129
- Anti-ENDA 132
- Anti-ENEH 127
- Anti-ENEP 126
- Anti-ENEV 67, 133
- Anti-ENKT 111
- Anti-Er³ 658
- Anti-Er^a 656
- Anti-Er^b 657
- Anti-ERIK 124
- Anti-Es^a 536
- Anti-Evans 239
- Anti-E^W 217
- Anti-f 211
- Anti-Far 101
- Anti-FORS1 633
- Anti-FPTT 251
- Anti-Fr^a 412
- Anti-Fy^a 366, 367
- Anti-Fy^b 368
- Anti-Fy³ 370
- Anti-Fy⁵ 371
- Anti-G 219
- Anti-Ge² 511
- Anti-Ge³ 513
- Anti-Ge⁴ 515
- Anti-GEAT 523
- Anti-GEIS 521
- Anti-GEPL 522
- Anti-GETI 524
- Anti-GIL 618
- Anti-Go^a 230
- Anti-GUTI 542, 543
- Anti-Gy^a 448, 449
- Anti-H 497, 498
- Anti-HAG 128
- Anti-He 77
- Anti-Hg^a 402
- Anti-Hil 98
- Anti-Hop 107
- Anti-Hr 221
- Anti-Hr₀ 220
- Anti-hr^B 231
- Anti-Hr^B 235, 236
- Anti-hr^S 222
- Anti-Hu 672
- Anti-Hut 96
- Anti-Hy 450
- Anti-i 653
- Anti-I 608
- Anti-IFC 537
- Anti-In^a 572
- Anti-In^b 573
- Anti-INFI 574
- Anti-INJA 575
- Anti-JAHK 255
- Anti-JAL 248
- Anti-Jk³ 7, 381
- Anti-Jk^a 378
- Anti-Jk^b 380
- Anti-JMH 595
- Anti-JMHG 599
- Anti-JMHK 596, 597
- Anti-JMHL 598
- Anti-JMHL 600
- Anti-JMHQ 601
- Anti-Jn^a 409
- Anti-Jo^a 451
- Anti-Jr^a 639
- Anti-Js^a 316
- Anti-Js^b 317
- Anti-k 310, 311
- Anti-K 309
- Anti-K11 319, 320
- Anti-K12 321
- Anti-K13 322
- Anti-K14 323
- Anti-K17 325
- Anti-K18 326
- Anti-K19 327
- Anti-KETI 344, 345
- Anti-K22 330
- Anti-K23 331
- Anti-K25 332
- Anti-KALT 337

- Anti-KANT 341
Anti-KASH 342
Anti-KCAM 565
Anti-KELP 343
Anti-KHUL 345–346
Anti-Km 328
Anti-Kn^a 555
Anti-Kn^b 556
Anti-Kp^a 312
Anti-Kp^b 313
Anti-Kp^c 318
Anti-KREP 410
Anti-KTIM 338, 339
Anti-Ku 314
Anti-KUC1 340
Anti-Kx 503
Anti-KYO 339
Anti-Lu11 283
Anti-Lan 644
Anti-Le^a 352
Anti-Le^{ab} 355
Anti-Le^b 354
Anti-Le^{bh} 356
Anti-LKE 661
Anti-LOCR 258
Anti-Ls^a 517, 518
Anti-Lu3 274
Anti-Lu4 275
Anti-Lu5 277
Anti-Lu6 278
Anti-Lu7 279
Anti-Lu8 280
Anti-Lu9 282
Anti-Lu12 284
Anti-Lu13 285
Anti-Lu14 286
Anti-Lu16 287
Anti-Lu17 288
Anti-Lu20 292
Anti-Lu21 293
Anti-Lu^a 271
Anti-Lu^b 273
Anti-LURC 294
Anti-LW^a 473
Anti-LW^{ab} 474
Anti-LW^b 476
Anti-M 66, 67
Anti-M₁ 673
Anti-MAM 689
Anti-MAR 252, 253
Anti-MARS 130, 131
Anti-McC^a 557, 558
Anti-McC^b 562
Anti-MER2 588
Anti-M⁸ 86
Anti-Mi^a 79
Anti-MINY 119
Anti-Mit 103
Anti-MNTD 134
Anti-Mo^a 401
Anti-Mr^a 89
Anti-Mur 84
Anti-MUT 121
Anti-M^v 99
Anti-N 68, 69
Anti-NFLD 407
Anti-Nob 109
Anti-NOR 145
Anti-Ny^a 94
Anti-Ok^a 581
Anti-OKGV 582
Anti-OKVM 583
Anti-Ol^a 626
Anti-Or 114
Anti-Os^a 125
Anti-P 611
Anti-P1 141
Anti-PEL 688
Anti-P^k 143
Anti-PX2 662
Anti-RAZ 335, 336
Anti-Rb^a 396
Anti-Rh26 227
Anti-Rh29 229
Anti-Rh32 233
Anti-Rh33 234
Anti-Rh35 237
Anti-Rh42 243, 246
Anti-RHAG4 628
Anti-Ri^a 92
Anti-Riv 245
Anti-s 72, 90
Anti-S 70
Anti-SAT 123
Anti-Sc1 431
Anti-Sc2 432, 433
Anti-Sc3 434
Anti-Sc4 435
Anti-SCAN 438
Anti-SCER 437
Anti-s^D 102
Anti-Sd^a 686
Anti-Sec 246, 247
Anti-SERF 543
Anti-Sext 675
Anti-Sl3 564

- Anti-Sl^a 559
 - Anti-St^a 91
 - Anti-STAR 436
 - Anti-STEM 250
 - Anti-SW1 413
 - Anti-Sw^a 405
 - Anti-Tar 241
 - Anti-Tc^a 531
 - Anti-Tc^b 532, 533
 - Anti-Tc^c 533, 534
 - Anti-Tm 674
 - Anti-TOU 334
 - Anti-Tr^a 411
 - Anti-TSEN 118
 - Anti-U 73
 - Anti-UL^a 318
 - Anti-UMC 541
 - Anti-V 216
 - Anti-Vel 668
 - Anti-Vg^a 403, 404
 - Anti-Vil 563
 - Anti-VLAN 333
 - Anti-VONG 336, 337
 - Anti-Vr 87
 - Anti-VS 223
 - Anti-Vw 81, 82
 - Anti-WARR 397
 - Anti-Wb 516
 - Anti-Wd^a 394, 395
 - Anti-WES^a 539
 - Anti-WES^b 540
 - Anti-Wr^a 392
 - Anti-Wr^b 393
 - Anti-Wu 398, 399
 - Anti-Xg^a 425
 - Anti-Yk^a 560
 - Anti-Yt^a 419
 - Anti-Yt^b 420
 - Anti-ZENA 544, 545
 - Amino acid
 - codes 16
 - numbering 704
 - sequence 16–17
 - 2-Aminoethylisothiuronium bromide (AET),
 - antigen identification 692–693
 - An^a antigen 518, 519
 - Antigen
 - amino acid sequence 16–17
 - antithetical antigen 19
 - carrier molecules 17–18
 - database accession numbers 12–15
 - definition 3
 - disease association 18
 - enzyme and chemical effects 20
 - expression 12, 19
 - genes and loci 12, 724–725
 - molecular basis 14–16, 19
 - negative prevalence for polymorphic antigens 706–707
 - number in blood group systems 9–12
 - phenotypes 18
 - suppression 708
 - terminology 6–7, 9–12, 19
 - AnWj antigen 684, 685
 - Aquaglyceroporin, *see* Gill blood group system
 - Aquaporin 1, *see* Colton blood group system
 - At^a antigen 682
 - A transferase, *see* ABO blood group system
 - Au^a antigen 288–290
 - Au^b antigen 290, 291
 - Autoantibody, *see also specific antigens*
 - overview 21
 - target antigen expression 710
 - warm autoantibodies 709–710
- ## B
- Band 3, *see* Diego blood group system
 - B antigen 46–47
 - BARC antigen 253, 254
 - B-CAM, *see* Lutheran blood group system
 - Be^a antigen 237–238
 - Biosynthetic pathways, antigens 697
 - Bi antigen 678
 - BLe^b antigen 358, 359
 - Blood group systems, *see also specific systems*
 - adsorbed proteins from plasma 720
 - carbohydrate-based systems 718
 - copy number per red blood cell by system 721–722
 - glycophosphatidylinositol-linked proteins 720
 - multipass membrane proteins 719
 - single pass membrane proteins 718
 - types, genes, and loci 4–5
 - BOW antigen 405, 406
 - Bp^a antigen 399, 400
 - Bromelin, substrate specificity 694
 - B transferase, *see* ABO blood group system
 - Bx^a antigen 678
 - By antigen 678
- ## C
- c antigen 207, 208
 - C antigen 204, 205
 - C4A, *see* Chido/Rodgers blood group system

- C4B, *see* Chido/Rodgers blood group system
- Can antigen 674
- Carrier molecule
- function 18
 - model 6f
 - overview 17–18
- CD44, *see* Indian blood group system
- CD99 antigen 426
- CD108, *see* John Milton Hagen blood group system
- CD147, *see* OK blood group system
- CD151, *see* Raph blood group system
- CD242, *see* Landsteiner-Wiener blood group system
- cE antigen 227, 228
- Ce antigen 212–213
- CE antigen 224, 225
- CEAG antigen 261, 262
- CELO antigen 260–261
- CENR antigen 258, 259
- CEST antigen 260
- C^G antigen 224
- Ch1 antigen 482, 483
- Ch2 antigen 483, 484
- Ch3 antigen 483, 484
- Ch4 antigen 485
- Ch5 antigen 487
- Ch6 antigen 486
- Channel-forming integral protein, *see* Colton blood group system
- Chido/Rodgers blood group system 477
- antigens, *see* Ch1 antigen; Ch2 antigen; Ch3 antigen; Ch4 antigen; Ch5 antigen; Ch6 antigen; Rg1 antigen; Rg2 antigen; WH antigen
 - carrier molecule 479, 479f
 - database accession numbers 478
 - disease association 481
 - expression 477
 - function 481
 - gene 477
 - molecular basis of phenotypes
 - Chido 478
 - overview 478
 - Rodgers 479
 - phenotype distribution 481
 - terminology 477
- CHIP, *see* Colton blood group system
- Chloroquine diphosphate, effects on antigen expression 693
- antigens, *see* M₁ antigen; Sext antigen; Sj antigen; Tm antigen
 - carrier molecule 671
 - disease association 671
 - terminology 671
- Chr^a antigen 678
- α-Chymotrypsin
- antigen identification 20, 692–693
 - substrate specificity 694
- Cl^a antigen 93, 94
- Co3 antigen 464, 465
- Co4 antigen 465, 466
- Co^a antigen 461, 462
- Co^b antigen 462, 463
- Collections, *see* COST; ER; GLOB; I; MNS CHO; Unnamed; Vel
- Complement receptor type 1, *see* Knops blood group system
- Cord red blood cells, antigen expression 695
- Cost blood group collection 647
- antigens, *see* Cs^a antigen; Cs^b antigen
 - overview 647
 - phenotypes 648
 - terminology 647–648
- Colton blood group system 457
- amino acid sequence 459
 - antigens, *see* Co3 antigen; Co4 antigen; Co^a antigen; Co^b antigen
 - carrier molecule 459–460, 459f
 - CO silencing 458
 - database accession numbers 458
 - disease association 460
 - expression 457
 - function 460
 - gene 457
 - molecular basis of phenotypes
 - overview 458
 - weak expression 459
 - phenotype distribution 460
 - terminology 457
- CR1, *see* Knops blood group system
- Cr^a antigen 529, 530
- CRAM antigen 546, 547
- Crawford antigen 243, 244
- Cromer blood group system 525
- amino acid sequence 527
 - antigens, *see* Cr^a antigen; CRAM antigen; CROV antigen; CROZ antigen; Dr^a antigen; Es^a antigen; GUT1 antigen; IFC antigen; SERF antigen; Tc^a antigen; Tc^b antigen; Tc^c antigen; UMC antigen; WES^a antigen; WES^b antigen; ZENA antigen
 - carrier molecule 528, 528f
 - CROM silencing 527
 - database accession numbers 525

Cromer blood group system (*Continued*)

- disease association 528–529
 - expression 525
 - function 528
 - gene 525
 - molecular basis of phenotypes 526
 - phenotypes 529
 - terminology 525
- CROV antigen 545, 546
 CROZ antigen 547, 548
 Cs^a antigen 648, 649
 Cs^b antigen 649, 650
 C^W antigen 213–214
 C^X antigen 214, 215

D

- D antigen 195–197, 200–204
 DAK antigen 256, 257
 DANE antigen 114–116
 Dantu antigen 103–105
 DARC, *see* Duffy blood group system
 DAT, *see* Direct antiglobulin test
 Dav antigen 247
 Dh^a antigen 519, 520
 Di^a antigen 388, 389
 Di^b antigen 390, 391
 Diamond-Blackfan anemia 43
 Diego blood group system 383
 - amino acid sequence 386
 - antigens, *see* BOW antigen; Bp^a antigen; Di^a antigen; Di^b antigen; DISK antigen; ELO antigen; Fr^a antigen; Hg^a antigen; Jn^a antigen; KREP antigen; Mo^a antigen; NFLD antigen; Rb^a antigen; SW1 antigen; Sw^a antigen; Tr^a antigen; Vg^a antigen; WARR antigen; Wd^a antigen; Wr^a antigen; Wr^b antigen; Wu antigen
 - carrier molecule 386–387, 386f
 - database accession numbers 383
 - DI silencing 385
 - disease association 387
 - expression 383
 - function 387
 - gene 383
 - molecular basis of phenotype 384–385
 - phenotype distribution 387
 - terminology 383
- Direct antiglobulin test (DAT) 710–717
 DISK antigen 413, 414
 Dithiothreitol (DTT), antigen identification 692–693

- Do^a antigen 445, 446
 Do^b antigen 446, 447
 Do glycoprotein, *see* Dombrock blood group system
 DOLG antigen 454
 Dombrock blood group system 439
 - amino acid sequence 442
 - antigens, *see* Do^a antigen; Do^b antigen; DOLG antigen; DOMR antigen; DOYA antigen; Gy^a antigen; Hy antigen; Jo^a antigen
 - carrier molecule 443, 443f
 - database accession numbers 439
 - disease association 443
 - DO silencing 440–441
 - expression 439
 - function 443
 - gene 439
 - molecular basis of phenotypes
 - DO*A alleles 441
 - DO*B alleles 442
 - overview 440
 - phenotype distribution
 - terminology 439
- DOMR antigen 453, 454
 DOYA antigen 452, 453
 Dr^a antigen 534, 535
 Drug-induced immune hemolytic anemia 710–717
 Drug-induced protein adsorption, red blood cells 717
 DSLK antigen 626, 627
 DTT, *see* Dithiothreitol
 Duclos antigen 624, 625
 Duffy blood group system 361
 - amino acid sequence 363
 - antigens, *see* Fy3 antigen; Fy5 antigen; Fy6 antigen; Fy^a antigen; Fy^b antigen
 - carrier molecule 364, 364f
 - database accession numbers 362
 - disease association 364–365
 - expression 361
 - function 364
 - FY silencing 362–363
 - gene 361
 - molecular basis of phenotypes
 - Fy_{mod} phenotype 363
 - overview 362
 - phenotype distribution 365
 - terminology 361
- D^W antigen 225–226

E

- e antigen 208, 209, 210
- E antigen 205–207
- ELO antigen 397, 398
- Emm antigen 683
- En^a antigen 109, 110
- ENAV antigen 129, 130
- ENDA antigen 131, 132
- Endo F, substrate specificity 694
- ENEH antigen 126, 127
- ENEP antigen 125, 126
- ENEV antigen 132, 133
- ENKT antigen 111
- Er blood group collection 655
 - antigens, *see* Er3 antigen; Er^a antigen; Er^b antigen
 - phenotypes 655
 - terminology 655
- Er3 antigen 657, 658
- Er^a antigen 655, 656
- Er^b antigen 656, 657
- ERIK antigen 123, 124
- ERMAP, *see* Scianna blood group system
- Es^a antigen 535, 536
- Ethnic differences
 - low-prevalence antigens 701–703
 - missing antigens 699–701
 - phenotype distribution, *see specific antigens*
- Evans antigen 238, 239
- E^W antigen 217, 218

F

- f antigen 210–212
- Far antigen 100, 101
- Ficin
 - antigen identification 692–693
 - substrate specificity 20, 694
- FORS1 antigen 632, 633
- Forssman blood group system 629
 - amino acid sequence 631
 - carrier molecule 631, 631f
 - database accession numbers 630
 - disease association 631–632
 - expression 629
 - FORS1 antigen 632, 633
 - function 631
 - gene 629
 - molecular basis of phenotypes
 - FORS1– phenotype 630
 - FORS1+ phenotype 630
 - terminology 629

- FPTT antigen 250, 251
- Fr^a antigen 411, 412
- $\alpha(1,3/4)$ Fucosyltransferase, *see* Lewis blood group system
- 2- α -Fucosyltransferase, *see* H blood group system
- FUT3, *see* Lewis blood group system
- Fy3 antigen 369, 370
- Fy5 antigen 370–371
- Fy6 antigen 371, 372
- Fy^a antigen 366, 367
- Fy^b antigen 367, 368

G

- 4- α -Galactosyltransferase, *see* P1PK blood group system
- G antigen 218–219
- Ge2 antigen 510, 511
- Ge3 antigen 511–513
- Ge4 antigen 513–515
- GEAT antigen 522, 523
- GEIS antigen 520, 521
- GEPL antigen 521
- Gerbich blood group system 525
 - amino acid sequences 507
 - antigens, *see* An^a antigen; Dh^a antigen; Ge2 antigen; Ge3 antigen; Ge4 antigen; GEAT antigen; GEIS antigen; GEPL antigen; GETI antigen; Ls^a antigen; Wb antigen
 - carrier molecule 508, 508f
 - database accession numbers 505
 - disease association 508
 - expression 505
 - function 508
 - GE silencing 507
 - gene 505
 - molecular basis of phenotypes 506–509
 - phenotype
 - differentiation of negative phenotypes 509
 - distribution 509
 - terminology 505
- GETI antigen 523, 524
- GIL antigen 617, 618
- Gill blood group system 615
 - amino acid sequence 616
 - carrier molecule 616
 - database accession numbers 615
 - disease association 617
 - expression 615
 - function 616–617

Gill blood group system (*Continued*)
 gene 615
 GIL antigen 617, 618
GIL silencing 616–617
 terminology 615
 Globoside 3- α -*N*-acetylglucosaminyltransferase
 1, *see* Forssman blood group system
 Globoside blood group collection 659
 terminology 659
 carrier molecule 659
 disease association 659
 null phenotypes 660
 Globoside blood group system 609
 amino acid sequence 611
 carrier molecule 611, 611f
 database accession numbers 610
 disease association 611
 expression 609
 function 611
 gene 609
 molecular basis of phenotypes
 p phenotype 610
 P^k phenotype 610
 P antigen 612, 613
 phenotypes 612
 terminology 609
 Glossary 725
 Glycophorin A, *see* MNS blood group system
 Glycophorin B, *see* MNS blood group system
 Glyphorin C, *see* Gerbich blood group system
 Glyphorin D, *see* Gerbich blood group system
 Go^a antigen 229–230
 GUT1 antigen 542
 Gy^a antigen 448, 449

H

H antigen 497, 498
 HAG antigen 108, 128
 H blood group system 489
 amino acid sequence 495
 carrier molecule 495, 495f
 database accession numbers 490
 disease association 496
 expression 489
 function 496
*FUT1*1* silencing 492–493
 gene 489
 H antigen 497, 498
 molecular basis of phenotypes
 H antigen expression 490
 H expression in secretions 493
 H⁻ phenotype in secretions 494–495
 H⁺ phenotype 490

H⁺W phenotype in secretions 493
 weak H antigens 491
 phenotype characteristics 496
 terminology 489
 He antigen 74–77
 Hemolysis
 alloantibodies 708
 causes
 immune 708–709
 non-immune 709–710
 drug-induced immune hemolytic anemia
 710–717
 Hermes antigen, *see* Indian blood group system
 Hg^a antigen 402, 403
 Hil antigen 96–98
 HJK antigen 679
 HOFM antigen 679
 Hop antigen 105, 106, 107
 Hr antigen 148–194, 220–221
 Hr₀ antigen 219–220
 hr^B antigen 230–232
 Hr^B antigen 235, 236
 hr^H antigen 228
 hr^S antigen 221, 222
 Hu antigen 671, 672
 Hut antigen 95
 Hy antigen 449, 450

I

i antigen 652, 653
 I antigen 607–608
 I blood group system 603
 amino acid sequence 605
 carrier molecule 605
 database accession numbers 604
 expression 603
 function 605
*GCNT2*01* silencing 604, 605
 gene 603
 I antigen 607–608
 molecular basis of phenotypes 604–606
 phenotypes 606
 terminology 603
 ICAM-4, *see* Landsteiner-Wiener blood group system
 IFC antigen 536, 537
 Ii blood group collection 651
 carrier molecule 651
 disease association 651
 gene 651
 i antigen 652, 653
 molecular basis of phenotypes 652
 terminology 651

In^a antigen 571, 572
 In^b antigen 572, 573
 Indian blood group system 567
 amino acid sequence 569
 antigens, *see* In^a antigen; In^b antigen; INFI antigen; INJA antigen
 carrier molecule 569–570, 569f
 database accession numbers 567
 disease association 570
 expression 567–571
 function 570
 gene 567
 molecular basis of phenotypes 568
 phenotype distribution 570
 terminology 567
 INFI antigen 573, 574
 INJA antigen 575
 International Society of Blood Transfusion (ISBT)
 amino acid and nucleotide numbering 704
 antigen terminology 6–7, 19
 blood group collections 22
 Working Party for Red Cell
 Immunogenetics and Blood Group Terminology 3, 6, 15
 ISBT, *see* International Society of Blood Transfusion

J

JAHK antigen 255, 256
 JAL antigen 247–249
 Je^a antigen 678
 JFV antigen 679
 Jk3 antigen 380, 381
 Jk^a antigen 377, 379
 Jk^b antigen 379, 380
 JMH antigen 594, 595
 JMHG antigen 598, 599
 JMHK antigen 596, 597
 JMHL antigen 597, 598
 JMHM antigen 599, 600
 JMHQ antigen 600, 601
 Jn^a antigen 408, 409
 Jo^a antigen 450, 451
 John Milton Hagen blood group system 591
 amino acid sequence 593
 antigens, *see* JMH antigen; JMHG antigen; JMHK antigen; JMHL antigen; JMHM antigen; JMHQ antigen
 carrier molecule 593, 593f
 database accession numbers 592
 expression 591
 function 594
 gene 592

 molecular basis of phenotypes 592
 terminology 591
 JONES antigen 679
 Jr^a antigen 638–639
 JR blood group system 635
 amino acid sequence 637
 carrier molecule 637, 637f
 database accession numbers 636
 disease association 638
 expression 635
 function 637–638
 gene 635
 JR silencing 636
 Jr^a antigen 638–639
 terminology 635
 Js^a antigen 315, 316
 Js^b antigen 316, 317

K

k antigen 310, 311
 K antigen 308, 309
 K11 antigen 319, 320
 K12 antigen 320, 321
 K13 antigen 321, 322
 K14 antigen 322, 323
 K16 antigen 324
 K17 antigen 324, 325
 K18 antigen 325, 326
 K19 antigen 326, 327
 K22 antigen 330
 K23 antigen 331
 K24 antigen 332
 KALT antigen 337, 338
 KANT antigen 341–342
 KASH antigen 342–343
 KCAM antigen 565
 Kell blood group system 297
 amino acid sequence 303
 antigens, *see* Js^a antigen; Js^b antigen; k antigen; K antigen; K11 antigen; K12 antigen; K13 antigen; K14 antigen; K16 antigen; K17 antigen; K18 antigen; K19 antigen; K22 antigen; K23 antigen; K24 antigen; KALT antigen; KANT antigen; KASH antigen; KELP antigen; KET1 antigen; KHUL antigen; Km antigen; Kp^a antigen; Kp^b antigen; Kp^c antigen; KT1M antigen; Ku antigen; KUC1 antigen; KYO antigen; RAZ antigen; TOU antigen; U1^a antigen; VLAN antigen; VONG antigen
 carrier molecule 303–304
 database accession numbers 298

Kell blood group system (*Continued*)
 disease association 304–305
 expression 297
 function 304
 gene 297
KEL silencing 301–302
 molecular basis of phenotypes
 overview 298–308
 weak Kell antigens 302–303
 phenotype distribution and comparison
 305–307
 terminology 297
 KELP antigen 343–344
 KETI antigen 326, 344
 Kg antigen 679
 KHUL antigen 345–346
 Kidd blood group system 373
 amino acid sequence 376
 antigens, *see* Jk³ antigen; Jk^a antigen; Jk^b
 antigen
 carrier molecule 376, 376f
 database accession numbers 374
 disease association 376
 expression 373
 function 376
 gene 373
*JK*A* or *JK*B* silencing 374, 375
 molecular basis of phenotypes
 overview 374
 weak or partial Kidd antigens 374
 phenotype distribution 377
 terminology 373
 Km antigen 327, 328
 Kn^a antigen 554, 555
 Kn^b antigen 555, 556
 Knops blood group system 549
 amino acid sequence 551, 551f
 antigens, *see* KCAM antigen; Kn^a antigen;
 Kn^b antigen; McC^a antigen; McC^b
 antigen; SI3 antigen; SI^a antigen; Vil
 antigen; Yk^a antigen
 carrier molecule 552, 552f
 database accession numbers 550
 disease association 553
 expression 549
 function 553
 gene 549
 molecular basis of phenotypes 550
 phenotype distribution 553
 terminology 549
 Kp^a antigen 311, 312
 Kp^b antigen 312, 313

Kp^c antigen 328, 329
 KREP antigen 409, 410
 KTIM antigen 338, 339
 Ku antigen 314, 315
 KUCI antigen 340
 Kx antigen 502–504
 Kx blood group system 499
 amino acid sequence 501
 carrier molecule 501, 501f
 database accession numbers 499
 disease association 502
 expression 499
 function 501
 gene 499
 Kx antigen 502–504
 molecular basis of phenotypes 499–502
 phenotypes 502
 terminology 499
 KYO antigen 339

L

LAD, *see* Leukocyte adhesion deficiency
 Lan antigen 644, 645
 Lan blood group system 641
 amino acid sequence 643
 carrier molecule 643
 database accession numbers 641
 disease association 643
 expression 641
 function 643
 gene 641
 Lan antigen 644, 645
 molecular basis of Lan_{null} phenotype 642–643
 terminology 641
 Landsteiner-Wiener blood group system 467
 amino acid sequence 469
 antigens, *see* LW^a antigen; LW^{ab} antigen;
 LW^b antigen
 carrier molecule 469–470, 470f
 database accession numbers 468
 disease association 470–471
 expression 467
 function 470
 gene 467
 LW silencing 468
 molecular basis of phenotypes
 overview 468
 weak antigens 469
 phenotype distribution 471
 terminology 467, 471
 Le^a antigen 351–353

- Le^{ab} antigen 354, 355
 - Le^b antigen 353, 354
 - Le^{bh} antigen 355, 356
 - Le^c antigen 665–666
 - Lectin, types and specificity 726–728
 - Le^d antigen 666
 - Leukocyte adhesion deficiency (LAD) 496
 - Lewis blood group system 347
 - amino acid sequence 349
 - antigens, *see* ALe^b antigen; BLe^b antigen; Le^a antigen; Le^{ab} antigen; Le^b antigen; Le^{bh} antigen
 - carrier molecule 349
 - database accession numbers 348
 - disease association 349–350
 - expression 347
 - function 349
 - gene 347
 - molecular basis of phenotypes
 - Le(a-b-) phenotype 348–349
 - Le(a+b+) phenotype 348
 - overview 348–351
 - phenotype distribution 350
 - terminology 347
 - Li^a antigen 679
 - LKE antigen 660–661
 - LOCR antigen 257, 258
 - Low-incidence antigens, *see* Bi antigen;
 - By antigen; Bx^a antigen; Chr^a antigen; HJK antigen; HOFM antigen; Li^a antigen; Je^a antigen; JFV antigen; JONES antigen; Kg antigen; Milne antigen; Pt^a antigen; RASM antigen; Re^a antigen; REIT antigen; SARA antigen; To^a antigen
 - Ls^a antigen 516–518
 - Lu3 antigen 273, 274
 - Lu4 antigen 275, 276
 - Lu5 antigen 276, 277
 - Lu6 antigen 277, 278
 - Lu7 antigen 278, 279
 - Lu8 antigen 280, 281
 - Lu9 antigen 281, 282
 - Lu11 antigen 282–283
 - Lu12 antigen 283, 284
 - Lu13 antigen 284, 285
 - Lu14 antigen 285, 286
 - Lu16 antigen 286, 287
 - Lu17 antigen 287, 288
 - Lu20 antigen 291, 292
 - Lu21 antigen 292, 293
 - Lu^a antigen 270, 271, 272
 - Lu^b antigen 272, 273
 - LURC antigen 293
 - Lutheran blood group system 263
 - amino acid sequence 267
 - antigens, *see* Au^a antigen; Au^b antigen; Lu3 antigen; Lu4 antigen; Lu5 antigen; Lu6 antigen; Lu7 antigen; Lu8 antigen; Lu9 antigen; Lu11 antigen; Lu12 antigen; Lu13 antigen; Lu14 antigen; Lu16 antigen; Lu17 antigen; Lu20 antigen; Lu21 antigen; Lu^a antigen; Lu^b antigen; LURC antigen
 - carrier molecule 267–268, 268f
 - database accession numbers 264
 - disease association 269
 - expression 263
 - function 268–269
 - gene 263–264
 - LU silencing 265
 - molecular basis of phenotypes
 - In(Lu) phenotype 266
 - Lu_{mod} phenotype 266–267
 - overview 264–265
 - phenotype distribution and comparison 269
 - terminology 263
 - LW^a antigen 472, 473
 - LW^{ab} antigen 474, 475
 - LW^b antigen 475, 476
 - LW glycoprotein, *see* Landsteiner-Wiener blood group system
- ## M
- M antigen 65–67
 - M₁ antigen 672, 673
 - Major Duffy glycoprotein, *see* Duffy blood group system
 - MAM antigen 689
 - MAR antigen 252, 253
 - MARS antigen 130, 131
 - McC^a antigen 557, 558
 - McC^b antigen 561, 562
 - M^c antigen 87, 88
 - MER2 antigen 588, 589
 - M^s antigen 69, 85–86
 - Mi^a antigen 77–79
 - Mi^c antigen 79, 80
 - Milne antigen 679
 - Minor Duffy glycoprotein, *see* Duffy blood group system
 - MINY antigen 118, 119
 - Mit antigen 67, 102
 - MN CHO blood group collection 671

MNS blood group system 53
 amino acid sequence 60
 antigens, *see* Cl^a antigen; DANE antigen;
 Dantu antigen; En^a antigen; ENAV
 antigen; ENDA antigen; ENEH antigen;
 ENEP antigen; ENEV antigen;
 ENKT antigen; ERIK antigen;
 Far antigen; HAG antigen; He antigen;
 Hil antigen; Hop antigen; Hut antigen;
 M antigen; MARS antigen; M^e antigen;
 M^s antigen; Mi^a antigen; M^c antigen;
 MINY antigen; Mit antigen; MNTD
 antigen; Mt^a antigen; Mur antigen;
 MUT antigen; M^v antigen; N antigen;
 'N' antigen; Nob antigen; Ny^a antigen;
 Or antigen; Os^a antigen; Ri^a antigen; s
 Antigen; S antigen; SAT antigen;
 s^D antigen; St^a antigen; TSEN antigen;
 U antigen; Vr antigen; Vw antigen
 carrier molecule description 60–62, 61f
 database accession numbers 54–65
 disease association 62
 expression 53
 gene 53
 glycophorin phenotypes and associated
 antigens 63
 hybrid phenotypes 64
 molecular basis of phenotypes 54–59
 phenotype distribution 62–63
 silencing of genes 60
 terminology 53
 MNTD antigen 133, 134
 Mo^a antigen 400–401
 Mt^a antigen 88, 89
 Mur antigen 82–84
 MUT antigen 120–121
 M^v antigen 99, 100

N

N antigen 67, 68, 69
 'N' antigen 112–113
 NFLD antigen 407, 408
 901 Series of High-Incidence Antigens 681
 antigens, *see* AnWj antigen; Pt^a antigen;
 Ata antigen; Emm antigen; MAM
 antigen; PEL antigen; Sd^a
 antigen
 overview 22, 681
 Nob antigen 107–109
 NOR antigen 140, 144–145
 Nou antigen 244
 Ny^a antigen 94, 95

O

Ok^a antigen 570, 580
 OK blood group system 577
 amino acid sequence 578
 antigens, *see* Oka antigen; OKGV antigen;
 OKVM antigen
 carrier molecule 579f, 580
 database accession numbers 578
 disease association 580
 expression 577
 function 579
 gene 577
 molecular basis of phenotypes 578
 terminology 577
 OKGV antigen 572–573, 581
 OKVM antigen 573–574, 582
 Ol^a antigen 625, 626
 Or antigen 113, 114
 Os^a antigen 124, 125

P

P antigen 612, 613
 P synthase, *see* Globoside blood group system
 P1 antigen 140–142
 P1PK blood group system 135
 amino acid sequence 139
 antigens, *see* NOR antigen; P1 antigen;
 P^k antigen
 carrier molecule 139
 database accession numbers 136
 expression 135
 gene 135–136
 molecular basis of phenotypes 136–138
 phenotype distribution 139
 terminology 135
 Papain
 antigen identification 692–693
 substrate specificity 20, 694
 PEL antigen 688
 Pepsin, substrate specificity 694
 P^k antigen 142–143
 Pk synthase, *see* P1PK blood group system
 Polyagglutination, types 727–728, 728f
 Problem-solving, useful information 707, 724–725
 Pt^a antigen 678
 PX2 antigen 661, 662

R

Raph blood group system 585
 amino acid sequence 586
 carrier molecule 587, 587f

- database accession numbers 586
 - disease association 587
 - expression 585
 - function 587
 - gene 585
 - MER2 antigen 588, 589
 - molecular basis of phenotypes 586
 - RAPH* silencing 586
 - terminology 585
- RASM antigen 679
- RAZ antigen 335, 336
- Rb^a antigen 395, 396
- RBC, *see* Red blood cell
- Re^a antigen 678
- Red blood cell (RBC)
 - antigen copy number by system 721–722
 - drug-induced protein adsorption 717
 - membrane components carrying
 - antigens 6f
- REIT antigen 679
- Rg1 antigen 487, 488
- Rg2 antigen 488
- Rh-Associated Glycoprotein blood group system 619
 - amino acid sequence 622
 - antigens, *see* DSLK antigen; Duclos antigen; Ol^a antigen; RHAG4 | antigen
 - carrier molecule 623, 623f
 - database accession numbers 620
 - disease association 623
 - expression 619
 - function 623
 - gene 619
 - molecular basis of phenotypes 620, 622
 - RHAG* silencing 620, 621
 - terminology 619
- Rh blood group system 147
 - amino acid sequences 190, 190f
 - antigens, *see* BARC antigen; Be^a antigen; c antigen; C antigen; cE antigen; Ce antigen; CE antigen; CEAG antigen; CELO antigen; CENR antigen; CEST antigen; C^G antigen; Crawford antigen; C^W antigen; C^X antigen; D antigen; DAK antigen; Dav antigen; D^W antigen; e antigen; E antigen; Evans antigen; E^W antigen; f antigen; FPTT antigen; G antigen; Go^a antigen; Hr antigen; Hr₀ antigen; hr^B antigen; Hr^B antigen; hrH antigen; hr^S Antigen; JAHK antigen; JAL antigen; LOCR antigen; MAR antigen; Nou antigen; Rh26; Rh29 antigen; Rh32 antigen; Rh33 antigen; Rh35 antigen; Rh39 antigen; Rh41 antigen; Rh42 antigen; Riv antigen; Sec antigen; STEM antigen; Tar antigen; V antigen; VS antigen
 - carrier molecule 190–191
 - database accession numbers 148–194
 - disease association 191
 - expression 147
 - function 191, 193
 - gene 147–148
 - molecular basis of phenotypes
 - D-negative phenotypes 169–172
 - Del phenotype 168
 - partial and weak partial D phenotypes 150–160
 - Rhce phenotypes 173
 - RhCE phenotypes 181–182
 - RhCe phenotypes 179–181
 - RhCE phenotypes 173–178, 182, 183
 - weak D phenotypes 161–167
 - phenotype distribution 192–193
 - rearranged genes 184–185, 185f
 - RHCE* haplotypes
 - partial and weak RhCe haplotypes 189, 189f
 - partial and weak RhcE haplotypes 189, 189f
 - partial and weak Rhce haplotypes 188, 188f
 - RHD* haplotypes 186, 186f
 - Rh_{null} red blood cell protein
 - expression 720
 - sequence differences between *RHD* and *RHCE* 149–150
 - silencing
 - RhCE 184
 - RHCE 183
 - terminology 147
- Rh26 antigen 226, 227
- Rh29 antigen 228–229
- Rh32 antigen 232, 233
- Rh33 antigen 233–235
- Rh35 antigen 236, 237
- Rh39 antigen 240
- Rh41 antigen 241–242
- Rh42 antigen 242, 243
- RHAG4 antigen 627, 628
- RHCE*, *see* Rh blood group system
- RHD*, *see* Rh blood group system
- Ri^a antigen 92, 93
- Riv antigen 245–246

S

- s Antigen 71–72
- S antigen 69–70
- SARA antigen 679
- SAT antigen 121–123
- Sc1 antigen 431, 432
- Sc2 antigen 432, 433
- Sc3 antigen 433, 434
- Sc4 antigen 434, 435
- SCAN antigen 437, 438
- SCER antigen 436, 437
- Scianna blood group system 427
 - amino acid sequence 429
 - antigens, *see* Sc1 antigen; Sc2 antigen; Sc3 antigen; Sc4 antigen; SCAN antigen; SCER antigen; STAR antigen
 - carrier molecule 429–430
 - database accession numbers 427
 - disease association 430
 - expression 427
 - function 430
 - gene 427
 - molecular basis of phenotypes 428
 - phenotype distribution 430
 - SC silencing 428, 429
 - terminology 427
- s^D antigen 101, 102
- Sd^a antigen 685–687
- Sec antigen 246, 247
- Semaphorin 7A, *see* John Milton Hagen blood group system
- SERF antigen 543, 544
- 700 Series of Low-Incidence Antigens 22, 677
- Sext antigen 675
- Sialidase, substrate specificity 694
- Sj antigen 675, 676
- SI3 antigen 563, 564
- SI^a antigen 558, 559
- St^a antigen 90–91
- STAR antigen 435, 436
- STEM antigen 249, 250
- SW1 antigen 412, 413
- Sw^a antigen 404, 405

T

- Tar antigen 240–241
- Tc^a antigen 530, 531
- Tc^b antigen 532, 533
- Tc^c antigen 533, 534
- Tetraspanin, *see* Raph blood group system
- Tm antigen 673, 674
- To^a antigen 678

- TOU antigen 334
- Tr^a antigen 410, 411
- Trypsin
 - antigen identification 692–693
 - substrate specificity 20, 694
- TSEN antigen 116–118

U

- U antigen 72, 73, 74
- UI^a antigen 318
- UMC antigen 540, 541
- Unnamed blood group collection 665
 - antigens, *see* Le^c antigen; Le^d antigen
 - carrier molecule 665
 - terminology 665
- Urea transporter, *see* Kidd blood group system

V

- V antigen 216, 217
- Vel antigen 667, 668
- Vel blood group collection 667
 - antigens, *see* ABTI antigen; Vel antigen
 - carrier molecule 667
 - terminology 667
- Vg^a antigen 403, 404
- Vil antigen 562, 563
- VLAN antigen 333
- VONG antigen 336, 337
- Vr antigen 86, 87
- VS antigen 222, 223
- Vw antigen 81, 82

W

- Warm autoantibodies 709–710
- WARR antigen 396, 397
- Wb antigen 515, 516
- Wd^a antigen 394, 395
- WES^a antigen 538, 539
- WES^b antigen 539, 540
- WH antigen 486, 487
- Wk^a antigen, *see* K17 antigen
- Wr^a antigen 391, 392
- Wr^b antigen 392, 393
- Wu antigen 398, 399

X

- Xg^a antigen 425–426
- Xg blood group system 421
 - amino acid sequences

- CD99 422
- Xg^a 422
- antigens, *see* CD99 antigen; Xg^a antigen
- carrier molecule 423
- database accession numbers 422
- disease association 423
- expression 421
- function 423
- gene 421
- molecular basis of phenotypes 422
- phenotype distribution 423
- phenotypic relationship of antigens 424
- terminology 421

Y

- Yk^a antigen 559–561
- Yt^a antigen 418, 419

- Yt^b antigen 419, 420
- Yt blood group system 415
 - amino acid sequence 416
 - antigens, *see* Yt^a antigen; Yt^b antigen
 - carrier molecule 416–417, 417f
 - database accession numbers 415
 - disease association 417
 - expression 415
 - function 417
 - gene 415
 - molecular basis of phenotypes 416
 - phenotype distribution 417
 - terminology 415

Z

- ZENA antigen 544, 545