

#DDL

```
CREATE database store;
```

```
CREATE TABLE countries (  
    code VARCHAR(10) PRIMARY KEY,  
    name VARCHAR(20) NOT NULL UNIQUE,  
    continent_name VARCHAR(20) NOT NULL  
);
```

```
CREATE TABLE users (  
    id VARCHAR(10) PRIMARY KEY,  
    full_name VARCHAR(20) NOT NULL UNIQUE,  
    email VARCHAR(20) NOT NULL UNIQUE,  
    gender CHAR(1) NOT NULL,  
    date_of_birth DATE NOT NULL,  
    created_at DATETIME,  
    country_code VARCHAR(10),  
    FOREIGN KEY (country_code) REFERENCES  
countries(code)  
);
```

```
CREATE TABLE orders (  
    id VARCHAR(10) PRIMARY KEY,  
    user_id VARCHAR(10),  
    status VARCHAR(6) CHECK (status IN ('START',  
'FINISH')),  
    created_at DATETIME,  
    FOREIGN KEY (user_id) REFERENCES users(id)  
);
```

```
CREATE TABLE products (  
    id VARCHAR(10) PRIMARY KEY,  
    name VARCHAR(50) NOT NULL,  
    price INT DEFAULT 0,  
    status VARCHAR(10) CHECK (status IN  
('VALID', 'EXPIRED')),  
    created_at DATETIME DEFAULT  
CURRENT_TIMESTAMP
```

```
);
```

```
CREATE TABLE order_products (  
    order_id VARCHAR(10),  
    product_id VARCHAR(10),  
    quantity INT DEFAULT 0,  
    PRIMARY KEY (order_id, product_id),  
    FOREIGN KEY (order_id) REFERENCES orders(id)  
,  
    FOREIGN KEY (product_id) REFERENCES  
products(id)  
);
```

```
-- DML
```

```
INSERT INTO countries VALUES ('10', 'KSA',  
'ASIA');  
INSERT INTO countries VALUES ('20', 'China',  
'ASIA');  
INSERT INTO countries VALUES ('30', 'JAPAN',  
'ASIA');  
INSERT INTO countries VALUES ('40', 'Korea',  
'ASIA');  
INSERT INTO countries VALUES ('50', 'Bahrain',  
'ASIA');
```

```
INSERT INTO users VALUES ('1', 'Razan',  
'Razan@gmail', 'f', '2002-07-06', '2026-09-17  
00:00:00', '10');  
INSERT INTO users VALUES ('2', 'Noor',  
'Noor@gmail', 'f', '2002-08-06', '2026-08-17  
00:00:00', '20');  
INSERT INTO users VALUES ('3', 'Sara',  
'Sara@gmail', 'f', '2002-07-09', '2026-09-17  
00:00:00', '30');  
INSERT INTO users VALUES ('4', 'Ali',  
'Ali@gmail', 'm', '2002-07-06', '2026-09-17  
00:00:00', '40');
```

```
INSERT INTO users VALUES ('5', 'Naser',  
'Naser@gmail', 'm', '2002-07-06', '2026-09-17  
00:00:00', '50');
```

```
INSERT INTO orders VALUES ('101', '1', 'START',  
'2026-06-20 00:00:00');  
INSERT INTO orders VALUES ('102', '2', 'START',  
'2026-05-20 00:00:00');  
INSERT INTO orders VALUES ('103', '3', 'FINISH',  
'2026-06-20 00:00:00');  
INSERT INTO orders VALUES ('104', '4', 'START',  
'2026-06-22 00:00:00');  
INSERT INTO orders VALUES ('105', '5', 'FINISH',  
'2026-06-25 00:00:00');
```

```
INSERT INTO products VALUES ('201', 'dark  
chocolate', 20, 'VALID', '2026-09-17 00:00:00');  
INSERT INTO products VALUES ('202', 'candy', 5,  
'EXPIRED', '2026-09-17 00:00:00');  
INSERT INTO products VALUES ('203', 'salt chip',  
10, 'VALID', '2026-09-17 00:00:00');  
INSERT INTO products VALUES ('204', 'white  
chocolate', 25, 'VALID', '2026-09-17 00:00:00');  
INSERT INTO products VALUES ('205', 'caramel  
chocolate', 30, 'EXPIRED', '2026-09-17  
00:00:00');  
INSERT INTO products VALUES ('206', 'milk  
chocolate', 30, 'EXPIRED', '2026-09-17  
00:00:00');
```

```
INSERT INTO order_products VALUES ('101', '201',  
400);  
INSERT INTO order_products VALUES ('102', '202',  
500);  
INSERT INTO order_products VALUES ('103', '203',  
4200);  
INSERT INTO order_products VALUES ('104', '204',  
440);
```

```
INSERT INTO order_products VALUES ('105', '205',  
480);
```

```
UPDATE countries SET name = 'Quit' WHERE code =  
'10';
```

```
UPDATE users SET date_of_birth = '2003-12-09'  
WHERE id = '3';
```

```
UPDATE orders SET status = 'FINISH' WHERE id =  
'104';
```

```
UPDATE products SET name = 'spicy chips' WHERE  
id = '203';
```

```
UPDATE order_products SET quantity = 50 WHERE  
order_id = '101';
```

```
DELETE FROM products WHERE id = '206';
```