Ghazi university

DGK

Submitted by:

Razia

Submitted to:

Sir Asad Majeed

Class:

BSCS (C)

Scanned with CamScanner

LAB 02


Task 1:

```
#include <iostream>
using namespace std;
int main() {
  int num;
  cout << "Enter a five-digit number;
    cin >> num;
  int d1 = num / 10000
  int d2 = (num / 1000) % 10;
  int d3 = (num / 100) % 10;
  int d4 = (num / 10) % 10;
  int d5 = num % 10;
      cout << d1 << " " << d2 << " " <<
      d3 << " " << d4 << " " << d5 << endl;
    return 0;
}
```


output:

```
Enter a five-digit number: 12345
1 2 3 4 5
```

Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner


Task 2:

```
#include<iostream>
using namespace std;
int main () {
  int var1, var2;
    cout<< "Enter vari1: ";
   cin >> vari1;
   cout << "Enter vari2: ";
   cin >> var2;
     cout << "Before swap: var1 = " << var1
   << ", var2 = " << var2 << endl;
  int temp = var1;
  var1 = var2;
  var2 = temp;
   cout << "After swap: var1 = " << var1
<< ", var2 = " var2 << endl;
  return 0;
}
```


output:

```
Enter var1 : 10
 Enter var2 : 20
After swap var1 = 20  var2 = 10
```

Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner


Task 3:

```
#include<iostream>
using namespace std;
int main() {
    Char small;
cout<< "Enter a small letter (a-z):";
cin >> small;
 char capital = small - 32;
  cout<<"uppercase:"<<capital
   << endl;
return 0;
      }
```


output:

```
Enter alphabet in small caps: a
upper case: A
```

Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner