

24s 306ms

18s 651ms 24s 983ms

20s 650ms

27s 203ms

23s 234ms

23s 644ms

21s 444ms

41s 092ms

26s 372ms

22s 227ms

27s 668ms

20s 008ms

#18 Verify the Education button and add qualification in list

#19 Verify the language button and Add new language
 #14 Verify the Location button & Search location

Urify the Memberships button and Add new members

#11 Verify the Nationalities button and added new nationalities

#15 Verify the Organization Structure Button and confirm add new structure

#12 Verify The Organization Button & and Check Info

#17 Verify the qualification button and skill add in list


#13 Verify the organization edit info & save button


#3 Verify The Job delete Confirmation


#6 Verify the Module

math the PIM #16 Verify the PIM

#5 Verify the Subscription







Passed Verify admin & find the admin name in admin panel

Overview History Retries

Severity: normal Duration: @ 27s 698ms

Exe

|--|

await 2000 2000 request ✓When open admin panel
11 sub-steps

xpath (//spanfnormalize-space()='Admin'l)[1]

xpath (//span[normalize-space()='Admin'])[1]

xpath (//span[normalize-space()='Admin'])[1] © click (force: true)
© page load ---waiting for new page to load---

xpath (//input[@class='oxd-input oxd-input--active'])[2] ② assert expected **<input.oxd-input.oxd-input.active>** to be **visible**

xpath (//input[@class='oxd-input oxd-input--active'])[2]

2000 request 2000 request ◆Then Enter the admin name searching

owait 2000

o type Admin ✓Then Now search the admin

7 sub steps

Sassert expected ""<span.oxd-text.oxd-text--span.oxd-main-menu-item--name>" to contain "Admin"

© new url https://opensource-demo.orangehrmilive.com/web/index.php/admin/viewSystemUsers
3s 902ms
© wait 2000

② xpath //buttoni@class='oxd-button oxd-button--medium oxd-button--secondary orangehrm-left-space'] © assert expected ""-button.oxd-button.oxd-button-medium.oxd-button-secondary.orangehrm-left-space>" to contain "Search" © xpath //button[@class='oxd-button oxd-button-medium oxd-button--secondary orangehrm-left-space'] assert expected **-button.oxd-button.oxd-button--medium.oxd-button--secondary.orangehrm-left-space>** to be **visible** © xpath //button(@class='oxd-button oxd-button-medium oxd-button-secondary orangehrm-left-space")


0s 6ms

2s 248ms

5ms 153ms

assert expected ""<span.oxd-text.oxd-text--span.oxd-main-menu-item--name>"" to be "visible"

| and the second | |
|--|-----------------------|
| xecution | |
| Test body | |
| ✓ Given Open Browser and Visit Website 1 sub-step | 10s 671ms |
| visit https://opensource-demo.orangehrmlive.com/web/index.php/auth/login | |
| ✓When Enter the user login with valid username & password 10 sub-steps | 10s 639ms 2s 789ms |
| Owalt 2000 | |
| | 2s 010ms |
| xpath //input[@placeholder='Username'] | 0s |
| assert expected " <input.oxd-input.oxd-input-focus>" to be "visible"</input.oxd-input.oxd-input-focus> | 53ms |
| xpath //input[@placeholder="Username"] | 0s |
| type Admin | 7ms |
| oxpath //input[@placeholder='Password'] | 232ms |
| ssert expected ** <input.oxd-input.oxd-input-active>** to be **visible**</input.oxd-input.oxd-input-active> | 27ms |
| | 0s |
| ♦ type admin123 | 8ms |
| √Then Click The Login Button with Valid Username & Password 18 sub-steps | 428ms 5s 105ms |
| xpath //button[@class='oxd-button oxd-buttonmedium oxd-buttonmain orange button'] | |
| assert expected ** <button.oxd-button.oxd-buttonmedium.oxd-buttonmain.ora login-button="">** to contain **Login**</button.oxd-button.oxd-buttonmedium.oxd-buttonmain.ora> | |
| xpath //button[@class='oxd-button oxd-buttonmedium oxd-buttonmain orange button'] | - |
| assert expected ** <button.oxd-button.oxd-button-medium.oxd-button-main.ora login-button="">** to be **visible**</button.oxd-button.oxd-button-medium.oxd-button-main.ora> | |
| xpath //button[@class='oxd-button oxd-buttonmedium oxd-buttonmain orange button'] | |
| © click | 9ms |
| opage loadwaiting for new page to load | 163ms |
| onew url https://opensource-demo.orangehrmlive.com/web/index.php/dashboard. | |
| 2000 request | 4s 853ms |



Passed Verify admin & find the admin name in admin panel

Overview History Retries

Severity: normal Duration: @ 27s 698ms

Exe

|--|

await 2000 2000 request ✓When open admin panel
11 sub-steps

xpath (//spanfnormalize-space()='Admin'l)[1]

xpath (//span[normalize-space()='Admin'])[1]

xpath (//span[normalize-space()='Admin'])[1] © click (force: true)
© page load ---waiting for new page to load---

xpath (//input[@class='oxd-input oxd-input--active'])[2] ② assert expected **<input.oxd-input.oxd-input.active>** to be **visible**

xpath (//input[@class='oxd-input oxd-input--active'])[2]

2000 request 2000 request ◆Then Enter the admin name searching

owait 2000

o type Admin ✓Then Now search the admin

7 sub steps

Sassert expected ""<span.oxd-text.oxd-text--span.oxd-main-menu-item--name>" to contain "Admin"

© new url https://opensource-demo.orangehrmilive.com/web/index.php/admin/viewSystemUsers
3s 902ms
© wait 2000

② xpath //buttoni@class='oxd-button oxd-button--medium oxd-button--secondary orangehrm-left-space'] © assert expected ""-button.oxd-button.oxd-button-medium.oxd-button-secondary.orangehrm-left-space>" to contain "Search" © xpath //button[@class='oxd-button oxd-button-medium oxd-button--secondary orangehrm-left-space'] assert expected **-button.oxd-button.oxd-button--medium.oxd-button--secondary.orangehrm-left-space>** to be **visible** © xpath //button(@class='oxd-button oxd-button-medium oxd-button-secondary orangehrm-left-space")


0s 6ms

2s 248ms


5ms 153ms

assert expected ""<span.oxd-text.oxd-text--span.oxd-main-menu-item--name>"" to be "visible"


| and the second | |
|--|-----------------------|
| xecution | |
| Test body | |
| ✓ Given Open Browser and Visit Website 1 sub-step | 10s 671ms |
| visit https://opensource-demo.orangehrmlive.com/web/index.php/auth/login | |
| ✓When Enter the user login with valid username & password 10 sub-steps | 10s 639ms 2s 789ms |
| Owalt 2000 | |
| | 2s 010ms |
| xpath //input[@placeholder='Username'] | 0s |
| assert expected " <input.oxd-input.oxd-input-focus>" to be "visible"</input.oxd-input.oxd-input-focus> | 53ms |
| xpath //input[@placeholder="Username"] | 0s |
| type Admin | 7ms |
| oxpath //input[@placeholder='Password'] | 232ms |
| ssert expected ** <input.oxd-input.oxd-input-active>** to be **visible**</input.oxd-input.oxd-input-active> | 27ms |
| | 0s |
| ♦ type admin123 | 8ms |
| √Then Click The Login Button with Valid Username & Password 18 sub-steps | 428ms 5s 105ms |
| xpath //button[@class='oxd-button oxd-buttonmedium oxd-buttonmain orange button'] | |
| assert expected ** <button.oxd-button.oxd-buttonmedium.oxd-buttonmain.ora login-button="">** to contain **Login**</button.oxd-button.oxd-buttonmedium.oxd-buttonmain.ora> | |
| xpath //button[@class='oxd-button oxd-buttonmedium oxd-buttonmain orange button'] | - |
| assert expected ** <button.oxd-button.oxd-button-medium.oxd-button-main.ora login-button="">** to be **visible**</button.oxd-button.oxd-button-medium.oxd-button-main.ora> | |
| xpath //button[@class='oxd-button oxd-buttonmedium oxd-buttonmain orange button'] | |
| © click | 9ms |
| opage loadwaiting for new page to load | 163ms |
| onew url https://opensource-demo.orangehrmlive.com/web/index.php/dashboard. | |
| 2000 request | 4s 853ms |




| Passed Verify admin & find the admin name in admin p | anel |
|--|-----------------------|
| Overview History Retries | |
| Severity: normal | |
| Duration: ⊙ 27s 698ms | |
| Execution | |
| ✓ Test body | |
| ✓ Given Open Browser and Visit Website 1 sub-step | 10s 671ms |
| visit https://opensource-demo.orangehrmlive.com/web/index.php/auth/login | 40.000 |
| ✓When Enter the user login with valid username & password 10 sub-steps | 10s 639ms 2s 789ms |
| owait 2000 | 2s 010ms |
| 2000 request | 0s |
| xpath //input[@placeholder='Username'] | 53ms |
| assert expected "" <input.oxd-input.oxd-input-focus>"" to be ""visible"</input.oxd-input.oxd-input-focus> | 0s |
| xpath //input[@placeholder='Username'] | 7ms |
| type Admin | |
| xpath //input[@placeholder='Password'] | 232ms |
| assert expected ** <input.oxd-input.oxd-input-active>** to be **visible**</input.oxd-input.oxd-input-active> | 27ms |
| <pre>oxpath //input[@placeholder='Password']</pre> | 0s |
| ♥ type admin123 | 8ms |
| > Then Click The Login Button with Valid Username & Password | 428ms |
| 18 sub-steps. | 5s 105ms |
| > When open admin panel 11 sub-steps | 4s 379ms |
| > Then Enter the admin name searching 5 sub-steps | 2s 477ms |
| > Then Now search the admin 7 sub-steps | 2s 248ms |



| Passed Verify admin & find the admin name in admin p | anel |
|--|-----------------------|
| Overview History Retries | |
| Severity: normal | |
| Duration: ⊙ 27s 698ms | |
| Execution | |
| ✓ Test body | |
| ✓ Given Open Browser and Visit Website 1 sub-step | 10s 671ms |
| visit https://opensource-demo.orangehrmlive.com/web/index.php/auth/login | 40.000 |
| ✓When Enter the user login with valid username & password 10 sub-steps | 10s 639ms 2s 789ms |
| owait 2000 | 2s 010ms |
| 2000 request | 0s |
| xpath //input[@placeholder='Username'] | 53ms |
| assert expected "" <input.oxd-input.oxd-input-focus>"" to be ""visible"</input.oxd-input.oxd-input-focus> | 0s |
| xpath //input[@placeholder='Username'] | 7ms |
| type Admin | |
| xpath //input[@placeholder='Password'] | 232ms |
| assert expected ** <input.oxd-input.oxd-input-active>** to be **visible**</input.oxd-input.oxd-input-active> | 27ms |
| <pre>oxpath //input[@placeholder='Password']</pre> | 0s |
| ♥ type admin123 | 8ms |
| > Then Click The Login Button with Valid Username & Password | 428ms |
| 18 sub-steps. | 5s 105ms |
| > When open admin panel 11 sub-steps | 4s 379ms |
| > Then Enter the admin name searching 5 sub-steps | 2s 477ms |
| > Then Now search the admin 7 sub-steps | 2s 248ms |



Verify job button & job tile button with add job Passed Verify job button & job tile button with add job Overview History Retries Severity: normal Duration: @ 23s 851ms Execution ∨ Test body > Given Open Browser and Visit Website 1s 544ms ✓When Enter the user login with valid username & password 2s 658ms @ wait 2000 2000 request 0s xpath //input[@placeholder='Username'] assert expected **<input.oxd-input.oxd-input-active>** to be **visible** 0s oxpath //input[@placeholder='Username'] type Admin 261ms xpath //input[@placeholder='Password'] assert expected **<input.oxd-input.oxd-input--active>** to be **visible** 0s xpath //input[@placeholder='Password'] 7ms type admin123 324ms ▼Then Click The Login Button with Valid Username & Password 3s 504ms oxpath //button[@class='oxd-button oxd-button-medium oxd-button-main orangehrm-login-button] @ assert expected "*-button.oxd-button.oxd-button-medium.oxd-button-main.orangehm-login-button-" to contain "*Login" os xpath //button[@class='oxd-button oxd-button-medium oxd-button-main orangehrm-login-button"] @ assert expected **-obutton.oxd-button.oxd-button--medium.oxd-button--main.orangehrm-login-button>** to be **Visibile** os xpath //button[@class='oxd-button oxd-button--medium oxd-button--main orangehrm-login-button] C click 167ms page load --waiting for new page to load-onew url https://opensource-demo.orangehrmlive.com/web/index.php/dashboard/index @ wait 2000 2000 request 2000 request 0s 2000 request 0s 2000 request 0s 2000 request 0s 2000 request 2000 request 0s > When open admin panel 3s 234ms > Then Go to job board 2s 263ms > Then Click the job title > Then add new job 2s 609ms > Then Write job title 2s 532ms > Then Save this job 2s 165ms



Verify job button & job tile button with add job Passed Verify job button & job tile button with add job Overview History Retries Severity: normal Duration: @ 23s 851ms Execution ∨ Test body > Given Open Browser and Visit Website 1s 544ms ✓When Enter the user login with valid username & password 2s 658ms @ wait 2000 2000 request 0s xpath //input[@placeholder='Username'] assert expected **<input.oxd-input.oxd-input-active>** to be **visible** 0s oxpath //input[@placeholder='Username'] type Admin 261ms xpath //input[@placeholder='Password'] assert expected **<input.oxd-input.oxd-input--active>** to be **visible** 0s xpath //input[@placeholder='Password'] 7ms type admin123 324ms ▼Then Click The Login Button with Valid Username & Password 3s 504ms oxpath //button[@class='oxd-button oxd-button-medium oxd-button-main orangehrm-login-button] @ assert expected "*-button.oxd-button.oxd-button-medium.oxd-button-main.orangehm-login-button-" to contain "*Login" os xpath //button[@class='oxd-button oxd-button-medium oxd-button-main orangehrm-login-button"] @ assert expected **-obutton.oxd-button.oxd-button--medium.oxd-button--main.orangehrm-login-button>** to be **Visibile** os xpath //button[@class='oxd-button oxd-button--medium oxd-button--main orangehrm-login-button] C click 167ms page load --waiting for new page to load-onew url https://opensource-demo.orangehrmlive.com/web/index.php/dashboard/index @ wait 2000 2000 request 2000 request 0s 2000 request 0s 2000 request 0s 2000 request 0s 2000 request 2000 request 0s > When open admin panel 3s 234ms > Then Go to job board 2s 263ms > Then Click the job title > Then add new job 2s 609ms > Then Write job title 2s 532ms > Then Save this job 2s 165ms



COMPLESSION PLOBLESS: 100%

- Video output: D:\QUPS-Parvej\Final project\Web_Automation_Final\cypress\videos\Qualification.feature.mp4

(<u>Run Finished</u>)

| | П | | | | | |
|-----------------------|-------|-------|---------|---------|---------|---------|
| Spec | | Tests | Passing | Failing | Pending | Skipped |
| Admin.feature | 01:02 | 3 | | | | |
| Configuration.feature | 01:30 | 3 | | | | |
| Corporate.feature | 00:33 | 1 | | | | |
| Main.feature | 00:36 | 3 | | | | |
| Nationalities.feature | 00:53 | 1 | | | | |
| Organization.feature | 02:43 | 4 | | | | |
| PIM.feature | 00:40 | 1 | | | | |
| Qualification.feature | 02:03 | 4 | | | | |
| All specs passed! | 10:03 | 20 | 20 | | | |

PS D:\QUPS-Parvej\Final project\Web_Automation_Final>