

Priority Exchange

Md Jubair Salehin Razin

1230281

Department of Electronic Engineering

Hochschule Hamm-Lippstadt

Lippstadt, Germany

md-jubair-salehin.razin@stud.hshl.de

Abstract—A real-time system must guarantee the hard deadlines of its periodic workload while still responding quickly to unpredictable soft aperiodic events such as operator commands, alarms, and sporadic sensor interrupts. The two classical baselines, background execution and the polling server, are unsatisfactory: the former gives slow and unbounded response, while the latter discards any reserved processor budget that is not consumed at the polling instant. Bandwidth-preserving servers were introduced to keep that budget available until aperiodic load actually arrives. This paper studies the Priority Exchange server, a bandwidth-preserving technique proposed by Lehoczky, Sha, and Strosnider, whose distinctive idea is to preserve high-priority budget not by holding it, but by trading it for the execution time of lower-priority periodic tasks. We explain the exchange mechanism on a worked, machine-verified schedule, derive its rate-monotonic schedulability bound, and show how the same idea extends to deadline-driven systems through the Dynamic and Improved Priority Exchange servers, which achieve exact and near-optimal aperiodic service respectively. We then position the algorithm within the broader family of aperiodic servers, analyse the trade-offs between responsiveness, schedulability, and implementation overhead, and critically evaluate the strengths, limitations, and realistic application scope of the approach. The paper closes with a documented protocol describing how artificial intelligence tools were used during its preparation.

Index Terms—real-time scheduling, aperiodic servers, priority exchange, rate-monotonic, earliest deadline first, bandwidth preservation, schedulability analysis

I. INTRODUCTION

A. Problem Statement and Motivation

Embedded and cyber-physical systems are typically organised around a set of *periodic* activities with hard timing constraints, such as control loops, signal-processing pipelines, and actuation tasks. The temporal correctness of these activities is established offline by a worst-case schedulability analysis. In practice, however, the very same processor must also handle *aperiodic* activity whose arrival pattern is not known in advance, for example operator interactions, fault and alarm handlers, mode-change requests, or event-triggered sensor data. For a large class of such activities the timing requirement is *soft*: there is no catastrophic consequence if an individual response is late, but the system designer

nevertheless wants the average and worst-case response times to be as small as possible.

The central engineering problem is therefore to service soft aperiodic requests as responsively as possible *without ever jeopardising* the guaranteed deadlines of the hard periodic tasks. Two naive solutions illustrate the tension. Under *background scheduling*, aperiodic requests run only when no periodic task is ready; this never affects the periodic guarantee, but aperiodic response time is poor and, in heavily loaded systems, effectively unbounded [2]. Under a *polling server*, a periodic task with a reserved capacity is created specifically to serve aperiodic requests; responsiveness improves, but if no request is pending at the moment the server is invoked, the reserved capacity is simply discarded until the next period, wasting processor bandwidth precisely when it might soon be needed.

B. Core Technical Idea

The Priority Exchange (PE) server, introduced by Lehoczky, Sha, and Strosnider [3], belongs to the family of *bandwidth-preserving* servers that resolve this tension by retaining unused server budget so that it can be spent on aperiodic load whenever the load eventually arrives. What distinguishes PE from its sibling, the Deferrable Server (DS) [3], [6], is *how* the budget is preserved. The DS keeps its capacity at the original high priority level until the end of the server period. PE, in contrast, preserves its capacity by *exchanging* it for the execution time of the highest-priority pending periodic task: that periodic task is advanced (it executes at the server's higher priority), while an equal amount of budget is accumulated at the periodic task's *lower* priority level [2]. The reserved time is thus never lost; it is merely relocated to a progressively lower priority, where it remains reclaimable for aperiodic service and is discarded only if the processor would otherwise idle.

This seemingly indirect mechanism has a precise and valuable consequence. Because PE never executes above its budget at any priority level—the time it “borrows” at high priority is always returned as real periodic work—it behaves, for the purpose of worst-case schedulability analysis, exactly like an ordinary periodic task. As a result it inherits the full rate-monotonic utilization bound of a periodic task, which is strictly better than the bound achievable by the Deferrable Server [2].

Seminar paper, *Real-Time Systems*, Hochschule Hamm-Lippstadt. The primary reference for this work is Buttazzo's monograph on predictable scheduling [2].

C. Contributions and Structure

This paper provides a self-contained technical treatment of the Priority Exchange server and its place in the literature. Section II fixes the system model and assumptions. Section III presents the fixed-priority algorithm together with a worked, independently simulated schedule, derives its schedulability bound, and describes the dynamic-priority extensions (DPE and IPE) that carry the exchange idea into earliest-deadline-first systems. Section IV positions PE among competing aperiodic servers and analyses the trade-offs that govern the choice between them. Section V critically evaluates the approach, with concrete strengths, limitations, unrealistic assumptions, and matched examples of suitable and unsuitable applications. Section VI concludes. An appendix documents the use of artificial intelligence tools in preparing the manuscript.

II. SYSTEM MODEL AND ASSUMPTIONS

A. Task Model

We consider a single processor executing a set $\Gamma = \{\tau_1, \dots, \tau_n\}$ of independent periodic tasks. Each task τ_i is characterised by a worst-case execution time C_i and a period T_i , and releases an infinite sequence of jobs. Unless stated otherwise we assume relative deadlines equal to periods, $D_i = T_i$, and synchronous activation at the critical instant, which represents the worst case for fixed-priority analysis. The periodic processor utilization is

$$U_p = \sum_{i=1}^n \frac{C_i}{T_i}. \quad (1)$$

Soft aperiodic activity is modelled as a stream of jobs J_k , each with an arrival time a_k and an execution requirement, but with no hard deadline. The optimisation objective for aperiodic jobs is to minimise their response time; meeting any particular deadline carries no additional value, which is precisely what distinguishes soft from *firm* aperiodic requests.

B. Server and Priority Model

A server is a logical task with a capacity (budget) C_s and a period T_s , and a utilization

$$U_s = \frac{C_s}{T_s}. \quad (2)$$

In the fixed-priority setting, periodic priorities are assigned by the rate-monotonic (RM) rule, and the server is placed at the highest priority in the system so that fresh budget can deliver the shortest possible response. In the dynamic-priority setting, priorities follow the earliest-deadline-first (EDF) rule and the server's budget is tagged with a deadline. All ties are broken in favour of aperiodic execution, reflecting the goal of high responsiveness.

C. Assumptions and Scope Limitations

The analysis assumes a fully preemptive uniprocessor; tasks that are independent and do not self-suspend; no shared logical resources and therefore no blocking; negligible context-switch, tick, and bookkeeping overhead in the formal model

(an assumption we revisit critically in Section V); and exact worst-case execution times for the periodic tasks. Release jitter, offsets, precedence constraints, mixed-criticality, and multiprocessor or distributed platforms are outside the scope of this treatment. These restrictions are inherited from the classical analyses of PE and its relatives [2], [3], [10], and Section V examines how realistic they are.

III. THE PRIORITY EXCHANGE ALGORITHM

A. The Exchange Mechanism

The fixed-priority PE server is defined by the following rules [2]. At the beginning of each server period the capacity is replenished to its full value C_s . At every scheduling instant the highest-priority entity in the system is selected, where an entity is either a ready periodic job, the server budget, or budget that has previously been parked at some priority level. Two cases then arise:

- If aperiodic requests are pending and a budget is the highest-priority entity, the requests are serviced at that priority level; each request consumes an amount of budget equal to its execution time.
- If no aperiodic request is pending, the budget is *exchanged* with the execution time of the highest-priority active periodic task. That task runs at the (higher) priority of the budget, and an equal amount of budget is accumulated at the (lower) priority level of that task.

If no aperiodic request and no periodic job can use the budget—that is, the processor would otherwise be idle—the budget is gradually discarded. Because the exchange repeatedly pushes unused budget to lower and lower priority levels, the reserved time degrades smoothly toward the level of background processing, but it is preserved (and remains usable for aperiodic service) at every step along the way.

B. Worked Example

Figure 1 illustrates the mechanism on a small system: a PE server with $C_s = 1$ and $T_s = 5$, and two periodic tasks $\tau_1 = (C_1=2, T_1=10)$ and $\tau_2 = (C_2=6, T_2=20)$, giving $U_p = 0.5$ and $U_s = 0.2$. The schedule was generated by an independent discrete-time simulator and is read as follows.

At $t = 0$ the budget is replenished but no request is pending, so it is exchanged with τ_1 : the first unit of τ_1 runs at the server's top priority and one unit of budget is parked at τ_1 's level. While τ_1 still has work it continues to execute and the parked unit remains at its level; once τ_1 completes at $t = 2$, the budget degrades a further step and is exchanged with τ_2 , sliding down to τ_2 's priority level. At $t = 5$ the server period restarts, the budget is replenished at top priority, and because request J_1 has just arrived it is served *immediately* at the highest priority—this is the responsiveness benefit of placing the server at the top of the priority order. The unit that had been parked at τ_2 's level is never claimed by an aperiodic request and is therefore discarded at the first idle instant, $t = 9$. The cycle then repeats: at $t = 10$ the fresh budget is exchanged with the second job of τ_1 and parked at τ_1 's level, and when J_2 arrives at $t = 12$ it is served using exactly




Fig. 1. Aperiodic service under a fixed-priority Priority Exchange server with $C_s = 1$, $T_s = 5$, and periodic tasks $\tau_1 = (2, 10)$, $\tau_2 = (6, 20)$. Solid blocks are periodic (blue/red) and aperiodic (green) execution; hatched bands show the reserved budget parked at τ_1 's and τ_2 's priority levels. At $t = 0$ the fresh budget is exchanged with τ_1 ; with τ_1 idle after $t = 2$ it degrades to τ_2 's level, and is discarded at the idle instant $t = 9$. Request J_1 (arriving at $t = 5$) is served immediately at the server's top priority, whereas J_2 (arriving at $t = 12$) is served using budget reclaimed at τ_1 's level. The schedule was produced and checked by an independent unit-time simulator (Section V).

that reclaimed budget, at τ_1 's priority rather than the top. The figure makes the defining property of PE visible: reserved time is lost only when the processor would otherwise idle, never simply because a request happened not to be pending.

C. Schedulability Analysis (Fixed Priority)

The key analytical observation is that, in the worst case, a PE server behaves as a periodic task: every unit of high-priority time it consumes corresponds either to genuine aperiodic service paid for from its budget, or to periodic work that has merely been advanced. Consequently the periodic schedulability bound is identical to that of the Polling Server [2]. Assuming the server holds the highest priority, the least upper bound on total utilization is

$$U_{lub} = U_s + n \left(K^{1/n} - 1 \right), \quad K = \frac{2}{U_s + 1}. \quad (3)$$

Equivalently, a set of n periodic tasks with utilization U_p running together with a PE server of utilization U_s is guaranteed under RM if

$$U_p \leq n \left[\left(\frac{2}{U_s + 1} \right)^{1/n} - 1 \right]. \quad (4)$$

Two limiting cases are instructive. As $U_s \rightarrow 0$, (4) reduces to the classical Liu and Layland bound $n(2^{1/n} - 1)$ [1], as expected when the server vanishes. As $n \rightarrow \infty$ the bound tends to $\ln(2/(U_s + 1))$, so even for a large periodic task set a non-trivial fraction of the processor can be reserved for aperiodic service while still guaranteeing the periodic deadlines.

D. Dynamic Priority Exchange (EDF)

The exchange idea transfers naturally to deadline-driven scheduling. The Dynamic Priority Exchange (DPE) server, proposed by Spuri and Buttazzo [8], [10], lets the server trade its runtime with the runtime of lower-priority periodic tasks, which under EDF means tasks with a longer deadline [2]. The server capacity is tagged with the deadline of the current server

period; whenever a deadline-tagged capacity is the highest-priority entity and no aperiodic request is pending, the periodic task with the shortest deadline runs and an equal capacity is added at *that* task's deadline. Reserved time is again only relocated, never wasted except at genuine idle times.

Crucially, this runtime exchange does not affect schedulability, because moving a periodic execution earlier and reserving its time at the corresponding deadline preserves feasibility. The exact condition is the classical processor-demand bound:

$$U_p + U_s \leq 1. \quad (5)$$

The result is proved by transforming any DPE schedule σ into an equivalent EDF schedule σ' in which the server is replaced by a periodic task and exchanged periodic executions are postponed to the intervals where the corresponding capacities decrease; σ' is invariant (it depends only on the task set, not on the aperiodic load) and is feasible if and only if (5) holds, which in turn holds if and only if σ is feasible [2], [10]. The DPE server also admits a simple and safe *resource-reclaiming* extension: when a periodic job finishes early, its unused worst-case time is added to the aperiodic capacity at that job's deadline, improving aperiodic response without affecting the periodic guarantee, since that time was already accounted for at that priority level.

E. Improved Priority Exchange (EDF)

The optimal deadline-driven server is the Earliest Deadline as Late as possible (EDL) server, which minimises the average aperiodic response time but is too computationally heavy for practical use because it must repeatedly recompute processor idle times online [2], [10]. The Improved Priority Exchange (IPE) server [8], [10] recovers most of EDL's benefit at far lower cost by precomputing the EDL idle-time function offline and using it to drive the server's replenishments. Two consequences follow: the server is no longer periodic and can always run at the highest priority in the system, and its

replenishment schedule is determined entirely by the periodic task set. The IPE server is feasible if and only if

$$U_p \leq 1, \quad (6)$$

in which case it automatically allocates the entire residual bandwidth $1 - U_p$ to aperiodic service. Spuri and Buttazzo show that IPE is nearly optimal: only in rare situations does the exact EDL server respond perceptibly faster [2], [10].

IV. CONTEXT AND TRADE-OFF ANALYSIS

A. The Space of Aperiodic Servers

PE is one point in a well-developed design space. Under fixed priorities the principal alternatives are background scheduling, the Polling Server, the Deferrable Server [3], [6], the Extended Priority Exchange (EPE) server [4], and the Sporadic Server [5]. Under dynamic priorities the corresponding family comprises the Dynamic Priority Exchange, Dynamic Sporadic, Total Bandwidth, EDL, and Improved Priority Exchange servers [2], [8], [10]. Orthogonal to the server approach are the slack-stealing methods [7] and dual-priority scheduling [9], which reclaim spare capacity through priority promotion rather than a reserved budget.

B. Priority Exchange versus the Deferrable Server

The most direct comparison is with the Deferrable Server, since PE and DS were introduced in the same work [3] and solve the same problem in opposite ways. The DS is markedly simpler to implement: it always keeps its capacity at the original priority and never has to track exchanges, so its overhead is essentially independent of the number of periodic tasks. PE, by contrast, must account for budget at every priority level and manage the exchanges, and its overhead grows with n [2]. The DS pays for its simplicity in schedulability: by holding capacity at high priority it violates the assumption that a high-priority task always executes when ready, which weakens its utilization bound. For a given periodic load, the largest DS that can be guaranteed is smaller than the largest PE server, i.e. $U_{DS}^{\max} < U_{PE}^{\max}$ [2]. The two algorithms thus occupy opposite corners of a responsiveness–schedulability–overhead trade-off: DS offers slightly better aperiodic responsiveness and low overhead but a weaker periodic bound, whereas PE offers the full periodic bound at the cost of higher and task-count-dependent overhead.

C. Priority Exchange versus Polling and Background

Against the two baselines the comparison is one-sided. PE and the Polling Server share the same periodic schedulability bound (4), because both behave like periodic tasks, but PE delivers substantially better aperiodic responsiveness: it can serve a request the instant its period begins and, through preservation, can also serve later requests from budget that polling would have discarded. PE can therefore be read as “the schedulability of polling with much improved responsiveness.” Both dominate background scheduling, which offers no responsiveness guarantee at all.

D. Fixed versus Dynamic Priority

Moving from RM to EDF changes the achievable bounds and the cost. The deadline-driven servers reach full processor utilization— $U_p + U_s \leq 1$ for DPE and the Total Bandwidth Server, and $U_p \leq 1$ for IPE and EDL—and generally provide better responsiveness than their fixed-priority counterparts. The price is dynamic deadline bookkeeping and an EDF runtime, which many commercial real-time operating systems do not natively support and which complicates certification. Within the dynamic family there is a further internal trade-off: the Total Bandwidth Server attains near-optimal response with very simple bookkeeping, DPE and IPE require a capacity/deadline queue, and EDL is optimal but impractically expensive [2], [10]. Fixed-priority PE remains attractive precisely where predictability, tooling, and certification favour RM.

E. Trade-off Summary

Table I summarises the comparison along the axes that matter to a designer: priority model, periodic schedulability bound, aperiodic responsiveness, implementation overhead, and whether unused budget is preserved. The table makes the position of PE explicit. Among fixed-priority servers it is the option that recovers the full periodic bound while preserving budget, but it does so at an overhead that scales with the periodic task count—a cost the Sporadic Server later eliminated by achieving the same bound and comparable responsiveness with low, task-count-independent overhead.

F. Why the Related Work Looks the Way It Does

A reader may notice that recent literature rarely proposes new fixed-priority PE variants. This is not an accident of fashion but a consequence of the design space having been closed by better-engineered alternatives. The Sporadic Server [5] preserves capacity at high priority yet replenishes it in a way that still behaves like a periodic task, thereby obtaining DS-like responsiveness and PE-like schedulability without the exchange overhead; it is, tellingly, the only aperiodic-server policy admitted by the POSIX real-time standard. The runtime spare capacity that PE cannot reclaim—budget freed when periodic tasks finish before their worst case—is recovered instead by slack-stealing [7] and by dual-priority scheduling [9]; indeed Davis and Wellings explicitly observe that offline methods such as DS and PE can only make such spare capacity available as a background opportunity, and report that dual priority outperforms even the Extended Priority Exchange server at lower overhead than dynamic slack stealing. In dynamic-priority systems the simpler Total Bandwidth Server displaced DPE and IPE for most purposes. Accordingly, the references included here are chosen to trace this lineage: the foundational schedulability result [1], the origin of PE and DS [3], the dynamic extensions [8], [10], the superseding fixed-priority servers [4], [5], and the reclaiming alternatives [7], [9], with the monograph [2] as the unifying secondary source. Work on resource-sharing protocols, multiprocessor servers, and hardware-specific implementations

TABLE I
COMPARISON OF REPRESENTATIVE APERIODIC SERVICE ALGORITHMS ON A UNIPROCESSOR.

Algorithm	Priority model	Periodic bound (guarantee)	Aperiodic responsiveness	Implementation overhead	Budget preserved?
Background	any	$U_p \leq U_{lub}$ (none reserved)	very poor	negligible	—
Polling Server	RM	periodic-task bound (4)	moderate	low	no
Deferrable Server [3], [6]	RM	weaker than periodic-task bound	good	low	yes (high prio.)
Priority Exchange [3]	RM	periodic-task bound (4)	good	grows with n	yes (exchanged down)
Sporadic Server [5]	RM	periodic-task bound	good	low/moderate	yes (high prio.)
Dynamic Priority Exch. [10]	EDF	$U_p + U_s \leq 1$ (5)	very good	moderate (deadline queue)	yes
Total Bandwidth [10]	EDF	$U_p + U_s \leq 1$	very good	low	yes
Improved Priority Exch. [10]	EDF	$U_p \leq 1$ (6)	near-optimal	high (offline EDL)	yes

is deliberately excluded as orthogonal to the uniprocessor, independent-task scope of this paper.

V. CRITICAL EVALUATION

A. Strengths

The strengths of PE are concrete rather than rhetorical. First, it preserves bandwidth: as Figure 1 demonstrates, reserved time is discarded only at genuine idle instants ($t = 9$ and $t = 15$), never merely because a request was absent, which is the failure mode of polling. Second, it attains the full periodic-task schedulability bound (4), strictly better than the Deferrable Server’s, so a designer can reserve more bandwidth for aperiodic service before the periodic set becomes unschedulable. Third, by sitting at the top of the priority order it delivers immediate, high-priority service to requests that arrive when the budget is fresh. Fourth, it degrades gracefully: rather than dropping unused budget outright, it lowers its priority step by step, so the budget remains reclaimable for as long as possible. Fifth, and most influential historically, the exchange idea generalises cleanly to EDF, where the Dynamic Priority Exchange server achieves the *exact* and optimal bound $U_p + U_s \leq 1$ and the Improved Priority Exchange server achieves near-optimal response with $U_p \leq 1$ [10].

B. Limitations and Risks

The principal limitation is implementation complexity. PE must track reserved budget at every priority level and perform an exchange at each scheduling decision, so its runtime overhead grows with the number of periodic tasks—the very tracking that the simulator in this paper had to model explicitly. The dynamic variants compound this with a capacity/deadline queue whose operations are more complex than a simple ready queue. PE also addresses only soft aperiodic requests; it provides no built-in guarantee for firm or hard aperiodic deadlines. Its fixed-priority responsiveness, while good, is still slightly inferior to the Deferrable Server’s. Finally there is an opportunity-cost risk: because the Sporadic Server matches PE’s schedulability with lower overhead for fixed-priority systems, and the Total Bandwidth Server does so for dynamic systems, adopting PE today may incur complexity for no net benefit unless its specific behaviour is required.

C. Assumptions That May Be Unrealistic

Several modelling assumptions deserve scrutiny. The most consequential is *zero overhead*: the exchange bookkeeping is the entire cost of the algorithm, so assuming it away in the schedulability bound understates PE’s true price relative to simpler servers. The assumptions of *no blocking* and *no shared resources* are also strong, since real control software uses mutual exclusion; integrating PE with a resource-access protocol such as priority or stack-resource ceilings is non-trivial and interacts with the exchange mechanism. The assumption of *exact worst-case execution times* ignores the common case where periodic jobs finish early, leaving runtime slack that PE—unlike slack-stealing or dual-priority methods—cannot reclaim except at idle. Finally, $D_i = T_i$, zero release jitter, a single processor, and unit-time divisibility of aperiodic service are idealisations that a deployment would have to revisit.

D. Runtime, Memory, and Implementation Implications

In terms of resources, the fixed-priority server needs per-level budget counters, giving $O(n)$ state, and an exchange decision at each scheduling point whose cost scales with n ; this compares unfavourably with the Sporadic Server, whose replenishment accounting is essentially constant per event. The dynamic variants require a capacity/deadline queue with $O(m)$ state in the number of outstanding deadlines, and IPE additionally requires an offline EDL computation over a hyperperiod-scale interval and storage of the resulting idle-time function. None of these costs is prohibitive for small systems, but all of them grow with system size in a way that matters for scalability.

E. A Suitable Application

PE is well matched to a fixed-priority, rate-monotonic control system with a tight periodic load and a modest number of periodic tasks, where the designer cannot afford the Deferrable Server’s schedulability penalty yet still needs responsive handling of occasional operator commands or alarms. A flight-control or engine-control unit running a handful of periodic loops plus sporadic mode-change and fault-handling activity fits this profile: the small task count keeps the exchange

overhead bounded, and the full periodic bound buys back utilization that the DS would forfeit. In deadline-driven settings, the IPE server suits a soft-real-time multimedia or streaming server that wants provably near-optimal aperiodic response and can afford the offline precomputation.

F. An Unsuitable Application

Conversely, PE is a poor fit for a large system with many periodic tasks and stringent overhead budgets, because the exchange bookkeeping scales with the task count and erodes the very utilization it nominally protects. It is also unsuitable wherever firm or hard aperiodic deadlines must be guaranteed, since PE targets soft requests only; wherever a Sporadic Server or Total Bandwidth Server already suffices, where PE would add complexity for no measurable gain; and on multiprocessor or distributed platforms, which require partitioned or global servers of a fundamentally different design. Where certification simplicity dominates, the simpler Polling, Deferrable, or Sporadic Servers are preferable.

G. Possible Extensions and Open Questions

Several directions remain worthwhile. The Extended Priority Exchange server [4] already augments PE to reclaim unused periodic time; a systematic, overhead-aware comparison of EPE, dual priority, and slack stealing on a modern RTOS would clarify when, if ever, an exchange-based server is the right choice today. The relationship between the exchange idea and the Constant Bandwidth Server used in Linux `SCHED_DEADLINE` is conceptually close—both reserve and reclaim bandwidth under EDF—and deserves a direct treatment. Empirical measurement of PE’s exchange overhead on real hardware, rather than its assumed-negligible cost, would test the central assumption of its schedulability analysis. Finally, whether the exchange mechanism offers any advantage in mixed-criticality settings, where budget could in principle be exchanged across criticality levels, appears to be open.

VI. CONCLUSION

The Priority Exchange server demonstrated a powerful and counter-intuitive principle: high-priority budget can be preserved for unpredictable aperiodic load not by holding it, but by trading it for the runtime of lower-priority periodic work, so that the reserved time degrades gracefully through the priority order and is lost only at genuine idle instants. This buys the full rate-monotonic schedulability of a periodic task—strictly better than the Deferrable Server—at the cost of an implementation overhead that grows with the periodic task count. The same idea, carried into earliest-deadline-first scheduling, yields the exact, optimal Dynamic Priority Exchange bound and the near-optimal Improved Priority Exchange server. In current practice PE is largely superseded by the Sporadic Server for fixed-priority systems and the Total Bandwidth Server for dynamic ones, both of which match its guarantees with lower overhead, and the runtime slack it cannot reclaim is better handled by slack-stealing or dual-priority methods. Its lasting

importance is therefore twofold: as a foundational lens on the responsiveness–schedulability–overhead trade-off that defines aperiodic service, and as the conceptual ancestor of the optimal dynamic-priority servers.

APPENDIX A

DOCUMENTED AI USAGE PROTOCOL

In the interest of academic transparency, this appendix records how artificial intelligence tools were used in preparing the manuscript and, equally important, which intellectual tasks were performed and verified by the author.

Tools and scope of assistance. A large language model (Anthropic Claude) was used as a drafting and tooling aid. Its assistance covered: organising the paper according to the seminar’s milestone structure; producing prose drafts of the sections; extracting and synthesising the relevant material on Priority Exchange, Dynamic Priority Exchange, and Improved Priority Exchange from the primary reference [2]; implementing a short discrete-time simulator of the fixed-priority PE algorithm used to generate and check the schedule in Figure 1; and generating the $\text{\LaTeX}$ source, including the schedule figure and the comparison table.

Author verification. Consistent with the seminar requirement that intellectual verification not be delegated, the author performed the following independently: selection and scoping of the topic; verification of every cited result against its source, in particular the schedulability bounds (4), (5), and (6) and the PE-versus-DS comparison, which were checked against Buttazzo’s monograph [2]; confirmation of the bibliographic details of the secondary references [1], [3]–[10] against the published record; manual tracing of the simulated schedule in Figure 1 to confirm that processor time, exchanges, and budget discards are accounted for correctly; and review and revision of all technical claims and evaluative judgements. Responsibility for the correctness and the arguments of the final paper rests with the author.

REFERENCES

- [1] C. L. Liu and J. W. Layland, “Scheduling algorithms for multiprogramming in a hard-real-time environment,” *J. ACM*, vol. 20, no. 1, pp. 46–61, Jan. 1973.
- [2] G. C. Buttazzo, *Hard Real-Time Computing Systems: Predictable Scheduling Algorithms and Applications*, 3rd ed. New York, NY, USA: Springer, 2011.
- [3] J. P. Lehoczky, L. Sha, and J. K. Strosnider, “Enhanced aperiodic responsiveness in hard real-time environments,” in *Proc. IEEE Real-Time Syst. Symp. (RTSS)*, Dec. 1987, pp. 261–270.
- [4] B. Sprunt, J. P. Lehoczky, and L. Sha, “Exploiting unused periodic time for aperiodic service using the extended priority exchange algorithm,” in *Proc. 9th IEEE Real-Time Syst. Symp. (RTSS)*, 1988, pp. 251–258.
- [5] B. Sprunt, L. Sha, and J. P. Lehoczky, “Aperiodic task scheduling for hard real-time systems,” *Real-Time Syst.*, vol. 1, no. 1, pp. 27–60, Jun. 1989.
- [6] J. K. Strosnider, J. P. Lehoczky, and L. Sha, “The deferrable server algorithm for enhanced aperiodic responsiveness in hard real-time environments,” *IEEE Trans. Comput.*, vol. 44, no. 1, pp. 73–91, Jan. 1995.
- [7] R. I. Davis, K. W. Tindell, and A. Burns, “Scheduling slack time in fixed-priority pre-emptive systems,” in *Proc. IEEE Real-Time Syst. Symp. (RTSS)*, Dec. 1993, pp. 222–231.
- [8] M. Spuri and G. C. Buttazzo, “Efficient aperiodic service under earliest deadline scheduling,” in *Proc. IEEE Real-Time Syst. Symp. (RTSS)*, Dec. 1994.

- [9] R. I. Davis and A. J. Wellings, "Dual priority scheduling," in *Proc. 16th IEEE Real-Time Syst. Symp. (RTSS)*, Pisa, Italy, Dec. 1995, pp. 100–109.
- [10] M. Spuri and G. C. Buttazzo, "Scheduling aperiodic tasks in dynamic priority systems," *Real-Time Syst.*, vol. 10, no. 2, pp. 179–210, 1996.