

```
In [1]: import pandas as pd
from sklearn.ensemble import RandomForestClassifier
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import LabelEncoder
from sklearn.metrics import accuracy_score, confusion_matrix
```

```
In [2]: df=pd.read_csv("car_acceptability.csv")
df
```

```
Out[2]:
```

	buying price	maintenance cost	number of doors	number of persons	lug_boot	safety	evaluation
0	vhigh	vhigh	2	2	small	med	unacc
1	vhigh	vhigh	2	2	small	high	unacc
2	vhigh	vhigh	2	2	med	low	unacc
3	vhigh	vhigh	2	2	med	med	unacc
4	vhigh	vhigh	2	2	med	high	unacc
...	...	...	...	...	...	...	...
1722	low	low	5	5	med	med	good
1723	low	low	5	5	med	high	vgood
1724	low	low	5	5	big	low	unacc
1725	low	low	5	5	big	med	good
1726	low	low	5	5	big	high	vgood

1727 rows × 7 columns

```
In [3]: le = LabelEncoder()

df["buying price"]=le.fit_transform(df["buying price"])
df["maintenance cost"]=le.fit_transform(df["maintenance cost"])
df["lug_boot"]=le.fit_transform(df["lug_boot"])
df["safety"]=le.fit_transform(df["safety"])
df["evaluation"]=le.fit_transform(df["evaluation"])
```

```
In [4]: df
```

Out[4]:

	buying price	maintenance cost	number of doors	number of persons	lug_boot	safety	evaluation
0	3	3	2	2	2	2	2
1	3	3	2	2	2	0	2
2	3	3	2	2	1	1	2
3	3	3	2	2	1	2	2
4	3	3	2	2	1	0	2
...	...	...	...	...	...	...	...
1722	1	1	5	5	1	2	1
1723	1	1	5	5	1	0	3
1724	1	1	5	5	0	1	2
1725	1	1	5	5	0	2	1
1726	1	1	5	5	0	0	3

1727 rows × 7 columns

```
In [5]: X= df.drop("evaluation",axis=1)
        Y=df["evaluation"]
```

```
In [6]: X_train,X_test,Y_train,Y_test=train_test_split(X,Y,test_size=0.2,random_state=42)
```

```
In [7]: rf=RandomForestClassifier(n_estimators=100,random_state=42)
        rf.fit(X_train,Y_train)
```

Out[7]:

RandomForestClassifier ⓘ ?

► Parameters

```
In [8]: Y_pred=rf.predict(X_test)
```

```
In [9]: print("Accuracy:",accuracy_score(Y_test,Y_pred))
        print("\nConfusion Matrix:\n",confusion_matrix(Y_test,Y_pred))
```


Accuracy: 0.9624277456647399

Confusion Matrix:

```
[[ 72  1  3  1]
 [ 2 10  0  3]
 [ 1  0 236  0]
 [ 2  0  0 15]]
```

```
In [10]: import matplotlib.pyplot as plt
         importance = rf.feature_importances_
         plt.bar(X.columns,importance)
```

```
plt.xticks(rotation=45)
plt.xlabel("Features")
plt.ylabel("Importance")
plt.title("Random Forest Feature Impotance")
plt.show()
```



In []: