

1/3 întrebări practice

Se consideră într-o bază de date SQL Server, tabelul Prezentari având următoarea structură Prezentari(Pid, Sid, Titlu, Domeniu, NrAscultatori, DataPrezentare, durata, FeedBack). Cheia primară este {Pid, Sid} și cheile străine sunt {Pid} și {Sid}. Răspundeți la următoarele întrebări pe baza înregistrărilor furnizate mai jos.

Pid	Sid	Titlu	Domeniu	NrAscultatori	DataPrezentare	Durata	FeedBack
1	1	New improvments in Neural Networks	Inteligenta Artificiala	20	2020-12-15 10:00:00.000	20	foarte interesant
1	3	DNA evaluation in Dental Calculus	Inteligenta Artificiala	25	2020-02-11 10:20:00.000	15	interesant
1	5	Optimisation for vector problems	Optimizare	15	2020-05-25 12:40:00.000	20	mediu
2	1	Moving sounds in Databases	Baze de Date	10	2020-04-21 09:30:00.000	20	provocator
2	2	Duality for optimisation problems	Optimizare	50	2020-01-31 11:45:00.000	40	captivant
2	6	Movements of the Earth	Geografie	34	2020-02-05 16:55:00.000	30	captivant
3	2	Baseball Rules for Champions	Sport	65	2020-11-15 12:30:00.000	45	foarte interesant
3	4	New Zealand improvments	Geografie	49	2020-12-11 19:00:00.000	60	provocator
3	7	Financial Situation in the big Banks	Economie	44	2020-08-24 13:40:00.000	30	interesant
4	8	Cooking sweets for special events	Arta Gătitului	33	2020-04-04 09:00:00.000	90	provocator
4	9	Ecomic Crises in 2009	Economie	5	2020-09-09 08:40:00.000	15	slăbui
6	5	Italian Food and Tiramisu	Arta Gătitului	48	2020-07-16 14:40:00.000	120	mediu
7	11	Newton Law and applications	Fizica	34	2020-10-13 10:00:00.000	45	bun
8	12	Sound rules in Neural Networks	Inteligenta Artificiala	80	2020-11-12 15:15:00.000	20	bun

Sintaxa de creare a tabelului Prezentari este:

```
create table Prezentari(Pid int not null, Sid int not null, Titlu varchar(50), Domeniu
varchar(50), NrAscultatori int, DataPrezentare datetime, Durata int, FeedBack
varchar(50), constraint pk_Prezentari primary key(Pid, Sid))

create table Prezentari(Pid int not null, Sid int foreign key references Prezentari(Sid),
Titlu varchar(50), NrAscultatori int, DataPrezentare datetime,
```