UniHub

Testing Guide - step by step

For beginners. Nothing here needs programming knowledge: you will copy, paste and click.

What you will do	Time
Part 1 - One-time setup on your computer	5 min
Part 2 - Prepare Supabase (the database) in your browser	10 min
Part 3 - Start the app	5 min
Part 4 - Create your account and sample events	10 min
Part 5 - Test registration, tickets and check-in with two accounts	15 min
Part 6 - Test reviews and the real dashboard	15 min
Part 7 - Install the Android app, quick checks 1-6	15 min
Part 8 - Tests with a second account (step by step)	30 min
Part 9 - What is new in v0.2.3	10 min
Part 10 - If something goes wrong	as needed

NOTE: Words in `this style` are things you type or paste exactly. Keep this PDF open next to your screen and tick off each step.

WARNING: Your C: drive is almost full. If anything fails with 'not enough space', free up space on C: first (Windows Settings > System > Storage > Temporary files). The project itself lives on D: and is fine.

Part 1 - One-time setup

What is PowerShell? A window where you type commands. You will use it to start the app. It is already on your computer.

1. Press the **Windows key**, type `PowerShell` and press **Enter**. A blue or black window opens.

2. Tell Flutter to keep its downloads on the D: drive (so C: does not fill up). Paste this line and press Enter. You only ever do this once:

```
setx PUB_CACHE D:\pub-cache
```

3. **Close the PowerShell window and open a new one** (same as step 1). The setting only applies to new windows.

4. Check that Flutter works. Paste this and press Enter:

```
flutter --version
```

You should see a line starting with *Flutter 3.* followed by numbers. If you see *'flutter' is not recognized*, see Part 8.

Part 2 - Prepare Supabase

Supabase is the online database that stores accounts and events. You work with it in your web browser. Your project address is:

```
https://supabase.com/dashboard/project/xwdaygcezdbneoubimgv
```

Log in to Supabase if it asks you to.

2A. Add HAW Hamburg (fixes 'no university account found')

The database only knew TUM, LMU and Uni Hamburg. HAW Hamburg (@haw-hamburg.de) is a different university, so it was missing. This step adds it and also fixes the account you already created.

1. In PowerShell, open the SQL file in Notepad:

```
notepad D:\UniHub_v0.2\supabase\migrations\20261020010000_add_haw_hamburg.sql
```

2. In Notepad press **Ctrl+A** (select all), then **Ctrl+C** (copy). You can close Notepad.

3. In your browser open the **SQL Editor**:

```
https://supabase.com/dashboard/project/xwdaygcezdbneoubimgv/sql/new
```

4. Click into the big empty box, press **Ctrl+A** then **Ctrl+V** to paste, and click the green **Run** button (or press Ctrl+Enter).

5. At the bottom you should see **Success** (it may show a small table with one row). If you see red text, copy it and send it to me.

2B. Make the sign-up email contain a code

The app asks you to type a 6-digit code from an email. Supabase only lets you change the email text once the project sends email through its own mail server (SMTP). We use your Gmail for testing.

1. Turn on **2-Step Verification** at `https://myaccount.google.com/security` (skip if it is already on).
2. Open `https://myaccount.google.com/apppasswords`, name it `UniHub`, tap **Create** and copy the 16-letter password. Never paste it into a chat.
3. Open the email templates page:

```
https://supabase.com/dashboard/project/xwdaygcezdbneoubimgv/auth/templates
```

4. Click **Confirm sign up**, then **Set up SMTP**. Switch on **Enable custom SMTP** and enter: sender email `whp2718@gmail.com`, sender name `UniHub`, host `smtp.gmail.com`, port `587`, username `whp2718@gmail.com`, password = the app password. Click **Save**.
5. Back on **Confirm sign up**, click the **Source** tab (it works now), select the old text with Ctrl+A and paste:

```
<h2>Your UniHub code</h2>
<p>Enter this code in the app: <b>{{ .Token }}</b></p>
```

6. Click **Save**. Do exactly the same for the template **Reset password**.

> **TIP:** {{ .Token }} is a placeholder. Supabase swaps it for the real 6-digit code when it sends the email. Type it exactly, including the double curly brackets.

> **NOTE:** Emails now come from your Gmail address. Before going online we switch to a sender on the UniHub website address.

2C. Check that email confirmation is on

1. Open `https://supabase.com/dashboard/project/xwdaygcezdbneoubimgv/auth/providers` and click **Email**.
2. Make sure **Confirm email** is switched **ON**. This is what proves someone really owns their @haw-hamburg.de address, so please leave it on.

2D. Add the dashboard numbers (new database update)

Reviews and the planner dashboard need one more database update. Same routine as 2A.

1. Open the file in Notepad:

```
notepad D:\UniHub_v0.2\supabase\migrations\20261023000000_dashboard_stats.sql
```

2. Ctrl+A, Ctrl+C. Open the SQL Editor, click in the box, Ctrl+A, Ctrl+V, click **Run**.
3. You should see **Success. No rows returned**.

> **TIP:** Running a file twice is safe. If you are unsure whether you ran one, just run it again.

Part 3 - Start the app

We run the app as a website on your own computer. We use a fixed address so you can open it in two browser windows (needed in Part 5).

1. Open a **new** PowerShell window.
2. Go to the project folder:

```
cd D:\UniHub_v0.2
```

3. Start the app:

```
flutter run -d web-server --web-port 8080
```

4. Wait 1 to 3 minutes the first time. Lines scroll by. When you see *'lib\main.dart is being served at http://localhost:8080'* it is ready.
5. Open your normal browser (Chrome) and go to:

```
http://localhost:8080
```

You should see the **Welcome to UNIHUB** sign-in screen.

> **WARNING:** Do not close the PowerShell window while you are testing. Closing it stops the app. To stop the app on purpose, click the PowerShell window and press **q**.

> **TIP:** After a change, click the PowerShell window and press a capital **R** (Shift+r) to restart the app quickly, then refresh the browser tab.

Part 4 - Your account and sample events

4A. Sign up (account A, your university account)

1. On the sign-in screen click **New here? Create an account**.
2. Enter your name, your university email (who649@haw-hamburg.de) and a password of at least 8 characters.
3. While you type the email you should see: *University account detected: Hamburg University of Applied Sciences*. If it says 'No university email detected', the app is out of date - stop the app (q) and start it again with the commands from Part 3.
4. Click **Create account**. Check your email inbox (and spam) for the code, type it in and click **Verify**.

> **NOTE:** You already created this account earlier. If the email says the user exists, use **Sign in** instead. After running the SQL in 2A your account is linked to HAW Hamburg automatically; sign out and in once to see it.

4B. Make account A an organizer and add sample events

New accounts are students. Only approved organizers can publish events, so we approve you directly in the database (only you, as the project owner, can do this).

1. Open the file in Notepad:

```
notepad D:\UniHub_v0.2\supabase\dev_seed_events.sql
```

2. Ctrl+A, Ctrl+C, then paste into the SQL Editor (same page as in 2A) and click **Run**.

3. You should see **Success. No rows returned**. If it says 'No profile found', you have not signed up yet (4A).

4. Back in the app, **sign out and sign in again** (account menu in the top right > Sign out). You are now in the **Planner** view with Dashboard, Create Event and Scanner.

> **TIP:** An organizer sees only the planner screens - not the student feed. That is why Part 5 uses a second account.

Part 5 - Test registration, tickets and check-in

You need two people: the **organizer** (account A) and a **student** (account B). You can be both by using two browser windows that do not share logins.

5A. Create account B (the student)

1. Open a **private / Incognito window** in Chrome (Ctrl+Shift+N) and go to `http://localhost:8080`.

2. Create a second account with a different email you can receive. A trick for Gmail: add `+student` before the @, for example `whp2718+student@gmail.com`. It arrives in the same inbox.

3. Enter the code from the email. You are in the student feed.

> **NOTE:** This account has no university, so it only sees **public** events. That is expected: it is the 'Public Events' tab. The sample events 'Isar Summer Music Festival' and 'Student Group Run' are public.

5B. Student registers and gets a ticket (window B)

1. Click the **Public Events** tab. Pull down to refresh if the list is empty.

2. On **Student Group Run** click **RSVP**. A green message says you are registered.

3. Open the **My Tickets** tab. You see your ticket with a QR code.

4. At the bottom of the ticket, small grey text says `debug code: ...`. Select all of that long code with the mouse and copy it (Ctrl+C). This stands in for scanning, because you only have one computer.

5C. Organizer checks the ticket in (window A)

1. Go to the normal browser window (account A) and open the **Scanner** tab.

2. At the top, choose **Student Group Run** from the drop-down.

3. Click the **keyboard icon** in the top bar (tooltip 'Enter code manually'), paste the code, click **Check in**.

4. A green sheet says **Access Granted** and shows the student's name.

5. Do step 3 again with the same code. It must now say the guest **was already checked in** (red). That proves one ticket cannot be used twice.

6. Back in window B, open My Tickets and click the refresh icon. The ticket now says **CHECKED IN**.

5D. Optional: test the waitlist

1. In the SQL Editor run this to limit the event to one seat:

```
update public.events set capacity = 1 where title = 'Isar Summer Music Festival';
```

2. Window B registers for 'Isar Summer Music Festival' and gets a ticket. Create a third account (for example +student2) and register: it says the event is full and you are on the **waitlist**.

3. Window B cancels (My Tickets > Cancel registration). The waitlisted account gets the ticket automatically after a refresh.

Part 6 - Test reviews and the real dashboard

Reviews only open once an event has started, and for events that use QR check-in only after the guest was checked in. The sample events are in the future, so we move two of them into the present first.

6A. Make two sample events 'already started'

1. Open the SQL Editor (same page as before), paste this and click **Run**. It turns 'Student Group Run' into an event that needs a QR check-in and accepts reviews, and starts it an hour ago:

```
update public.events
   set requires_qr = true, allow_reviews = true,
       starts_at = now() - interval '1 hour',
       ends_at = now() + interval '3 hours'
 where title = 'Student Group Run';
```

2. Run this second one. It starts 'Isar Summer Music Festival' an hour ago (no QR needed, reviews allowed):

```
update public.events
   set starts_at = now() - interval '1 hour',
       ends_at = now() + interval '3 hours'
 where title = 'Isar Summer Music Festival';
```

3. In both app windows press F5 to refresh the page, then pull down on the feed.

6B. A verified review (event with QR check-in)

1. Window B (student): make sure you are registered for **Student Group Run** (Part 5B).

2. Window A (organizer): check the ticket in (Part 5C). Skip this if you already did it.

3. Window B: My Tickets, click the refresh icon. The **Leave a Review** button is now green. Before the check-in it was grey with a red note.

4. Click it, choose 5 stars, type a comment, click **Submit**. A green message appears and the button now says **Review submitted** (you can only review once).

5. Open the event page (Home > Public Events > Student Group Run). The rating row now shows **5.0 / 5.0 (1 verified review)**. Before any review it says **No ratings yet**.

6C. An unverified review (event without QR)

1. Window B: register for **Isar Summer Music Festival**, open My Tickets, click **Leave a Review**.

2. Tick 'I attended this event', give 3 stars and a comment, submit.

3. This review is **not verified** (nobody scanned the ticket). It must **not** change the public rating on the event page - the page still says 'No ratings yet'.

6D. Check the planner dashboard (window A)

1. Open the **Dashboard** tab and pull down to refresh (or reload the page with F5).

2. Top cards show real numbers: total registrations, check-ins, attendance rate and active events. With one student registered and checked in you should see 1 RSVP, 1 check-in and 100%.

3. **Attendance By Event** lists your events with seats used, check-ins, waitlist and the verified star rating.

4. **Recent Scanner Logs** shows your scans, for example 'TKT-000001 checked in - Student Group Run', and 'scanned again (already used)' if you scanned twice.

5. **Public ratings** shows the verified 5-star review. **Private feedback** shows the unverified 3-star review from 6C, labelled as unverified.

> **NOTE:** The numbers update when you open or refresh the dashboard, and right after you check someone in. They do not change live on screen by themselves.

Part 7 - Install the Android app, quick checks 1-6

7A. Put the app on your phone

The newest app file is here on your computer (ignore older versions in the same folder):

```
D:\UniHub_APK\UniHub-v0.2.3.apk
```

1. On the phone, **uninstall the old UniHub** first: press and hold the UniHub icon, tap **Uninstall**, confirm.

2. Connect your phone with a USB cable. On the phone choose **File transfer** when it asks how to use USB.

3. On your computer open **File Explorer**, open your phone, open the **Download** folder, and copy `UniHub-v0.2.3.apk` into it. (No cable? Upload it to Google Drive and open it on the phone. Do not email it: Gmail blocks .apk files.)

4. On the phone open the **Files** app, go to **Downloads** and tap the APK.

5. If Android says it cannot install from this source: tap **Settings**, switch on **Allow from this source**, then press back.

6. Tap **Install**. If Google Play Protect warns you, tap **More details** then **Install anyway**. That warning appears for every app that does not come from the Play Store.

7. Open **UniHub** and sign in with `who649@haw-hamburg.de`. You are the **platform admin**, so the bottom bar has five tabs: Dashboard, Create Event, Scanner, Profile, Admin.

7B. Quick checks 1-6 (you already did these)

#	What to do	What you should see
1	Create Event: add a poster image, fill the form, Publish.	Green message; event in the Dashboard.
2	Dashboard: pencil on your event, change the title, Save changes.	'Event updated'.
3	Edit it again, Cancel event, confirm.	'Event cancelled'.
4	Profile: Edit name, then Change password.	'Saved', 'Password changed'.
5	Profile: change the language, close and reopen the app.	The language is kept.
6	Your name (top right): Switch to student view, then back.	Student tabs, then organizer tabs.

Part 8 - Tests with a second account (step by step)

Tests 7 to 12 need a **second person**. You play both people on the same phone by **signing out and signing in again**. In this part:

Name in this guide	Email	Who it is
Admin	who649@haw-hamburg.de	You, the platform admin (already exists)
Test Student	whp2718+student@gmail.com	A new normal user you create in 8A
Throwaway	whp2718+delete@gmail.com	Only for the delete test (8G)

TIP: The **+student** trick: Gmail ignores everything between + and @, so the code for whp2718+student@gmail.com arrives in your normal inbox whp2718@gmail.com. To the app it is a different account.

How to switch accounts (you will do this often):

Sign out	**Tap your name at the top right of the screen, then tap Sign out. You see the public events and a Sign in / Sign up button.**
Sign in	Tap **Sign in / Sign up**, type the email and password, tap **Sign in**.

NOTE: Write the Test Student password on paper now. You will need it several times.

8A. Create the Test Student account

1. Sign out of the Admin account (see the table above).

2. Tap **Sign in / Sign up**, then tap **New here? Create an account** at the bottom.

3. Your name: `Test Student`. Email: `whp2718+student@gmail.com`. Password: at least 8 characters.

4. Under the email it says *No university email detected*. That is correct for a Gmail address.

5. Tap **Create account**. Open Gmail, find the email **Your UniHub code** and type the 6-digit code into the app. Tap **Verify**.

6. You are in. The bottom bar shows **Home**, **My Tickets** and **Profile**. **Check:** this is a normal user.

8B. Test 7 - Test Student asks to become an organizer

1. Still as Test Student: tap the **Profile** tab (bottom right).

2. Scroll down to the card **Become an organizer** and tap the button **Become an organizer**.

3. A form opens. Choose **Commercial / public events** (a Gmail account cannot pick University organizer).

4. Organization or club name: `Test Events Club`. The message is optional.

5. Tap **Send request**.

6. **Check:** a message says *Request sent. An admin will review it.* The card now says *Your request is waiting for review.*

8C. Test 8 - Admin approves the request

1. Sign out. Sign in as **Admin** (who649@haw-hamburg.de).

2. Tap the **Admin** tab (bottom right).

3. At the top there are two tabs: **Requests** and **Users**. Stay on **Requests**.

4. **Check:** you see the request from Test Student with the email and 'Test Events Club'.

5. Tap **Approve** (you may type a note first, it is optional). **Check:** 'Approved.' and the request leaves the list.

8D. Test 9 - Test Student gets the organizer tools

1. Sign out. Sign in as **Test Student**.

2. Tap the **Profile** tab. The card now says your request was approved.

3. Tap **Check status**.

4. **Check:** the bottom bar changes to **Dashboard**, **Create Event**, **Scanner**, **Profile**. Test Student can now publish events.

8E. Test 10 - A cancelled event cancels the tickets

Test Student publishes a public event, Admin gets a ticket for it, then Test Student cancels the event. Admin's ticket must then show as cancelled.

1. As **Test Student**: tap **Create Event**. Title: `Cancel test`. Location: `Anywhere`. Leave the dates as they are. Scroll down and tap **Publish**. **Check:** 'Event published.'

2. Sign out. Sign in as **Admin**.

3. Tap **your name** (top right) and tap **Switch to student view**.

4. On **Home**, tap the tab **Public Events**. Pull the list down to refresh. You see **Cancel test**.

5. Tap **Register** on Cancel test. **Check:** a green message says you are registered.

6. Tap **My Tickets**. **Check:** the ticket for Cancel test is there.

7. Sign out. Sign in as **Test Student**. On the **Dashboard**, find Cancel test and tap the **pencil** next to it.

8. Scroll to the bottom and tap the red **Cancel event**. Confirm with **Yes, cancel event**.

9. Sign out. Sign in as **Admin**. Tap your name > **Switch to student view** > **My Tickets**, then tap the refresh icon at the top.

10. **Check:** the Cancel test ticket shows **CANCELLED** and the text *This event was cancelled. Your ticket is no longer valid.*

11. Tap your name > **Switch to organizer view** to get the Admin tab back.

8F. Test 11 - Admin changes someone's role

1. As **Admin** (organizer view): tap the **Admin** tab, then the **Users** tab at the top.

2. In the search box type `Test`. Test Student appears.

3. On the right of Test Student's card tap the **person-with-gear icon**. A small menu lists the roles.

4. Tap **Student**. **Check:** the role line on the card changes to *Student*.

5. **Check:** scroll to your own card (Admin). It has **no** gear icon: you cannot change your own role, so you cannot lock yourself out by accident.

8G. Test 12 - Delete an account

> **WARNING:** Deleting is permanent. Use the **Throwaway** account only. (Test Student cannot be deleted anyway because it still owns the 'Cancel test' event - the app explains that if you try.)

1. Sign out. Create a new account exactly like 8A, but with the name `Throwaway` and the email `whp2718+delete@gmail.com`. Enter the code from Gmail.

2. Tap **Profile**, scroll to the very bottom and tap the red **Delete account**.

3. Type `DELETE` (capital letters) into the box and tap **Delete forever**.
4. **Check:** you are signed out and see the public events.
5. Tap **Sign in / Sign up** and try to sign in as whp2718+delete@gmail.com. **Check:** it says *Wrong email or password* - the account is gone.

Part 9 - What is new in v0.2.3

Sign in as **Admin** for all of these.

9A. Language list

1. Tap **Profile**, then the **Language** card. A list opens with **English** and **Deutsch**.

2. Tap **Deutsch**. **Check:** the app is German and the bottom tab says **Erstellen** on one clean line (it used to be squeezed).

3. Switch back the same way: **Sprache** > **English**.

9B. Wallpapers in both views

1. Profile > scroll to **Wallpaper Overlay**. There are now 8 choices: None, Grid, Dots, Waves, Sunset, Aurora, Ocean, Bubbles. Each little picture shows what it looks like.

2. Tap **Waves**, then tap the **Dashboard** tab. **Check:** the waves are behind the dashboard (organizer view).

3. Your name > **Switch to student view**. **Check:** the same wallpaper is behind the events. Try a few others; Dots, Waves and Bubbles use your university's colour.

9C. Your own category

1. Organizer view > **Create Event**. Under **Categories (up to 3)** tap **Other**.

2. **Check:** a new box **Your own category (optional)** appears. Type `Yoga`.

3. Fill in the title and location and tap **Publish**.

4. Switch to student view > Home > **Campus Hub**. **Check:** a **Yoga** filter chip appears in the category row, and tapping it (or **Other**) shows your event.

> **NOTE:** Custom categories can be 2 to 30 letters or numbers. Leave the box empty and the event is simply 'Other'.

Part 10 - If something goes wrong

Find your message in the left column. If it is not listed, send me the **last 30 lines** from the PowerShell window or a screenshot of the browser, plus what you clicked just before.

What you see	What to do
'flutter' is not recognized	Flutter is not on your PATH in this window. Close PowerShell, open a new one and try again. Still failing? Run `C:\src\flutter\bin\flutter --version`. If that works, tell me and I will fix your PATH.
not enough space on the disk	C: is full. Free space on C: (Settings > System > Storage > Temporary files), then run the command again.
PowerShell seems stuck for many minutes	The first start can take 3 minutes. If nothing changes for 10 minutes, click the window, press Ctrl+C, and run the start command again.
Page at localhost:8080 is blank or white	Wait 20 seconds, then refresh (F5). Still blank: press Ctrl+Shift+R. Then look at the PowerShell window for red text.
Port 8080 already in use	An old copy is still running. Close the old PowerShell window, or use another number: `flutter run -d web-server --web-port 8090` and open localhost:8090.
No email / code never arrives	Wait 2 minutes, check spam. Supabase limits emails per hour. Check that you saved the template in 2B. Use 'Resend code' once, then wait.
'That code is wrong or has expired'	Use the newest email only. Codes expire after a while. Click 'Resend code' and use the newest one.
Still says 'No university email detected'	The app was started before the update. Press q in PowerShell, run `cd D:\UniHub_v0.2`, then the start command again. Hard refresh the browser (Ctrl+Shift+R).
Signed in but the feed is empty	Pull down to refresh. For account B only public events show. For account A, run the sample events SQL (4B).
'Could not load events'	No internet or Supabase is unreachable. Check your connection, click Try again. If it persists, send me the PowerShell output.
'Your account is not approved to publish events yet'	That account is a student. Run the organizer SQL (4B) and then sign out and in again.
'Registration failed' or 'event is not available'	The event may have ended, or it belongs to another university than the account. Try a public event.
Sample-events SQL says 'No profile found'	Sign up in the app first (4A), then run it again.
Scanner shows 'not allowed to scan'	Only the account that created the event can check people in. Use account A.
Leave a Review button is grey	Three possible reasons: the event has not started yet (see 6A), it needs a QR check-in first (organizer checks the ticket in, then refresh My Tickets), or you already reviewed it ('Review submitted').
Dashboard stays empty or says it could not load	Run the dashboard update from 2D, then reload the page. Make sure you are signed in as the organizer (account A) and that you ran the sample events SQL (4B).
Dashboard shows 0 for everything	Pull down to refresh. Numbers only count events created by this account.

What you see	What to do
Phone says 'App not installed'	Delete any older UniHub from the phone first (long-press the icon > Uninstall), then install again.
Phone blocks the install / 'unsafe app'	Tap 'Install anyway' (Play Protect) and make sure 'Allow from this source' is on for the Files app.
App opens but sign-in or events fail on the phone	Check the phone has internet (try the browser). Then close the app completely and open it again.
Scanner shows a black screen	Camera permission was denied. Phone Settings > Apps > UniHub > Permissions > Camera > Allow.
'Add poster image' does nothing or says the image is wrong	Use a JPG, PNG or WebP photo under 5 MB. Screenshots in other formats are refused.
Admin tab is missing	Only admin accounts have it, and only in organizer view. Tap your name > Switch to organizer view. Still missing: sign out and in again, then tell me.
Delete account says 'You still own events'	That account published events. Use a fresh throwaway account (8G).
Request list is empty in the Admin tab	Pull down to refresh. Make sure Test Student tapped Send request and saw 'Request sent'.
'Check status' does nothing	Wait 10 seconds and tap again, or sign out and in again. The admin must have tapped Approve first (8C).
Approve / Reject says 'not allowed'	University admins can only handle requests from their own university.

Words explained

Word	Meaning
Supabase	The online service that holds your database, accounts and security rules.
SQL Editor	A page in Supabase where you paste instructions for the database (the .sql files).
Tenant	A university. The app shows each student their own university's events.
Organizer	An approved account that may publish events and check guests in.
Waitlist	A queue for full events. People move up automatically when someone cancels.
Hot restart (R)	Reloads the app with your latest code without starting everything from zero.