PropelGo: Technology & Animation Report

A code-based overview of the project stack, motion design, typography, and visual system.

1. Technology stack

- Next.js 16.4.0 - React framework; routes and application structure are in src/app.
- React 19.3.0 and TypeScript - UI components, interactive state, and typed code.
- Tailwind CSS 4 - utility-first styling; project design tokens are defined in globals.css.
- Motion 14.1.0 (motion/react) - component transitions, scroll reveals, gestures, and animated values.
- Lenis 1.3.26 - smooth scrolling on desktop pointer devices; disabled for reduced-motion and touch input.
- Next/font/google - loads and optimizes the Inter typeface. Icons and some illustrations are inline SVG/React components.
- Available scripts: next dev, next build, next start, and eslint.

2. Font and typography

- The primary font is Inter, not Roboto. src/app/layout.tsx imports Inter through Next.js and defines the --font-inter variable; globals.css uses it as the sans-serif font.
- Headings generally use weight 600 (semibold), tight negative letter spacing, and responsive clamp-based sizing. Display, H2, H3, lead, and body text have separate scales.
- Body copy uses regular Inter; UI labels also use medium and semibold weights. Numeric data uses tabular numerals.
- Font files are not bundled in the public directory; Next/font/google loads the typeface.

3. Design tokens

- Palette: forest and brand greens, lime and mint accents, white surfaces, ink #1f1f1f, and copy #595959.
- Motion easing uses soft ease-out curves such as cubic-bezier(0.16, 1, 0.3, 1); responsive layout uses Tailwind utilities.
- Reduced motion is supported through CSS prefers-reduced-motion rules and Motion useReducedMotion hooks.

Animations: effects in use

Motion effects found in the project, with their visible behavior and typical use.

4. Entrance and scroll animations

- Fade and rise: headings, paragraphs, buttons, and sections fade in while moving upward into place, often with staggered delays. Used in the home hero and HeroB/HeroC options.
- Scroll reveal: the Reveal component uses whileInView to reveal content once it enters the viewport. Used by Overview, the final CTA, and other content sections.
- Staggered lists: table rows, steps, and card content appear sequentially with short delays.
- Tab and content crossfades: AnimatePresence transitions between exiting and entering content. Used in HeroSlip, HeroB, testimonials, and option demos.
- Hero artwork entrance: illustrations and previews appear with opacity and position transitions.

5. Interactive and continuous motion

- 3D flip cards: FlipCard rotates 180 degrees on click with a spring transition; hover state is also passed into card content.
- Animated counters: Counter counts values up when scrolled into view and formats numbers using Indian digit grouping.
- Smooth scrolling: Lenis smooths scrolling for desktop mouse and trackpad users.
- Marquee: the Ecosystem strip uses CSS keyframes for a 60-second linear loop.
- Orbit and auto-rotation: EcosystemOrbit changes the active node about every 2.8 seconds; testimonials and capabilities also rotate active content.
- SVG path animation: chart and illustration lines animate pathLength; bars, progress rails, and check marks fill or scale into place.
- Micro-interactions: dropdown fades/slides, chevron rotation, mobile menu transforms, shared tab indicators, spring toggles, pulse status dots, and color/opacity transitions.

6. Motion and accessibility

- Many Motion effects use useReducedMotion to simplify or disable movement. Global CSS also reduces animation and transition durations.
- Lenis does not initialize when reduced motion is preferred or when the pointer is coarse (touch input).
- Some visual demos advance on timed intervals; tabs, switches, and cards also respond to user interaction.

Code reference

Key files for locating the animation, typography, and design system.

7. Main files

- src/components/ui/Reveal.tsx - fade-and-rise reveal on scroll.
- src/components/ui/SmoothScroll.tsx - Lenis smooth scrolling.
- src/components/ui/Counter.tsx - count-up values triggered in view.
- src/components/ui/FlipCard.tsx - 3D flip card with spring transition.
- src/components/home/Hero.tsx - homepage hero entrance animation.
- src/components/home/visuals/HeroSlip.tsx - interactive payment demo with spring tilt and tab/content transitions.
- src/components/home/visuals/EcosystemOrbit.tsx - orbit and active-node animation.
- src/components/home/Capabilities.tsx - timed active item, progress indicator, and content transitions.
- src/components/home/Ecosystem.tsx - CSS marquee.
- src/components/layout/Header.tsx - dropdown, mobile menu, hover, and scroll states.
- src/app/globals.css - font tokens, colors, marquee keyframes, and reduced-motion rules.
- src/app/layout.tsx - Inter loading and global application wrapper.
- src/components/options/HeroB.tsx and HeroC.tsx - alternate animated hero and demo concepts.

8. Summary

- Overall style: restrained SaaS/product motion, including fade/slide entrances, hover and toggle feedback, content transitions, number counting, a looping marquee, and animated SVG artwork.
- Core motion tools: Motion for React animations, CSS keyframes/transitions for simple loops and states, and Lenis for smooth scrolling.
- Typeface: Inter (not Roboto). Styling: Tailwind CSS 4 with project-specific CSS design tokens.

Libraries & typography details

Dependency inventory and the exact typeface configuration, verified against package.json and source files.

9. Runtime libraries (dependencies)

- next 16.4.0 - application framework and Next.js font-loading API.
- react 19.3.0 and react-dom 19.3.0 - UI component runtime and rendering.
- motion ^14.1.0 - motion/react package for animations, gestures, scroll reveals, and spring transitions.
- lenis ^1.3.26 - smooth scrolling.

10. Development libraries (devDependencies)

- tailwindcss ^4 - CSS utility framework; @tailwindcss/turbopack ^4 - Tailwind/Turbopack integration.
- typescript ^5 - type checking; @types/node ^20, @types/react ^19, and @types/react-dom ^19 - TypeScript definitions.
- eslint ^9 and eslint-config-next 16.4.0 - linting and Next.js lint rules.

11. Exact font answer

- The font family is Inter, not Roboto. layout.tsx imports Inter through next/font/google and creates the --font-inter variable.
- globals.css sets --font-sans to Inter; the body and site typography inherit this sans-serif family.
- The interface uses regular (400), medium (500), semibold (600), and occasional bold styles. Headings are generally semibold.
- next/font/google is a Next.js font-loading feature. No separate Roboto package or local font file was found.
- Icons and some illustrations are inline SVG/React components; package.json does not list a separate icon library.