INSTITUT UNIVERSITAIRE DES SCIENCES (IUS)

Faculté des sciences et des technologies (FST)

Atelier Informatique TD_3

Préparé par : Brian ANTOINE
Ruth-Jose JEROME
Billy Rolph EXUME

Présenté à: M. Ismaël SAINT AMOUR

Niveau : L3-FST

Date: 16/04/2026

Objectifs

- Comprendre le fonctionnement de GitHub Pages.
- Déployer un site web statique en ligne.
- Maintenir le site en ligne avec des mises à jour via GitHub.
- Découvrir l'onglet Actions dans un dépôt GitHub.
- Créer un workflow simple pour vérifier que votre site peut être automatiquement construit et déployé.
- Lire et interpréter les logs des actions.

Etape1: Synchronisation

- Sur le terminal de Brian

```
MINGW64:/c/Users/Brian ANTOINE/cafe-associatif
rm: cannot remove '/etc/post-install/06-windows-files.post': Permission denied
rm: cannot remove '/etc/post-install/99-post-install-cleanup.post': Permission d
enied

Brian ANTOINE@Bri MINGW64 ~ (master)
$ cd cafe-associatif

Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (feature/rapport)
$ git checkout main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (main)
$ git pull origin main
remote: Enumerating objects: 46, done.
remote: Counting objects: 100% (35/35), done.
remote: Compressing objects: 100% (11/11), done.
remote: Total 22 (delta 9), reused 18 (delta 7), pack-reused 0 (from 0)
Unpacking objects: 100% (22/22), 11.10 KiB | 82.00 KiB/s, done.
From https://github.com/Rbil1y/cafe-associatif
 * branch            main       -> FETCH_HEAD
   bb5fcc3..6e6064e  main       -> origin/main
Updating 5358ac8..6e6064e
Fast-forward
 contact.html  |  73 ++++--
 css/style.css | 750 ++++++++++++++++++++++++++++++++++++++++++++++++++++++++--
 index.html    |  68 ++++--
 menu.html     | 102 ++++++--
 4 files changed, 921 insertions(+), 72 deletions(-)

Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (main)
$
```



➢ Sur le terminal de Ruth

```
MINGW64:/c/Users/keyru/cafe-associatif

keyru@jose MINGW64 ~ (main)
$ cd cafe-associatif

keyru@jose MINGW64 ~/cafe-associatif (feature/nav-update)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

keyru@jose MINGW64 ~/cafe-associatif (main)
$ git pull origin main
remote: Enumerating objects: 42, done.
remote: Counting objects: 100% (39/39), done.
remote: Compressing objects: 100% (15/15), done.
remote: Total 30 (delta 14), reused 23 (delta 10), pack-reus
ed 0 (from 0)
Unpacking objects: 100% (30/30), 1.31 MiB | 460.00 KiB/s, do
ne.
From https://github.com/Rbil1y/cafe-associatif
 * branch            main       -> FETCH_HEAD
   d967086..23671b2  main       -> origin/main
Updating d967086..23671b2
Fast-forward
 Rapport_TD2_Atelier.pdf | Bin 0 -> 1533932 bytes
 contact.html            |  73 ++++--
 css/style.css           | 607 ++++++++++++++++++++++++++++++
+++++++++++++++++--
 index.html              |  68 ++++--
 menu.html               | 102 ++++++--
 5 files changed, 789 insertions(+), 61 deletions(-)
 create mode 100644 Rapport_TD2_Atelier.pdf

keyru@jose MINGW64 ~/cafe-associatif (main)
$
```



- Sur le PC de Billy

```
MINGW64:/c/Users/rbill/cafe-associatif

rbill@ROLPH MINGW64 ~/cafe-associatif (main)
$ git checkout main
Already on 'main'
Your branch is up to date with 'origin/main'.

rbill@ROLPH MINGW64 ~/cafe-associatif (main)
$ git pull origin main
From https://github.com/Rbil1y/cafe-associatif
 * branch            main       -> FETCH_HEAD
Already up to date.

rbill@ROLPH MINGW64 ~/cafe-associatif (main)
$
```



➢ Création d'une branche de déploiement sur le terminal de Ruth

MINGW64:/c/Users/keyru/cafe-associatif

```
keyru@jose MINGW64 ~/cafe-associatif (main)
$ git checkout -b deploy/preparation
Switched to a new branch 'deploy/preparation'

keyru@jose MINGW64 ~/cafe-associatif (deploy/preparation)
$ git push origin deploy/preparation
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'deploy/preparation' on GitHub by visiting:
remote:      https://github.com/Rbil1y/cafe-associatif/pull/new/deploy/prepar
remote:
To https://github.com/Rbil1y/cafe-associatif.git
 * [new branch]      deploy/preparation -> deploy/preparation

keyru@jose MINGW64 ~/cafe-associatif (deploy/preparation)
$
```

- Récupération de la branche
- Billy et Brian

```
MINGW64:/c/Users/Brian ANTOINE/cafe-associatif

Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (main)
$ git fetch origin
From https://github.com/Rbil1y/cafe-associatif
 * [new branch]      deploy/preparation -> origin/deploy/preparation
 * [new branch]      feature/accueil    -> origin/feature/accueil
 * [new branch]      feature/menu       -> origin/feature/menu
 * [new branch]      feature/nav-update -> origin/feature/nav-update

Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (main)
$ git checkout -b deploy/preparation origin/deploy/preparation
branch 'deploy/preparation' set up to track 'origin/deploy/preparation'.
Switched to a new branch 'deploy/preparation'

Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (deploy/preparation)
$
```

```
MINGW64:/c/Users/rbill/cafe-associatif

rbill@ROLPH MINGW64 ~/cafe-associatif (main)
$ git fetch origin
From https://github.com/Rbil1y/cafe-associatif
 * [new branch]      deploy/preparation    -> origin/deploy/preparation
 * [new branch]      feature/contact       -> origin/feature/contact
 * [new branch]      feature/footer-update -> origin/feature/footer-update
 * [new branch]      feature/menu          -> origin/feature/menu
 * [new branch]      feature/nav-update    -> origin/feature/nav-update
 * [new branch]      feature/rapport       -> origin/feature/rapport

rbill@ROLPH MINGW64 ~/cafe-associatif (main)
$ git checkout -b deploy/preparation origin/deploy/preparation
branch 'deploy/preparation' set up to track 'origin/deploy/preparation'.
Switched to a new branch 'deploy/preparation'

rbill@ROLPH MINGW64 ~/cafe-associatif (deploy/preparation)
$
```

Etape3: Activation de Git hub pages





➢ Affiche sur le navigateur

Sur le Pc Brian



Sur celui de Billy



Etape4: Ajout de la section "Événements"

- La partie du Css dans VS code : Brian

```css
/* STYLES SPÉCIFIQUES À LA PAGE ÉVÉNEMENTS */

.events-container {
    display: flex;
    flex-direction: column;
    gap: 3rem;
}

.event-card {
    display: flex;
    background: var(--card-bg);
    border-radius: var(--radius-md);
    box-shadow: var(--shadow-sm);
    overflow: hidden;
    transition: all 0.4s cubic-bezier(0.16, 1, 0.3, 1);
    border: 1px solid rgba(0, 0, 0, 0.04);
}

.event-card:hover {
    transform: translatex(10px);
    box-shadow: var(--shadow-lg);
    border-color: rgba(230, 126, 34, 0.25);
}

.event-date {
    background: var(--brand-accent);
    color: white;
    padding: 2rem;
    display: flex;
    flex-direction: column;
    align-items: center;
    justify-content: center;
    min-width: 160px;
    text-align: center;
    position: relative;
    overflow: hidden;
}
```

```css
.event-actions {
}

/* RESPONSIVE */
@media (max-width: 768px) {
    .event-card {
        flex-direction: column;
    }

    .event-date {
        padding: 1.5rem;
        min-width: auto;
        flex-direction: row;
        gap: 1rem;
    }

    .event-date .day {
        font-size: 2.5rem;
    }

    .event-date .month {
        margin-top: 0;
    }

    .event-content {
        padding: 2rem;
    }

    .event-card:hover {
        transform: translateY(-6px);
        transform: translatex(0); /* override desktop hover */
    }
}
```

➢ La partie HTML dans VS code : Ruth




```html
<!DOCTYPE html>
<html lang="fr">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="Découvrez les prochains événements de notre café ass
    <title>Café Associatif | Événements</title>
    <!-- Google Fonts -->
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link href="https://fonts.googleapis.com/css2?family=Outfit:wght@300;400;600;800&famil
    <link rel="stylesheet" href="css/style.css">
    <link rel="stylesheet" href="css/evenements.css">
    <script src="https://unpkg.com/@phosphor-icons/web"></script>
</head>
<body>
    <header class="navbar">
        <div class="logo">
            <i class="ph ph-coffee"></i> La Tasse Commune
        </div>
        <nav>
            <a href="index.html">Accueil</a>
            <a href="menu.html">Menu</a>
            <a href="evenements.html" class="active">Événements</a>
            <a href="contact.html">Contact</a>
        </nav>
    </header>

    <main class="page-container fade-in-up">
        <div class="page-header">
            <h2>Nos Événements</h2>
            <p>Concerts, ateliers et rencontres : découvrez la vie du café.</p>
        </div>

        <div class="events-container">
            <!-- Event 1 -->
            <article class="event-card">
```




```html
<html lang="fr">
<body>
    <main class="page-container fade-in-up">
        <div class="events-container">
            <article class="event-card">
                <div class="event-date">
                    <span class="day">12</span>
                    <span class="month">Mai</span>
                </div>
                <div class="event-content">
                    <h3>Soirée Jazz Acoustique</h3>
                    <div class="event-meta">
                        <span class="meta-item"><i class="ph ph-clock"></i> 20:00 - 23:00
                        <span class="meta-item"><i class="ph ph-currency-eur"></i> Entrée Libre
                    </div>
                    <p>Venez vibrer au rythme du jazz avec le trio local "Notes & Grains". L'ambiance
                    <div class="event-actions">
                        <a href="contact.html" class="btn btn-primary">Réserver une table
                    </div>
                </div>
            </article>

            <!-- Event 2 -->
            <article class="event-card">
                <div class="event-date">
                    <span class="day">18</span>
                    <span class="month">Mai</span>
                </div>
                <div class="event-content">
                    <h3>Atelier : Initiation Torréfaction</h3>
                    <div class="event-meta">
                        <span class="meta-item"><i class="ph ph-clock"></i> 14:00 - 16:00
                        <span class="meta-item"><i class="ph ph-users"></i> Sur inscriptio
                    </div>
                    <p>Découvrez les secrets derrière une tasse de café parfaite de l'extr
                    <div class="event-actions">
                        <a href="contact.html" class="btn btn-primary">S'inscrire (15€)
```

➢ Commandes Git

MINGW64:/c/Users/keyru/cafe-associatif

```
$ git checkout -b feature/events-html
Switched to a new branch 'feature/events-html'

keyru@jose MINGW64 ~/cafe-associatif (feature/events-html)
$ git add .
warning: adding embedded git repository: cafe-associatif
hint: You've added another git repository inside your current repository.
hint: Clones of the outer repository will not contain the contents of
hint: the embedded repository and will not know how to obtain it.
hint: If you meant to add a submodule, use:
hint:
hint:   git submodule add <url> cafe-associatif
hint:
hint: If you added this path by mistake, you can remove it from the
hint: index with:
hint:
hint:   git rm --cached cafe-associatif
hint:
hint: See "git help submodule" for more information.
hint: Disable this message with "git config set advice.addEmbeddedRepo false"

keyru@jose MINGW64 ~/cafe-associatif (feature/events-html)
$ git commit -m "Ajout de la structure html de la page evenements"
[feature/events-html 9108bf5] Ajout de la structure html de la page evenements
 2 files changed, 103 insertions(+)
 create mode 160000 cafe-associatif
 create mode 100644 evenements.html

keyru@jose MINGW64 ~/cafe-associatif (feature/events-html)
$ git push origin feature/events-html
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.74 KiB | 136.00 KiB/s, don
e.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (fro
m 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'feature/events-html' on GitHub by visiting
:
remote:      https://github.com/Rbil1y/cafe-associatif/pull/new/feature/event
s-html
remote:
To https://github.com/Rbil1y/cafe-associatif.git
 * [new branch]      feature/events-html -> feature/events-html
      0 [waitproc] bash 1428 proc_waiter: unknown value 8 on pro

keyru@jose MINGW64 ~/cafe-associatif (feature/events-html)
$
```

meet.google.com partage votre écr

MINGW64:/c/Users/Brian ANTOINE/cafe-associatif

```
Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (deploy/preparation)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (main)
$ git pull
Already up to date.

Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (main)
$ git checkout -b feature/events-css
Switched to a new branch 'feature/events-css'

Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (feature/events-css)
$ git add .

Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (feature/events-css)
$ git add .

Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (feature/events-css)
$ git commit -m "Ajout du style de la page evenement"
[feature/events-css b0e49bc] Ajout du style de la page evenement
 1 file changed, 141 insertions(+)
 create mode 100644 css/evenements.css

Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (feature/events-css)
$ git push origin feature/events-css
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 4 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 1.21 KiB | 413.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'feature/events-css' on GitHub by visiting:
remote:      https://github.com/Rbil1y/cafe-associatif/pull/new/feature/events-css
remote:
To https://github.com/Rbil1y/cafe-associatif.git
 * [new branch]      feature/events-css -> feature/events-css

Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (feature/events-css)
$
```

meet.google.com is sharing yo

➢ Création des Pull Requests






TD7 - Classroom
Google AI Studio
Comparing main...feature/event
Td3 - Classroom
associatif | Accueil
github.com/Rbil1y/cafe-associatif/compare/feature/events-html?expand=1
Create a new pull request by comparing changes across two branches. If you need to, you can also compare across forks. Learn more about diff comparisons here.
base: main
compare: feature/events-html
Able to merge. These branches can be automatically merged.
Add a title *
Ajout de la structure html de la page evenements
Add a description
Write
Preview
Add your description here...
Markdown is supported
Paste, drop, or click to add files
Create pull request
Remember, contributions to this repository should follow our GitHub Community Guidelines.
Reviewers
No reviews
Assignees
No one—assign yourself
Labels
None yet
Projects
None yet
Milestone
No milestone
Development
Use Closing keywords in the description to automatically close issues
Helpful resources
GitHub Community Guidelines
meet.google.com partage votre écran.
Arrêter le partage
Masquer
1 commit
1 contributor


TD7 - Classroom
Google AI Studio
Ajout de la structure html de la
Td3 - Classroom
associatif | Accueil
github.com/Rbil1y/cafe-associatif/pull/8
Merged
Ajout de la structure html de la page evenements #8
Ruth-jose merged 1 commit into main from feature/events-html
Ajout de la structure html de la page evenements
9108bf5
Ruth-jose merged commit a7e498b into main 3 minutes ago
Revert
This branch has not been deployed
No deployments
Pull request successfully merged and closed
You're all set — the feature/events-html branch can be safely deleted.
Delete branch
Add a comment
Write
Preview
Add your comment here...
Markdown is supported
Paste, drop, or click to add files
Comment
Remember, contributions to this repository should follow our GitHub Community Guidelines.
No one—assign yourself
Labels
None yet
Projects
None yet
Milestone
No milestone
Development
Successfully merging this pull request may close these issues.
None yet
Notifications
Customize
Unsubscribe
You're receiving notifications because you modified the open/close state.
1 participant
Lock conversation

✓ Mise à jour finale

```
MINGW64:/c/Users/Brian ANTOINE/cafe-associatif
remote:
remote: Create a pull request for 'feature/events-css' on GitHub by visiting:
remote:      https://github.com/Rbil1y/cafe-associatif/pull/new/feature/events-c
remote:
To https://github.com/Rbil1y/cafe-associatif.git
 * [new branch]      feature/events-css -> feature/events-css

Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (feature/events-css)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (main)
$ git pull origin main
remote: Enumerating objects: 13, done.
remote: Counting objects: 100% (12/12), done.
remote: Compressing objects: 100% (6/6), done.
remote: Total 9 (delta 5), reused 5 (delta 3), pack-reused 0 (from 0)
Unpacking objects: 100% (9/9), 3.79 KiB | 49.00 KiB/s, done.
From https://github.com/Rbil1y/cafe-associatif
 * branch            main       -> FETCH_HEAD
   6e6064e..140ebfa  main       -> origin/main
Updating 6e6064e..140ebfa
Fast-forward
 css/evenements.css | 141 ++++++++++++++++++++++++++++++++++++++++++++++++++++
 evenements.html    | 102 ++++++++++++++++++++++++++++++++++++++
 menu.html          |  10 +++-
 3 files changed, 251 insertions(+), 2 deletions(-)
 create mode 100644 css/evenements.css
 create mode 100644 evenements.html

Brian ANTOINE@Bri MINGW64 ~/cafe-associatif (main)
$
```

Etape5: Analyse de l'onglet Action



Vérification des déploiements



Conclusion

Ce TD nous a permis de déployer un site web statique en ligne avec **GitHub Pages** et de travailler en équipe de manière organisée grâce à Git.

Nous avons appris à créer des branches, faire des **Pull Requests**, relire le code de l'autre et fusionner les modifications dans `main`. L'onglet **Actions** nous a permis de surveiller et comprendre le processus de déploiement automatique.

Ces pratiques reflètent le fonctionnement réel d'une équipe de développement professionnelle.