



globals -start_time = now() ← S0
 last_speaker ← S5
 head_position = new_pos ← S2, S5 ('left', 'right', 'middle')
 head_tuner_start = now() ← S2, S5

files result.txt RESULTS-LOGFILE
~~LOG-500~~ S0
 log_state_button ~~S0, S2, S3~~
 S13 menu, S10 verdict
 S2 checkmens {m, q, v}
 S5 "

~~log-log-~~now()~~ %Y-%m-%d %H:%M:%S -csv~~
 rms_log- {timestamp} -csv RMS-LOGFILE S0
 S2 (now, rms, ^{speaker}start, left_rms, right_rms, head_position, head_direction)
 S5 "
 S7 logdata.stop(RMS-LOGFILE) (skip recording)
 question
 S9 logdata
 S10 logdata
~~confirm~~ yes: log data
 else log data
 S11 ~~repeat~~ logdata
 S2 log-gaze-duration
 ex log-gaze-duration before S
 S5 "
 "

gaze_log- {timestamp} -csv GAZE-LOGFILE
~~log-gaze~~

bc_log- {timestamp} -csv BC-LOGFILE
 log-facepose.txt FACEPOSE-LOGFILE
~~only header~~
 face-tracking-thread()

log-facepose-all.txt (in mp-facepose-debater) Thread log-facepose
 ("%Y-%m-%d %H:%M:%S", pitch, yaw, direction, eye_contact)
 not used

log-gaze-duration (?)
 S6 log-backchannel
 (eye-contact, bc, delay, head_pos, duration)
 not used

timestamp = "%Y/%m/%d - %H:%N:%S"

LOG-DIR = "experiment-logs/{IDP1} - {IDP2} -- {timestamp}"

gaze-shift-log - {timestamp}.csv

GAZE-SHIFT-LOGFILE

log-gaze-shift

timestamp, speaker, opp.s.le, monologue

S2

(duration)

S0 init → S13

create files

rms_log - { timestamp } . csv

gaze_log -

bc_log

results.txt

log_data.experiment_data.update()

stores exp info

log_face_pose.txt

(face_pose_log.txt)

ct

pitch

yaw

direction

(left: yaw < -20 right: yaw > 20

eye_contact

middle)

yes: |pitch| < 20 |yaw| < 20

log_face_pose.txt

timestamp

direction

pitch_deg

eye_contact

yaw_deg

-start_time

= now()

speech_detector.left_recorder.stop_recording()

right_

misra speaks intro

+ loop_bright.mp3

loop_dim

speech_detector, left

right

.start_recording()

S13 keyboard → 'c' → S6 (long-horn)

'd' → S4 (switch)

't' → S8 (turn-back)

'i' → S9 (info)

'v' → S10 (verdict)

'q' → S7 (question)

'm' → S13 (new)

'r' → S11 (repeat)

'a' → S2 (auto)

stop_recording

log_state_button

Log_dir/results.txt or results-10P1-10P2.txt

state key datetime.now() head-position

13


or

10

log_state_button(10, verdict number) in results.txt

S10 verdict,

S10 (continued) log_data.stop(rms_file)
 verify answer "yes" start + stop recording rms + start + reset - timers → S7
 "no" start recording rms
 + stop + start + reset - timers → S2
 log_data.stop → ~~time since start~~ ms since start
 rms_log = file start_unix stop_unix
 start_line time_line()



stop recording misty speak outro
 start recording (?)
S12 skip misty logdata (rms) audio - rms - log.csv (?)
 log headpose head - pose - log.csv (?)
 determine speech detector

S2 track speaker = detect-speaker(1.0)
 max(|silence-duration|) > 4 → S3
 new speaker? yes log-gaze-duration
 start head-tilt move misty
 and head-dir(1)
 long time back-channel? yes S6
 log-gaze-duration

start recording + logdata.start
 write rms_data
 median rms_data or 0.0
 (now, rms, speaker, left-rms, right-rms, headpos, headdir)

S3 motivate after silence : move head center $\rightarrow$ S2
misty speak motivation
speech-detector . reset-timers

S4 turn head $\rightarrow$ S5 " " " S2

S5 keep gaze $\rightarrow$ S6 globaliser
head-position
head-timer-start
last-speaker
detect-speaker(0)
keep ~~update~~ last-speaker if values duration $>$ ~~max~~ 1.0 s
write PHS_logfile now, ms, speaker, left-ear, right-ear
(now-start-time) * 1000 | head-position
head-duration
if new head-position
move head
* log-gaze-duration (head-position, duration)
head-position = new-pos - now - head-timer-start
head-timer-start = now()
last-speaker = speaker
speech-detector . reset-timers

~~bc-delay~~ (bc-STRIDULE is constructed in S0 ~~is not set~~)
if head-duration $>$ bc-delay $\rightarrow$ S6
* log-gaze-duration
if silence-duration $>$ 40 $\rightarrow$ S3 (will go to S2!)
* log-gaze-duration (head-position, duration) (after moving head)

cherchen

(now - head-timer - Skat

S8 okay how about you? → S2

sg ^{info} ~~Report~~ option → 52

S11 repeat question $\rightarrow$ 57

- skip recorder + logdata (rms)
- mask speaks + dimming
- reset timers + start recording + start logdata
- dialogstage = 1

