

More than 1 classes?

- See example 4

```
<head>
  <style>
    .highlight {
      color:orange;
      background: yellow;
    }
    /*try to add underline or more_highlight*/
    .underline {
      text-decoration: underline;
    }
    .more_highlight {
      background: blue
    }
  </style>
</head>
<body>
  highlight
```

Debug

file:///Users/gyan/Dev/pocorusso/redi/html-css-munich-2018/Presentation/Examples/Lesson_CSS_1/exa...

Pancake flavors

- Blueberr
- Rasberries
- Banana
- Nutella

```
<!DOCTYPE html>
<html>
  <head>...</head>
  <body>
    ... <h2 class="highlight"> Pancake flavors
    </h2> == $0
    <ul>
      <li>Blueberr
      </li>
      <li>Rasberries
      </li>
      <li>Banana
      </li>
      <li>Nutella
      </li>
    </ul>
  </body>
</html>
```

Styles

Filter

element.style {

.highlight {

color: orange;

background: yellow;

.highlight {

color: blue;

background: green;

h2 {

display: block;

font-size: 1.5em;

-webkit-margin-before: 0.83em;

-webkit-margin-after: 0.83em;

-webkit-margin-start: 0px;

-webkit-margin-end: 0px;

font-weight: bold;

margin 19.920

border -

padding -

134 x 56

19.920