unfurl

# Unfurl library: share cards, dashboard cards and onboarding

A catalogue of what the app renders today, drawn in the locked Unfurl design system (ADR-0019): Geist type, moss as the one interface colour, area colours on data only, flat surfaces. Every screen, label, figure and step below names the file it comes from. Mockups only: no app code changed and nothing is committed.

Codebase read: `origin/master` at `cbe10263` (3 Nov 2026) Paths are relative to `mobile/src/` unless they start with `shared/` Example data, never real records

1 · Share cards | 2 · Dashboard cards | 2b · Area screens | 2c · Flows and sheets | 3 · Onboarding | Decisions | Long data | Sources

### Layout notes

**Job:** "I open this library because I want to see every card, chart and step the app has, drawn the Unfurl way, so that I can approve the designs and hand them to the build without guessing what exists."

- **Required:** every card type and step from code, in order, with its source file; each share card as a win and as a miss; each dashboard card in its four data states.
- **Supporting:** what the code prints, word for word (the "Code prints" line under each entry), and where a drawing departs from the code.
- **Guiding:** sources table, things that do not exist in code, and the long-data stress test.
- **Reflow:** card frames wrap 3 → 2 per row on a phone; dashboard states are phone-width (343 px) cards that sit 2 per row at 1,040 px and stack at 375 px; onboarding phones wrap one per row on a phone.

### Decisions for Kai

Where the code and the brand rules disagree, this page draws the brand rule and says so. The calls below need a yes or a change.

- **1. Miss variants on share cards.** No share card in code has a miss layout (only red deltas, empty dots and soft verdicts such as "Showing up", "Fresh start", "Rebuilding"). Each Miss frame here shows the cost with figures the card already carries: days lost, points down, how far short. Approve as the pattern?
- **2. Share-card anatomy.** The code's cards have a top accent bar, boxed stat tiles and the watermark mark; the Win frames use the approved kit anatomy (no bar, no boxes, scribble-line backgrounds, flat Unfurl lockup in the footer).
- **3. Empty states.** The code uses text lines on Today's plan, Calendar, Tasks and Goals ("Nothing planned today", "All clear for today"). They are drawn as LockedPreview over the dimmed real card. Detail lines marked "not in code" are drafts to approve. Finance has no empty state in code; its over-card copy is a placeholder.
- **4. Onboarding restyle.** The code draws an 80 pt *gradient* tile on every step and the label "WHO I'M BECOMING" in capitals. Both are drawn flat and in sentence case (ADR-0019 allows gradients only on Fern and share art). Same for Today and Stats headings such as "TODAY'S PLAN", "PATTERNS", "AREAS".
- **5. Demo mode skips three steps.** Offline demo seed data has `onboarded: true` (shared/prototype/dash/data.ts:320) and onboarding.tsx:170 sends an onboarded user to Today, so reading the code, a demo user skips steps 11 to 13. Live mode shows them. Not run on a device.
- **6. Entry rule.** Onboarding target fields (step 5) are plain number fields; the RSPH entry rule asks for − and + on every count. Nutrition and Focus setup already use steppers.
- **8. Round 2, new figures not in code.** Estimated calories burned (Fitness card), focus days on goal, goal streak and daily average (Focus card). Steps exist (fitness-train.tsx); a calorie-burn figure does not.
- **9. Round 2, Fern on Today.** Fern appears on the Weekly review and the Yesterday strip, in its miss or win state. This widens where Fern shows up: so far it was chat, reviews, "Ask Fern" and the centre tab.
- **10. Round 3, figures in Geist, not Geist Mono.** Every app figure now uses Geist with tabular figures and tight tracking, as the share cards do (kit round 2). ADR-0019 says Geist Mono for numbers, so this needs an amendment if approved.
- **11. Round 3, hand-drawn charts in the app.** Rings, progress bars, small bars, sparklines and the heatmap are drawn with the scribble line, and the Stats areas chart becomes the leaf flower with ▲/▼ beside each value (no legend). ADR-0019 keeps the scribble art to share cards today.
- **12. Round 3, Fern on Welcome.** The Welcome slides and the tab bar use the C1 wreath sprite in place of the code's older orb.
- **13. Onboarding length.** Keep the questions that build the plan and the commitment; move "About you" out of the pre-account flow; make Setup skippable on the first run. The research is in section 3.
- **14. Mood marks.** Five leaf states replace the emoji on the Journal mood trend, chips and distribution. ADR-0030 allows emoji only for a person's own habit and category icons; mood is the app's own scale, so it gets the brand's line.
- **15. Weather art.** The weather card's background follows the sky the code already computes (`describeCode` → `Sky` in weather.ts): ten hand-drawn line images, one per sky plus night versions of clear and partly cloudy, made with agy (gemini-4-argon-medium, 3 Nov 2026) from the brand prompt. They would replace the code's fixed `skyGradient`, so the images would need shipping as app assets. The two night grounds are a soft gradient, which ADR-0019 otherwise keeps for Fern and share art.
- **7. Unused and legend-dependent.** `DayHero` (today.tsx:137) renders nowhere: delete or use. The Stats areas radar needs a "— This / ┄ Previous" legend, which the legend test flags.

## 1 · Share-card library

One entry per card layout the share screens render. Each is drawn as a win, as a miss where the data can go wrong, and in an area, size or ground variant. Sizes and grounds are the code's: Story, Post 4:5, Square; Fern,

Dusk, Light, Photo (share-kit.tsx:74). Every card's footer is the flat Unfurl mark and wordmark; Fern never signs a card. Cards never show money amounts (the code replaces them with "—").

**Round 2 changes (Kai, 3 Nov)**


- **No kicker.** The top line keeps only the date: the figures already say which part of Unfurl a card is from. The "Code prints" lines still list the kicker the code has today.
- **Leaves count sets.** On workout cards each exercise's stem is cut into one segment per set, and every set ends in a leaf, with "4 sets" beside the volume.
- **Score tiers** on every leaf rosette (Life Score, Profile) and on the Stats areas flower: see Life Score and Stats › Areas.

## Habits

### Habits · Streak

`mobile/src/prototype/screens/habit-share.tsx:98` · HabitCard · "Streak" · route `/habits/share?t=streak`


**Opened from:** Habit detail → "Share" in Habit actions (habit-detail.tsx:588).
**Code prints:** Kicker `Habits`; ring `{current}` "day"/"days"; the habit name; chip "Personal best" or `Best {n} days`; `{rate} · 30 days`; 9:16 adds "Last 14 days" dots. Same layout in Tasks, Journal and Stats (variants by area below).
**By area:** Habits (habit-share.tsx:98) · Tasks (task-share.tsx:110, "Streak") · Journal (journal-share.tsx:64, "Streak") · On target (dash-share.tsx:288, "Streak").




Win Habits · win
Post 4:5 · Fern ground




Miss Habits · miss
Post 4:5 · Fern ground




Win Tasks · win
Post 4:5 · Fern ground





Miss Tasks · miss
Post 4:5 · Light ground




Win Journal · win
Post 4:5 · Fern ground




Miss Journal · miss
Post 4:5 · Light ground





Win On-target · win, Story
Story · Dusk ground

### Habits · Milestone

`mobile/src/prototype/screens/habit-share.tsx:98` · HabitCard · "Milestone" · route `/habits/share?t=streak&habit=`


**Opened from:** Habit detail → "Share" (habit-detail.tsx:588), layout carousel.
**Code prints:** Kicker `Habit milestone`; chip "Milestone" or "On the way"; the milestone reached (7, 14, 21, 30, 50, 66, 100 … 3,650) or the current streak;

`days of {name}`; `Next: {next} days` with `{current} / {next}` and a meter; "Current streak" / "Best streak" (not on 1:1).




Win **Milestone reached**

Post 4:5 · Fern ground




Variant **On the way**

Post 4:5 · Light ground

No miss frame: a broken streak resets the count to 0, and the Streak card above shows what was lost.

## Habits · Month heatmap

`mobile/src/prototype/screens/habit-share.tsx:98` · HabitCard · "Month heatmap" · route `/habits/share`


**Opened from:** Habit detail → "Share" (habit-detail.tsx:588).

**Code prints:** The habit name, "Last 5 weeks", 35 day dots (missed = `off`, habit-share.tsx:78); "Completion" `{rate30}` when shown; a verdict chip: Elite form ≥ 90%, On fire ≥ 75%, Locked in ≥ 60%, Building ≥ 40%, else Showing up.




Win **Most days done**

Post 4:5 · Fern ground




Miss **Few days done**


Post 4:5 · Fern ground

## Habits · Routine run

`mobile/src/prototype/screens/habit-share.tsx:98` · HabitCard · "Routine run" · route `/habits/share?t=routine`


**Opened from:** Routine finished → "Share" (routines.tsx:1016); icon "Share routine" (routines.tsx:189).

**Code prints:** Chip `Complete · {d MMM}`; the routine name; "Time" `clock(durationSec)`; "Steps done" `done/total` with a meter. Empty: "No completed run yet."




Win **All steps done**

Post 4:5 · Fern ground





Miss **Steps skipped**

Post 4:5 · Fern ground


## Habits · Scoreboard

`mobile/src/prototype/screens/habit-share.tsx:98` · HabitCard · "Scoreboard" · route `/habits/share?t=scoreboard`

**Opened from:** Habits home → "Share" (habits-home.tsx:442).
**Code prints:** Ring `pct(rate)` "done" and the verdict; "Habits · 30 days"; delta `pts` "vs prior 30 days"; "Top streaks" (5 / 3 / 2 rows by size); "Perfect days" and "Check-ins".




Win **Up on the prior 30**
Post 4:5 · Fern ground




Miss **Down on the prior 30**
Post 4:5 · Fern ground

# Tasks

## Tasks · Summary

`mobile/src/prototype/screens/task-share.tsx:110` · TaskCard · "Summary" · route `/tasks/share`


**Opened from:** Tasks stats → icon "Share" (task-stats.tsx:124) or `Share {range}` (task-stats.tsx:370).
**Code prints:** Range title "This week" / "This month" / "Last 90 days"; verdict (on-time rate): On fire ≥ 85%, Solid work ≥ 65%, Keep going ≥ 40%, else Fresh start; "Tasks done" with a delta "vs last period"; ring "on time"; daily bars; "Day streak", "Clear days", "Follow-through". Foot "Counts and rates only". Task titles never appear.




Win **Week, up**
Post 4:5 · Fern ground




Miss **Week, down**
Post 4:5 · Fern ground




Variant **90 days, Square**
Square · Light ground

## Tasks · Follow-through

`mobile/src/prototype/screens/task-share.tsx:110` · TaskCard · "Follow-through" · route `/tasks/share`


**Opened from:** Tasks stats → Share, layout carousel.
**Code prints:** "Follow-through ratio"; ring `x.xx` "per slip"; verdict chip; "Tasks finished for every one that slipped. Late counts half." (not on 1:1); 9:16 adds

"Done", "On time", "Streak".




Win High ratio

Post 4:5 · Fern ground




Miss Low ratio

Post 4:5 · Fern ground

## Journal

### Journal · Month

`mobile/src/prototype/screens/journal-share.tsx:64` · JournalCard · "Month" · route `/journal/share`

**Opened from:** Journal → icon "Share your journal streak" (journal.tsx:461); Stats row "Journal streak".

**Code prints:** Date "Last 30 days"; `Wrote on {days30} of 30 days`; day dots (not written = `off`); "Entries", "Streak", "Best". Foot "Counts only. What you wrote stays private."




Win Most days written

Post 4:5 · Fern ground




Miss Few days written

Post 4:5 · Light ground

## Food


### Food · Food day

`mobile/src/prototype/screens/nutrition-share.tsx:49` · FoodCard · "Food day" · route `/nutrition/share`

**Opened from:** Nutrition → "Share" (nutrition.tsx:365); Stats row "Food day".


**Code prints:** Headline "Nothing logged yet" / "Protein goal hit" (≥ 90%) / `{n} meals logged`; chip `{n} days of protein in a row`; rows Calories,

Protein, Carbs, Fat as `{n}% of goal` (grams only when "Show grams and calories" is on); `Calories on target {n} of 7 days` with 7 dots.




Win **Protein goal hit (grams on)**

Post 4:5 · Fern ground




Miss

**Short and over (percent, the default)**


Post 4:5 · Fern ground

## Food · Food week

`mobile/src/prototype/screens/nutrition-share.tsx:49` · FoodCard · "Food week" · route `/nutrition/share`

**Opened from:** Nutrition → "Share", layout carousel.

**Code prints:** `{n} of 7 days on target` with 7 dots (off target = `off`, no log = none); "Calorie days", "Protein days", 9:16 "Protein streak"; `Rates over the {n} logged days this week.`




Win **Most days on target**

Post 4:5 · Fern ground




Miss **Few days on target**

Post 4:5 · Fern ground


## Training

### Training · Workout summary

`mobile/src/prototype/screens/fitness-share.tsx:109` · WorkoutCard · "Summary" · route `/fitness/share/[id]`

**Opened from:** Workout done → "Post your workout?" (fitness-workouts.tsx:542); "Share" (fitness-workouts.tsx:669).

**Code prints:** Kicker `Workout`; the workout name; chip `{n} personal records`; "Time", "Volume" (kg, or t from 10 t), "Sets"; exercise list `{name} … 80 × 5` (5 / 3 / 2 rows) then `+{n} more`; "This week" `n/target`; foot `{n}-week streak · Bodyweight {n} kg`.




Win **More than last time**

Post 4:5 · Fern ground




Miss **Less than last time**

Post 4:5 · Fern ground





Variant **Square** Square · Fern ground


## Training · PR highlight

`mobile/src/prototype/screens/fitness-share.tsx:109` · WorkoutCard · "PR highlight" · route `/fitness/share/[id]?template=pr&exercise=`

**Opened from:** Exercise detail → icon "Share PR" (fitness-exercises.tsx:560).
**Code prints:** Chip `{label} PR`, or "Top lift" when there is no PR; the exercise; "Est. 1-rep max" `{n} kg` with a delta "vs previous best"; a trend of best e1RM per session and `Last {n} sessions`.




Win **New record**
Post 4:5 · Fern ground





Miss **Top lift, below best**
Post 4:5 · Fern ground


## Training · Overlay (your photo)

`mobile/src/prototype/screens/fitness-share.tsx:109` · WorkoutCard · "Overlay" · route `/fitness/share/[id]`

**Opened from:** Workout share → ground "Photo".
**Code prints:** Bottom-aligned name, figures and medals on the person's photo. Photo ground with no photo: "Add your gym photo".




Win **Your photo**
Post 4:5 · Photo ground




Variant **Story**
Story · Photo ground

No miss frame: the overlay carries the same figures as Summary, whose miss frame is above.


# Stats

## Stats · Life Score

`mobile/src/prototype/screens/dash-share.tsx:288` · Artwork · "Life Score" · route `/stats/share`


**Opened from:** Stats → "Share card" tile (stats-home.tsx:1300); Me → "Share a card" (me.tsx:300).
**Code prints:** Kicker `Life Score`; ring score "of 100"; level chip Not scored yet … Peak; delta `pts` "vs last month"; hexagon over 30 days (drawn by the kit

as six leaves); area meters.





Win Up on last month

Post 4:5 · Fern ground




Miss Down a level

Post 4:5 · Fern ground





Win 90%+ · almost there

Post 4:5 · Fern ground




Win 100 · every area full

Post 4:5 · Fern ground




Win 100 · Story

Story · Dusk ground

### Score tiers (every leaf rosette and the Stats radar)

- **Every flower:** the flat Unfurl mark sits at the centre, on a small hub where the petals meet (Kai, 3 Nov).
- **Below 90:** as today; dashed outline marks 100.
- **90 or more, per area:** the outline turns to the area colour and a bud curls at the tip, ready to open.
- **Every area 90 or more:** all outlines go solid and the Unfurl mark at the centre turns sprout green.
- **100, per area:** the leaf fills its outline and opens a three-leaf sprig.
- **Every area 100:** a laurel wreath forms behind the petals, the Unfurl mark at the centre grows, and the full leaves glow once (240 ms in, three soft pulses, none under reduced motion). Structure and colours do not change.


## Stats · Weekly recap

`mobile/src/prototype/screens/dash-share.tsx:288` · Artwork · "Weekly recap" · route `/stats/share?t=weekly`

**Opened from:** Reviews → icon "Share recap" (dash-reviews.tsx:314).


**Code prints:** Kicker `Week recap`; ring `pct` "on target" and the verdict; delta "vs last week"; 7 dots S M T W T F S; "Habits" / "Training" / "Saved" each with

"vs last wk"; trophy chip with the top achievement.





Win **Most days on target**

Post 4:5 · Fern ground




Miss **Few days on target**

Post 4:5 · Fern ground




Variant **Story**

Story · Dusk ground

## Stats · Monthly recap

`mobile/src/prototype/screens/dash-share.tsx:288` · Artwork · "Monthly recap" · route `/stats/share?t=monthly`

**Opened from:** Reviews → icon "Share recap" (dash-reviews.tsx:314).
**Code prints:** Kicker `Month recap`; month name; chips verdict, `{n} PRs`, `{n}-day best streak`; 30 dots in 10 columns; "On target", "Habits", "Workouts", "Saved"; `{n} on-target days out of {n}.`




Win **Most days on target**

Post 4:5 · Fern ground




Miss **Few days on target**

Post 4:5 · Fern ground

## Stats · Money, in percent


`mobile/src/prototype/screens/dash-share.tsx:288` · Artwork · "Finance %" · route `/stats/share`

**Opened from:** Stats share carousel; the Finance review "Share card" (finance-review.tsx:202) is a separate, text-only card, below.
**Code prints:** Kicker `Money, in percent`; savings ring `{n}%` "Savings rate"; verdict Tracking / Saving strong ≥ 20 / In the green > 0 / Rebuilding; "Budgets kept" meter; "Spend vs last month", "No-spend days"; foot "Percentages only. Amounts never leave the app."




Win **Saving strong**

Post 4:5 · Fern ground





Miss **Rebuilding**

Post 4:5 · Fern ground

## Stats · Goal hit

`mobile/src/prototype/screens/dash-share.tsx:288` · Artwork · "Goal hit" · route `/stats/share`

**Opened from:** Trophy case → "Share" (dash-achievements.tsx:482); metric "Share" (dash-metric.tsx:287).
**Code prints:** Kicker `Goal`; ring with Target (hit) or TrendingUp, `%`; chip "Goal hit" or "In progress"; goal label and value; `Target ≥ {n} {unit} / {period}`. Empty: "No goals yet".




Win **Goal hit** Post 4:5 · Fern ground





Miss **In progress, short**

Post 4:5 · Fern ground


## Stats · Profile card

`mobile/src/prototype/screens/dash-share.tsx:288` · Artwork · "Profile card" (9:16 only) · route `/stats/share?t=profile`

**Opened from:** Stats header → "Share profile card" (stats-home.tsx:970).
**Code prints:** Kicker `Profile`; photo or initials, name, level chip; quoted identity lines; hexagon; "Score", "Hit rate", "Best streak", "Saved"; trophy chips `value · title`.





Win




Variant **Post 4:5 (kit proposal)**

Post 4:5 · Fern ground




Win **90%+ areas, Post 4:5**

Post 4:5 · Fern ground

Story (the code's only size)

Story · Dusk ground

No miss frame: the profile card states who you are, not one result.

## Shares with no card image, and kit cards with no code

| What | Source | Why it is not drawn |
|---|---|---|
| Finance review sheet card | `mobile/src/prototype/screens/finance-review.tsx:589` | Opened by "Share card" (l.202). A LinearGradient sheet that sends **text only** (shareText): no image, no size, no ground. Its figures (savings rate, budgets kept, no-spend days) are the Money, in percent card above. |
| Habits "Share recap" (text) | `mobile/src/prototype/screens/habits.tsx:779` | Text only: `My habits · {n}% completion over {n} days`. |
| Finance reports "Share" (text) | `mobile/src/prototype/screens/finance-reports.tsx:553` | Text only: `Savings rate … · Unfurl`. |
| Kit cards with no code: Run, Trophy, Day sealed, Savings goal reached, Focus | `kit p2-cards.js (scratchpad)` | Proposed in the brand kit; no share screen renders them, so they are not in this library. |

# 2 · Dashboard and data-visualization cards

Every card on Today (`screens/today.tsx`) and Stats (`screens/stats-home.tsx`), in page order, drawn at phone width in four states. **Error** is the one shared error block (its words follow nutrition-foods.tsx:99), since these cards have no error state of their own. **Loading** is the code's skeleton (`CardSkeleton`, `FrameSkeleton` in deferred.tsx); where none exists the panel says so. **Empty** is the dimmed real card under a LockedPreview (locked-preview.tsx:12), or a note where the code hides the card. **Few** and **10 or more** show the code's caps ("+N more", top 3, top 5).

## Today

### Today · Weekly review

`mobile/src/prototype/weekly-review-card.tsx:22`

**Code prints:** `Weekly review · {from} - {to}`, the rate with "on target", a ▲/▼ `{n} pt` delta, `{won} wins`, `{n} missed`, a three-line summary. The border takes the verdict colour. Proposed: Fern says the summary, in its miss state on a low week and its win state on a good one (C1 states from the brand kit).

**Loading**

**Empty**

**Not shown.** The card returns null when there is nothing to review, or the week ended before the account began.

**Few**

Weekly review · 26 Oct – 1 Nov

**57%** on target ↓ 12 pt

2 wins ✕ 3 missed

Habits held. Training slipped mid-week, and Thursday and Friday were off target. Two wins still count.

**10 or more**

Weekly review · 26 Oct – 1 Nov

**86%** on target ↑ 6 pt

12 wins ✕ 1 missed

Six of seven days on target, your best week this month. Two personal records on Saturday.

**Error**

No error state in code (reads the device store). The one shared error block.

**Couldn't load weekly review**

The server didn't answer. What you logged is safe on this phone.

Try again

### Today · Yesterday strip

`mobile/src/prototype/daily-strips.tsx:43`

**Code prints:** `Yesterday: off target` plus `· {n}-day streak ended`, or `Yesterday: {n} missed`; detail `{n} missed · see what slipped`; X to dismiss. Proposed: Fern in its miss state replaces the arrow, with a line in the brand voice ("Missed yesterday. Today is a new count." is the design system's own example).

**Loading**

**No loading state** found in `daily-strips.tsx`; it renders from the local store.

**Empty**

**Not shown.** Returns null when yesterday was on target and nothing slipped.

**Few**

**Yesterday: 2 missed**

Missed yesterday. Today is a new count.

See what slipped

**10 or more**

**Yesterday: off target · 12-day streak ended**

11 missed. The 12 days still count; the next one starts today. See what slipped

**Error**

No error state in code (reads the device store). The one shared error block.

**Couldn't load yesterday strip**

The server didn't answer. What you logged is safe on this phone.

Try again

### Today · Your first week

`mobile/src/prototype/daily-strips.tsx:112`

**Code prints:** "Your first week", `Day {n} of 7 · {lit} lit`, seven 8 pt pills (lit = primary, today unlit = primary outline), and one of three footer lines.

Proposed: the pills become the share cards' leaves on a stem, with the scribble vine in the corner.


**Loading**

**No loading state** found; it renders from the local store.


**Empty**

**Not shown** once the first week is over (returns null).

**Few**





**Full (7 of 7: the card never holds more)**




**Error**

No error state in code (reads the device store). The one shared error block.




## Today · Today's plan

`mobile/src/prototype/screens/today.tsx:296`


**Code prints:** Heading "TODAY'S PLAN" (drawn in sentence case per ADR-0019), link `{done}/{total} done`; rows: time or "Any", module dot, title, "NEXT"/"NOW" tag, check on habits and tasks; past times in the bad colour. Cap `PLAN_ROWS = 5`, then `{more} more today`.


**Loading**

No loading state found in `TodayPlan`.


**Empty**

Code today: a text line with no dimmed rows. Drawn as LockedPreview over dimmed rows, per the empty-state rule.





**Few**





**10 or more**




**Error**

No error state in code (reads the device store). The one shared error block.




## Today · Calendar

`mobile/src/prototype/screens/calendar-card.tsx:24`

**Code prints:** Before permission: "See today's events here" + "Allow calendar" + X ("Hide calendar on Today"). Granted: heading "CALENDAR", rows "All

day" or the time, then the title. Cap `SHOWN = 5`, then `+{n} more`.

### Loading

No loading state found in `calendar-card.tsx`.

### Empty

Two code states: permission not asked yet, and an empty day (code: text line only; rows drawn dimmed).

**See today's events here**

Allow calendar

**Calendar**

All day —

09:00 —

Nothing else on your calendar today.

### Few

**Calendar**

| | |
|---|---|
| All day | Mama's birthday |
| 14:00 | Dentist, Dr. Santos |

### 10 or more

**Calendar**

| | |
|---|---|
| All day | Team offsite, Tagaytay |
| 08:30 | Stand-up |
| 10:00 | Quarterly planning with the Northwind Logistics finance team |
| 13:00 | Lunch with Ana |
| 15:30 | Design review |

+6 more

### Error

No error state in code (reads the device store). The one shared error block.

**Couldn't load calendar**

The server didn't answer. What you logged is safe on this phone.

Try again

## Today · Weather

`mobile/src/prototype/weather-card.tsx:115`

**Code prints:** Background follows the sky (weather.ts `describeCode` → `Sky`: clear, partly, cloudy, fog, drizzle, rain, snow, storm, with day and night), one hand-drawn image each, made with agy, in place of the code's `skyGradient`. Temperature in mono, condition label, `{place} · feels {temp}`, `H {max} L {min}`, `{rain}% next 12h`, an advice line, and `Updated {ago}` / "Updating…" / `Offline · showing weather from {ago}`.

### Loading

Checking the weather…

### Empty

The code's error state: "Weather unavailable" or "Forecast out of date", with "Retry weather".

**Weather unavailable**

Last updated 3 h ago — refresh for now.

Retry weather

### Loaded (partly cloudy, day)

31° **Partly cloudy**

Quezon City · feels 36°

H 33° L 25°

40% next 12h

Bring an umbrella after 3 pm.

Updated 12 min ago



### Offline, last known (storm)

27°
**Thunderstorm**
Quezon City · feels 30°
H 29° L 24°
90% next 12h

Storms until 6 pm. Move the run indoors.

Offline · showing weather from 2 h ago



### Every sky (agy art, one per Sky in weather.ts)

The code's labels from describeCode; snow is drawn though Manila never sees it, because the code maps it.

33°
**Clear**
Quezon City · feels 36°
H 33° L 25°
40% next 12h

Updated 12 min ago



26°
**Mostly clear**
Quezon City · feels 36°
H 33° L 25°
40% next 12h

Updated 12 min ago




31°
**Partly cloudy**
Quezon City · feels 36°
H 33° L 25°
40% next 12h

Updated 12 min ago



27°
**Partly cloudy**
Quezon City · feels 36°
H 33° L 25°
40% next 12h

Updated 12 min ago



29°
**Overcast**
Quezon City · feels 36°
H 33° L 25°
40% next 12h

Updated 12 min ago



24°
**Fog**
Quezon City · feels 36°
H 33° L 25°
40% next 12h

Updated 12 min ago




28°
**Light rain**
Quezon City · feels 36°
H 33° L 25°
40% next 12h

Updated 12 min ago



26°
**Heavy rain**
Quezon City · feels 36°
H 33° L 25°
40% next 12h

Updated 12 min ago



−2°
**Snow**
Quezon City · feels 36°
H 33° L 25°
40% next 12h

Updated 12 min ago



### Error

The code's own error states (weather-card.tsx:126): "Forecast out of date" / "Weather unavailable" with "Retry weather".

**Forecast out of date**

Last updated 3 h ago — refresh for now.

Retry weather

27° **Thunderstorm**
Quezon City · feels 36°
H 33° L 25°
40% next 12h

Updated 12 min ago



## Today · Setup nudge, evening wrap-up, mood check-in

`mobile/src/prototype/screens/today.tsx:1885 (setup nudge) · :1905 (evening wrap-up) · screens/mood-check-in.tsx`

**Code prints:** `Finish setting up` / `{n} steps done · next: {module}`; `{n} items open — wrap up` or "All done — seal the day" with "30 seconds: tick, push, reflect"; "How's today?".

### Loading

**No loading state**: these are inline rows built from the local store.

### Empty

**Not shown** when setup is finished, before the evening, or once the day is sealed.

### Open items

**Finish setting up**
3 steps done · next: Nutrition

**4 items open — wrap up**
30 seconds: tick, push, reflect

### All done, plus mood

**All done — seal the day**
30 seconds: tick, push, reflect

How's today?

### Error

No error state in code (reads the device store). The one shared error block.

**Couldn't load setup nudge, evening wrap-up, mood check-in**

The server didn't answer. What you logged is safe on this phone.

Try again

## Today · Habits card

`mobile/src/prototype/screens/today.tsx:715 · StatStrip today-stats.tsx:95`

**Code prints:** StatStrip "done this week" / "best current streak" / "perfect days, 7d" with 7-day bars; routine rows; a 44 pt ring `{done}/{count}`; "Perfect day ✓", "Nothing scheduled — rest day" or `{n} left today · {k} skipped`; groups "NOW", "LATER TODAY", "ANYTIME", `DONE · {n}`. No cap on habit count.

### Loading

Habits

### Empty

Code: the status line "Nothing scheduled — rest day" (count 0). The over-card detail line is not in code; flagged in Decisions.

**Nothing scheduled — rest day**

Habits you add show here with their streaks.

Habits

0% done this week · 0d best current streak · 0 perfect days, 7d · W T F S S M T

0/0 · 0 left today · Manage

### Few

Habits

67% done this week · 4d best current streak · 1 perfect days, 7d · W T F S S M T

2/3 · 1 left today · Manage

Later today

Read 10 pages
by 21:30 · 4


Done · 2

Drink water · 4

Stretch · 2


### 10 or more

Code has no cap; the collapsed "Done · 8" group is what keeps 12 habits short.




### Error

No error state in code (reads the device store). The one shared error block.





## Today · Tasks card

`mobile/src/prototype/screens/today.tsx:928 · StatStrip today-stats.tsx:123`

**Code prints:** StatStrip "done this week" / "on time" / "overdue now"; ClearRing `{done}/{count}`, "Today's tasks cleared", `{n}-day streak`, `{n} due now` pill; `{n} overdue` + "Triage"; first 5 rows then `+{n} more`; empty "All clear for today"; footer `Next ping {time}`, "See all ›".

### Loading




### Empty

Code: the text "All clear for today". The detail line is not in code.




### Few

10 or more

Tasks

34
done this week

58%
on time

3
overdue now

W T F S S M T

4/14 6-day streak

2 due now

3 overdue

Triage

- Send the October invoice to Northwind Logistics
  due 09:00
- Renew passport
  due 15:00
- Book the dentist
- Reply to Ana about Saturday
- Order a new phone case

+9 more

Groceries · 6 · Next ping 15:00 See all ›

Error

No error state in code (reads the device store). The one shared error block.

**Couldn't load tasks card**

The server didn't answer. What you logged is safe on this phone.

Try again

## Today · Fitness card

`mobile/src/prototype/screens/today.tsx:1088 · StatStrip today-stats.tsx:146 · SleepPart sleep-card.tsx:45`

**Code prints:** StatStrip `{n}/{goal}` "workouts this week" / "volume, 7d" / "PRs, 7d"; the next template `{template} · last {relDay}` with "Start"; weigh-in `{kg} kg · today` and `7-day avg {x} kg · ↓ {x} kg/wk`; 40 pt weight Sparkline (fewer than two points: a sample trend at 35% with "Weight trend appears after two weigh-ins"); sleep line. Added at Kai's ask: steps today against the goal (steps live in fitness-train.tsx, "STEPS TODAY") and estimated calories burned, resting plus active (no calorie-burn figure exists in code yet).

Loading

Fitness

Empty

This is the code's own dimmed-real-component empty state (SAMPLE_TREND at 35%). Sleep part returns null with no nights.

Fitness

0/4
workouts this week

0 kg
volume, 7d

0
PRs, 7d

W T F S S M T

**Push day · never**
0 of 4 sessions this week

Start

0 / 10,000 steps today

≈ 1,640
kcal burned

**Weigh in**
Morning weight keeps the trend honest

Log

Weight trend appears after two weigh-ins

Few (2 weigh-ins)

Fitness

1/4
workouts this week

3,240 kg
volume, 7d

0
PRs, 7d

W T F S S M T

**Pull day · last Thu**
1 of 4 sessions this week

Start

3,260 / 10,000 steps today

≈ 1,980
kcal burned

**72.8 kg · today**
7-day avg 72.9 kg

Log

7h 05m sleep last night

10+ (30 days of weigh-ins)

Fitness

4/4
workouts this week

14.3 t
volume, 7d

2
PRs, 7d

W T F S S M T

Push day done

12,480 / 10,000 steps today

≈ 2,860
kcal burned

71.6 kg · today
7-day avg 71.8 kg · ↓ 0.3 kg/wk · 15.2% body fat

+ Log

7h 40m sleep last night · 7-night avg 7h 12m

Error

No error state in code (reads the device store). The one shared error block.

Couldn't load fitness card
The server didn't answer. What you logged is safe on this phone.
Try again

## Today · Nutrition card

mobile/src/prototype/screens/today.tsx:1237 · MacroRings nutrition.tsx:84

**Code prints:** One kcal ring with "kcal left" / "kcal over" (number turns bad) / "kcal eaten"; protein, carbs, fat rings; {kcal} / {target} kcal · P {p}/{t} g · Fiber {f}/{g} g; "Stay under · today" limits (LimitList); "Snap a meal", "Add by hand". Drawn at Kai's ask: fiber joins the macro rings, and the limits sit under them, one bar each, the mark at the limit, red once over.

Loading

Nutrition

Empty

Code: the line "No targets yet — showing what you ate". Detail copy is from nutrition-share ("Targets come from your nutrition settings.").

No targets yet — showing what you ate
Targets come from your nutrition settings.

Nutrition

2,200
kcal left

P 0% C 0% F 0% Fib 0%

0 / 2,200 kcal · P 0/140 g · Fiber 0/30 g

Stay under · today

Saturated fat 0 / 20 g
Added sugar 0 / 25 g
Sodium 0 / 2,300 mg

Snap a meal
Add by hand

Few (1 meal)

Nutrition

1,560
kcal left

P 29% C 25% F 30% Fib 20%

640 / 2,200 kcal · P 41/140 g · Fiber 6/30 g

Stay under · today

Saturated fat 6 / 20 g
Added sugar 9 / 25 g
Sodium 720 / 2,300 mg

Snap a meal
Add by hand

Full day, over target

Nutrition

280
kcal over

P 106% C 95% F 110% Fib 90%

2,480 / 2,200 kcal · P 148/140 g · Fiber 27/30 g · +1 pending

Stay under · today

Saturated fat 18 / 20 g
Added sugar 34 / 25 g
Sodium 2,840 / 2,300 mg
Cholesterol 210 / 300 mg

Snap a meal
Add by hand

Error

No error state in code (reads the device store). The one shared error block.

Couldn't load nutrition card
The server didn't answer. What you logged is safe on this phone.
Try again

## Today · Focus card

`mobile/src/prototype/screens/today.tsx:1271`

**Code prints:** `{h:m}` in mono with `/ {goal}`; while running "Focusing" / "On a break" / "Paused" with `· {mm:ss} left · {item}`; otherwise `{h:m} to today's goal`, "Daily goal reached"; "Start" or "Open"; a 6 pt bar, good colour at goal. Added at Kai's ask, to answer "how well am I doing": days on goal this week (the onboarding target "Days on focus goal", onboarding.tsx:592), the goal streak, the daily average, and seven stems against the dashed 2-hour goal line.

### Loading

No loading state found for the Focus card.

### Empty

Code shows the real card at 0:00 with "{h:m} to today's goal". The over-card detail is not in code.

**2:00 to today's goal**

Start a session and the time lands here.

Focus

0:00 / 2:00

2:00 to today's goal

Start

0/7 days on goal · 0d goal streak · 0:00 avg a day · W T F S S M T

### Running, a slow week

Focus

0:25 / 2:00

Focusing · 18:42 left · Write the Q4 plan

Open

2/7 days on goal · 0d goal streak · 1:04 avg a day · W T F S S M T

### Goal reached, a strong week

Focus

2:35 / 2:00

Daily goal reached

Start

6/7 days on goal · 5d goal streak · 2:12 avg a day · W T F S S M T

### Error

No error state in code (reads the device store). The one shared error block.

**Couldn't load focus card**

The server didn't answer. What you logged is safe on this phone.

Try again

## Today · Finance card

`mobile/src/prototype/screens/today.tsx:1363 · StatStrip today-stats.tsx:183`

**Code prints:** StatStrip "spent, 7 days" / "of budget used" (bad over 100%, warn ahead of pace) / "net this month"; "Spent today", "Safe to spend / day"; first 3 due items `{day} · {amount}` with "Skip" and "Paid"; first 2 alerts `{budget} budget at {pct}%`, `{Month} review ready`; "Projection" `{money} by {Mon} {yy}`.

### Loading

Finance

### Empty

No empty state found in code for Finance with no accounts. The over-card copy here is a placeholder to decide, not code.

**Add an account to start**

Set up Finance from Setup to see spending here.

Finance

₱0 spent, 7 days · 0% of budget used

₱0 net this month · W T F S S M T

Spent today ₱0 · Safe to spend / day ₱0

### Few

Finance

₱1,240 spent, 7 days · 18% of budget used

+₱8,400 net this month · W T F S S M T

Spent today ₱250 · Safe to spend / day ₱860

Fri · Rent ₱12,000 — Skip · Paid

10 or more

Finance

₱18,460
spent, 7 days

104%
of budget used

–₱2,180
net this month

W T F S S M T

Spent today
₱1,060

Safe to spend / day
₱0

Overdue · Mon · Credit card
₱24,560
Skip
Paid

Wed · Internet
₱1,699
Skip
Paid

Fri · Rent
₱12,000
Skip
Paid

Food budget at 112%

Transport budget at 91%

October review ready

Error

No error state in code (reads the device store). The one shared error block.

Couldn't load finance card

The server didn't answer. What you logged is safe on this phone.

Try again

## Today · Community

`mobile/src/prototype/social/today-card.tsx`

**Code prints:** "Community", `{n} unread messages`, stories capped at 4 (`slice(0,4)`), post line `shared {kind}: {title}`.

### Loading

**No loading state** recorded for this card.

### Empty

**Not shown** when the social feature is off (rendered only as "Community?" on Today).

### Few

Community
1 unread message

AR

Ana shared a workout: Leg day

### 10 or more

Stories stop at 4 in code; no "+N" for the rest.

Community
14 unread messages

AR JM LS PD

Jun shared a streak: 100 days of Morning walk

### Error

No error state in code (reads the device store). The one shared error block.

Couldn't load community

The server didn't answer. What you logged is safe on this phone.

Try again

## Today · Goals and context

`mobile/src/prototype/screens/today.tsx:1600`

**Code prints:** "Goals in play" with up to 2 weekly goals (`{label} {fmtGoal}`, value or "—", " ✓" when hit, a bar); evening "Tomorrow" with first 3 items or "Nothing scheduled yet — a clean slate."; otherwise `New: {trophy}` or `{n} misses yesterday` + "Look, note, move on." Redesigned in the brand kit's daily-review style: each goal is a vine growing to its target, with a bud that opens when it is hit; a new trophy shows its badge; a miss names what slipped and what it cost.

### Loading

### Empty

With no goals the goals block is hidden; the evening context is the code's empty line over a dimmed leaf row.

Tomorrow

Nothing scheduled yet — a clean slate.

### Few, with yesterday's misses

Goals in play
this week

Workouts ≥ 4 / wk
1 / 4

3 more by Sunday

2 misses yesterday


Evening walk missed · the 6-day run ended at 6

Send the invoice moved to today, 9:00

Look, note, move on.


**Cap (2 goals) with a new trophy**

The code caps goals at 2 here; more live under Stats › Goals.




**Error**

No error state in code (reads the device store). The one shared error block.




## Today · Your apps (launcher)

`mobile/src/prototype/app-launcher.tsx`

**Code prints:** "Your apps" with tiles Habits, Tasks, Fitness, Nutrition, Focus, Finance, Screen time, Journal.


**Loading**

**No data**: a static launcher.

**Empty**

**No empty state**: tiles show for enabled modules.

**All modules on**




—

Same tiles; no list volume.

## Today · Day hero (unused)

`mobile/src/prototype/screens/today.tsx:137`

**Code prints:** Exported but rendered nowhere. Its strings ("Free day", "Day complete", "Target hit", `{n} to target`) live on in Stats › Now and range. Not drawn here.

# Stats

## Stats · Now and range

`mobile/src/prototype/screens/stats-home.tsx:791`


**Code prints:** 72 pt ring with target dot (life at or past target, else primary) `{pct}%`; "Free day" / "Day complete" / "Target hit" / `{n} to target`; `{done} of {due} done today · target {t}%`; `{n} day streak`, `{score} score {range}`; area rows with a target tick, `{d}/{due}` or "—", `{rate}%` with a delta.

**Loading**




**Empty**


Code: "Free day" / "Nothing due today", rows "—" at 35% opacity when nothing is due.




**Few (3 logged days)**



10 or more




Error

No error state in code (reads the device store). The one shared error block.

**Couldn't load now and range**

The server didn't answer. What you logged is safe on this phone.

Try again

## Stats · Level watch

`mobile/src/prototype/screens/stats-home.tsx:98`

**Code prints:** `Level down: {from} → {to}` with `Your last 7 days scored {n}. {k} more gets {from} back.`; level up is a "Level up" BigMoment overlay. Levels: Getting started, Building, Steady, Strong, Excellent, Peak.

**Loading**

**No loading state**: shown only once Stats has loaded and is not locked.

**Empty**

**Not shown** while Stats is locked or the level has not changed.

**Miss (level down)**

**Level down: Strong → Steady**

Your last 7 days scored 64. 6 more gets Strong back.

**Win (level up overlay)**

**Level up**

Your Life Score over the last 7 days is 81. 4 more for Excellent.

**Error**

No error state in code (reads the device store). The one shared error block.

**Couldn't load level watch**

The server didn't answer. What you logged is safe on this phone.

Try again

## Stats · Patterns

`mobile/src/prototype/screens/patterns-card.tsx:61`

**Code prints:** Heading "PATTERNS", up to 3 insight texts, then "From your last 60 days. Things that go together, not proof one causes the other."

**Loading**

**No loading state** found.

**Empty**

**Not shown** (returns null) when no pattern is found.

**1 pattern**

**Patterns**

On days you train, you finish 2 more tasks.

From your last 60 days. Things that go together, not proof one causes the other.

**Cap (3 patterns)**

The code stops at 3; nothing says more exist.

**Patterns**

On days you train, you finish 2 more tasks.

You spend ₱310 more on days you sleep under 6 hours.

Your habit rate is 18 points higher on weekends.

From your last 60 days. Things that go together, not proof one causes the other.

**Error**

No error state in code (reads the device store). The one shared error block.

**Couldn't load patterns**

The server didn't answer. What you logged is safe on this phone.

Try again

## Stats · Life Score hero

`mobile/src/prototype/screens/stats-home.tsx:177 · locked wrapper :1072`

**Code prints:** 148 pt ring "LIFE SCORE" (sentence case here); "LEVEL" with the level name and `{n} to {next}`; ▲/▼`{n}` or "—" with `vs prior {days}d`;


"How it's weighted"; one bar per area with `{rate}` or "off". Everything below the Now card is wrapped in LockedPreview until 3 logged days.

**Loading**




**Empty**


This is the code's LockedPreview, word for word (stats-home.tsx:1072).




**Few (3 logged days)**





**10 or more**




**Error**

No error state in code (reads the device store). The one shared error block.




## Stats · Three key figures


`mobile/src/prototype/screens/stats-home.tsx:1087`

**Code prints:** `{rate}%` "On target" + delta; flame `{current}` with `Streak · best {best}`; `{onTarget}/{scored}` "On-target days". Code draws three equal boxed tiles; drawn here as peer figures with hairlines (box rule).


**Loading**

Inside the Stats body skeleton (FrameSkeleton 160 + 220).


**Empty**




**Few**





**10 or more**




**Error**

No error state in code (reads the device store). The one shared error block.




## Stats · Daily form

`mobile/src/prototype/screens/stats-home.tsx:389`

**Code prints:** "Daily form", "habits + tasks done per day". Up to 30d: bars, today solid, others at 45%, weekday initials at 7d. At 90d / 1y: a heatmap of 7-

row columns (opacity = rate; null days soft), 91 or 364 days. Footer `Avg {n}% done · {on}/{scored} days on target`.

**Loading**

Inside the Stats body skeleton.

**Empty**

**1/3 logged days**

Your score, streaks and trends below unlock after 3 days of logging.

Log today


Daily form
habits + tasks done per day

0% 0% 0% 0% 0% 0% 0%
M T W T F S S

Avg 0% done · 0/0 days on target

**Few (7d range, 3 days)**


Daily form
habits + tasks done per day




Avg 62% done · 1/3 days on target

**10+ (90d heatmap)**

Daily form
habits + tasks done per day



Avg 78% done · 64/88 days on target

**Error**

No error state in code (reads the device store). The one shared error block.

**Couldn't load daily form**

The server didn't answer. What you logged is safe on this phone.

Try again

## Stats · Personal bests

`mobile/src/prototype/screens/stats-home.tsx:1144`

**Code prints:** Heading "PERSONAL BESTS" with "Trophy case"; a horizontal scroll of 144 pt cards (trophy icon, value, title, date). Top 3; hidden if none.

**Loading**

Inside the Stats body skeleton.

**Empty**

**Hidden** when there are no personal bests.

**Few**

Personal bests Trophy case

**142.5 kg**
Back squat e1RM
31 Oct

**Cap (top 3)**

Personal bests Trophy case

**142.5 kg**
Back squat e1RM
31 Oct

**128 days**
Read 20 pages
1 Nov

**Error**

No error state in code (reads the device store). The one shared error block.

**Couldn't load personal bests**

The server didn't answer. What you logged is safe on this phone.

Try again

## Stats · Areas

`mobile/src/prototype/screens/stats-home.tsx:486`


**Code prints:** Heading "AREAS" with "All metrics"; a hexagon (heptagon with Focus) with grid rings at 25/50/75/100%, a dashed previous polygon, a filled

life polygon; corner `{value}` in the area colour with ▲/▼`{n}`, "—" for off areas; legend — `This {d}d` ··· `Previous {d}d`; "Tap an area for its stats".


**Loading**

Inside the Stats body skeleton.

**Empty**





**Few**





**10 or more**

Drawn as the leaf flower: the code's dashed previous-period polygon is replaced by ▲/▼ beside each value, so no legend is needed.





**90%+ · almost there**

Each petal at 90+ gets a bud; with every area at 90+ the outlines go solid.





**100 · every area full**

Laurel wreath behind the petals, a sprig on every petal, the Unfurl mark grows at the centre; the petals glow three times.




**Error**

No error state in code (reads the device store). The one shared error block.




## Stats · Screen time

`mobile/src/prototype/screens/screen-card.tsx:207`

**Code prints:** Heading "SCREEN TIME"; `≥ {n} min` + `{group} today`; 7-day bars with `≥{n}` on each, today solid; the footer note; "Screen time settings".

Locked: "Screen time isn't connected" over sample data `[150,120,165,135,105,180,45]`.

**Loading**

No loading state recorded.

**Empty**

The code's own locked state with its sample data.


**Screen time isn't connected**

Connect Screen Time and pick the apps to count. Minutes show here from the day you connect.

Set up Screen time

Screen time

≥ 45 min All apps today





At least this many minutes a day on All apps. iOS reports use in steps, so the true figure can be a little higher.

**Few (2 days connected)**

Screen time

≥ 45 min Social today





At least this many minutes a day on Social. iOS reports use in steps, so the true figure can be a little higher.

**Stress (4-digit minutes)**

Screen time

≥ 1,180 min All apps today




At least this many minutes a day on All apps. iOS reports use in steps, so the true figure can be a little higher.

**Error**

No error state in code (reads the device store). The one shared error block.

**Couldn't load screen time**

The server didn't answer. What you logged is safe on this phone.

Try again

## Stats · Misses & leaks

`mobile/src/prototype/screens/stats-home.tsx:1201 · MissTiles :734`

**Code prints:** Heading "MISSES & LEAKS" with a link; `{n}` "misses in {d}d" with a delta where down is good; MissTiles count tiles in rows of 3, a short last row padded.

**Loading**

Inside the Stats body skeleton.

**Empty**

**1/3 logged days**

Your score, streaks and trends below unlock after 3 days of logging.

Log today

Misses & leaks — Misses & leaks

0 misses in 30d

0 habits · 0 tasks · 0 workouts

**Few**

Misses & leaks — Misses & leaks

4 misses in 30d

2 habits · 1 tasks · 1 workouts

**10 or more**

Tile labels are illustrative area names; the code builds them from the miss kinds.

Misses & leaks — Misses & leaks

37 misses in 30d ▲9

14 habits · 11 tasks · 3 workouts

5 food days · 4 budgets

**Error**

No error state in code (reads the device store). The one shared error block.

**Couldn't load misses & leaks**

The server didn't answer. What you logged is safe on this phone.

Try again

## Stats · Goals

`mobile/src/prototype/screens/stats-home.tsx:1233`

**Code prints:** Heading "GOALS" with "All goals"; up to 3 active goals with a progress bar; always ends with "Set a goal".

### Loading

Inside the Stats body skeleton.

### Empty

Code: only the "Set a goal" row. The over-card detail is not in code.

**Set a goal**

Pick a number to beat each week or month.

Goals — All goals

Goal ≥ 0 —

+ Set a goal

### Few

Goals — All goals

Workouts ≥ 4 / wk — 1

+ Set a goal

### Cap (3 goals)

Goals — All goals

Workouts ≥ 4 / wk — 4 ✓

Savings rate ≥ 20% / mo — 17%

Protein hit rate ≥ 80% / wk — 71%

+ Set a goal

### Error

No error state in code (reads the device store). The one shared error block.

**Couldn't load goals**

The server didn't answer. What you logged is safe on this phone.

Try again

## Stats · Metric detail

`mobile/src/prototype/screens/dash-metric.tsx:88`

**Code prints:** Range buttons; `{Area} · last {d} days`; value at 48 with ↑/↓ `{n}` "vs previous {d} days"; a 4-bar comparison across ranges; "GOAL" with "Set goal"; `WHAT MOVED IT · {n}` capped at 6, or "No misses in this range. Clean."

### Loading

**No loading state** recorded.

### Empty

Code's clean state: "No misses in this range. Clean." Bars at zero drawn dimmed.

7d · 30d · 90d · 1y

Habits · last 30 days

0% vs previous 30 days

0% 0% 0% 0%

7d 30d 90d 1y

Goal

Set goal

What moved it · 0

No misses in this range. Clean.

### Few

7d · 30d · 90d · 1y

Habits · last 30 days

64% ↑ 4 vs previous 30 days

70% 64%

7d 30d 90d 1y

Goal

Set goal

What moved it · 1

Meditate 10 minutes — 2 missed

Cap (6 misses)

7d 30d 90d 1y

Habits · last 30 days

88% ↓ 3 vs previous 30 days




Goal

Set goal

What moved it · 6

| | |
|---|---|
| Meditate 10 minutes | 6 missed |
| No phone after 22:00 | 4 missed |
| Read 20 pages before bed | 3 missed |
| Stretch | 3 missed |
| Drink water | 2 missed |
| Journal | 2 missed |

Error

No error state in code (reads the device store). The one shared error block.

**Couldn't load metric detail**

The server didn't answer. What you logged is safe on this phone.

Try again

# 2b · Area screens

Every screen behind the Today and Stats cards, in the code's order: Finance, Fitness, Nutrition, Habits, Tasks, Journal, Focus, the Plan tab and the Me tab. Each is drawn as a phone-width column with its cards in order: loaded, empty (the code's own LockedPreview or dimmed samples), at volume or in its key variant, and with the one error block. These screens read the device store, so the code has no loading state for them and almost no error copy; where it has some, the frame uses it.

## Finance

### Finance · Finance home

`mobile/src/prototype/screens/finance-home.tsx:247 · finance-home-cards.tsx:55 / :190 / :355 · route /finance`

**Code prints:** Net worth hero ({▲|▼} {n}% " vs 30 days ago", 90-day sparkline, "Available", "Owed on cards"); "Add", "Import", "What if?"; `{n} to check` drafts; Budgets (ring "left", `Left of {limit} this month`, "Safe / day", "Spent", top 3 budgets, tick = even pace); `Cash flow, {month}` (`Expected net`

by {date}, "In"/"Out" expected bars, "So far" / "Still scheduled", "To pay", "Coming in", On hand by {date}, Lowest {₱} on {day}, up to 3 scheduled rows then Show all {n}); "Savings projection"; shortcut grid; report cards; "Recent" (last 5). Locked: "Add your accounts".

**Loaded**

## Finance

Net worth

**₱184,320** ▲ 4.2%

vs 30 days ago



**₱142,800**
Available

**₱8,460**
Owed on cards

+ Add | Import | What if?

**Budgets** All budgets

62% left

**₱9,300**
Left of ₱15,000 this month
20 days left

**₱465**
Safe / day

**₱5,700**
Spent

Food ₱3,240 / ₱1,760

Transport ₱980 / ₱1,020

Fun & shopping ₱1,480 / ₱520

**Cash flow, November** Scheduled

Expected net by 30 Nov

**+₱6,420**

So far +₱2,140

In ₱27,500 of ₱55,000


Out ₱25,360 of ₱49,080

— So far ····· Still scheduled

To pay −₱23,720

Coming in +₱27,500

On hand by 30 Nov ₱149,220




Lowest ₱138,400 on Thu 5 Nov

Rent due
Thu 5 Nov
−₱12,000

Salary
Sun 15 Nov
+₱27,500

Globe Postpaid estimate
Mon 16 Nov
−₱1,299

Show all 9

**Empty (no accounts)**

The code's LockedPreview over the dimmed real screen; budget and recent cards show their dimmed sample values (₱15,000 limit, Puregold −₱1,284.50).

## Finance

**Add your accounts**

Cash, GCash, Maya, your bank and credit card, with today's balances. Your net worth, budgets and reports fill in below.

Set up Finance

Net worth

**₱0** — vs 30 days ago

**₱0**
Available

**Budgets** All budgets

62% left

**₱9,300**
Left of ₱15,000 this month
20 days left

**₱465**
Safe / day

**₱5,700**
Spent

**Recent**

Puregold
Food · GCash · 12:40
−₱1,284.50

Your latest spending and income land here.

+ Add expense

**Over budget, 10+ scheduled**

Ring turns bad and the figure goes negative (−₱x) over budget; the cash-flow line dips below zero.

## Finance

**Budgets** All budgets

0% left

**−₱1,240**
Left of ₱15,000 this month
6 days left

**₱0**
Safe / day

**₱16,240**
Spent

Food ₱6,240 / −₱1,240

Transport ₱1,980 / ₱20

Fun & shopping ₱2,480 / −₱480

**Cash flow, November** Scheduled

Expected net by 30 Nov

**−₱3,180**

So far −₱4,920

In ₱27,500 of ₱27,500


Out ₱32,420 of ₱38,620

— So far ····· Still scheduled

To pay −₱6,200

Coming in +₱0

On hand by 30 Nov −₱1,860




Lowest −₱1,860 on Mon 30 Nov (below zero)

Credit card overdue
Tue 24 Nov
−₱4,560

Globe Postpaid due
Wed 25 Nov
−₱1,299

Netflix
Fri 27 Nov
−₱549

Show all 14

Savings projection

Plan a purchase →

**₱312,400**

by Apr 2027 · +₱5,180 a month



Recent

All transactions

| | | |
|---|---|---|
| Puregold | Food · GCash · 12:40 | −₱1,284.50 |
| Grab | Transport · Maya · 09:12 | −₱236.00 |
| Salary | Income · BPI Savings · Sat | +₱27,500.00 |

**Error**

No error state in code (local store). The one shared error block, over the last known figures dimmed.

## Finance

**Couldn't load your accounts**

The server didn't answer. What you logged is safe on this phone.

Try again

Net worth

**₱184,320** ▲ 4.2%

vs 30 days ago



**₱142,800**

Available

## Finance · Report cards

`mobile/src/prototype/screens/finance-report-cards.tsx (:101, :168, :246, :340, :407, :462, :167 in finance-reports.tsx)` · route `/finance (home) · /finance/reports`

**Code prints:** SavingsRateCard ("Income", "Spent" `▲|▼{n}%`, "Savings rate"); "Spend by category" (donut, top category's share in the centre, top 5 legend); "Expected vs actual net worth" ("Actual", "Expected from what repeats", `{₱gap} above|below expected today`); "Budget history" (3 monthly columns

per budget, dashed 100%); "Top payees" (top 4); "Day-of-week spend" (`{Day} is your priciest day (avg {₱})`); "Income vs expense" (paired bars).

**Loaded**

## Reports


This month | Last month | 3 months | Custom

**₱55,000** Income

**₱38,420** ▲6% Spent


Savings rate 30%

### Spend by category ›




- Food 38%
- Bills 24%
- Transport 16%
- Shopping 13%
- Fun 9%

### Expected vs actual net worth ›




— Actual ····· Expected from what repeats

₱1,320 below expected today


### Budget history ›

| | Sep | Oct | Nov |
|---|---|---|---|
| Food | 82% | 95% | 62% |
| Transport | 64% | 71% | 51% |
| Fun & shopping | 118% | 88% | 74% |

### Top payees ›

| | |
|---|---|
| Puregold | ₱6,480 |
| Meralco | ₱3,215 |
| Grab | ₱1,870 |
| Starbucks | ₱940 |

### Day-of-week spend ›




Sat is your priciest day (avg ₱1,040)

**Empty**

The code's own empty pattern: sample data at 32% with an EmptyFoot hint (the sample values are the code's).

## Reports

This month | Last month | 3 months | Custom


₱45,000 Income

₱36,900 Spent

Log what comes in and goes out to see how much you keep.

+ Add expense

### Spend by category





Your spending, split by category.

### Top payees

| | |
|---|---|
| Puregold | ₱6,480 |
| Meralco | ₱3,215 |
| Grab | ₱1,870 |

Where your money goes, by who you paid.

### Day-of-week spend




Which days you spend the most.

**Error**

No error state in code. Custom range errors are toasts: "Pick both dates".

## Reports


This month | Last month | 3 months | Custom

**Couldn't load this month's report**

The server didn't answer. What you logged is safe on this phone.

↻ Try again

### Spend by category




## Finance · Report detail

`mobile/src/prototype/screens/finance-reports.tsx (:350 category, :405 cashflow, :471 networth, :497 payees, :520 weekday)` · route `/finance/reports/[kind]`

**Code prints:** Subtitle `{from} – {to} vs {prevFrom} – {prevTo}`; category: 180 pt donut `{₱spend}` "spent", rows `{n}% of spend` with ▲|▼`{n}%`; cashflow: daily line, "In" / "Out" / "Net", per-month `{pct} saved`; networth: line, "Assets minus credit card debt. Investments at their last manual value.", `{pct} in {n} days`; payees: ranked list; weekday: bars, `{Day} is your priciest day.`; "Open these transactions". Unknown kind: "Unknown report".

### Category

## Spend by category

This month | Last month | 3 months | Custom

1 – 30 Nov vs 1 – 30 Oct





| | | |
|---|---|---|
| Food<br>38% of spend | ₱14,600 | ▲8% |
| Bills<br>24% of spend | ₱9,220 | ▼2% |
| Transport<br>16% of spend | ₱6,150 | ▲1% |
| Shopping<br>13% of spend | ₱4,990 | ▼14% |
| Fun<br>9% of spend | ₱3,460 | ▲3% |

Open these transactions

### Cash flow

## Cash flow

1 – 30 Nov vs 1 – 31 Oct





| In | Out | Net |
|---|---|---|
| ₱55,000 ▲4% | ₱38,420 ▲6% | + ₱16,580 |

| | | |
|---|---|---|
| Nov | 30% saved | In ₱55,000 · Out ₱38,420 |
| Oct | 33% saved | In ₱55,000 · Out ₱36,200 |
| Sep | 12% saved | In ₱58,000 · Out ₱51,040 |

### Net worth · Payees · Weekday

## Net worth





Assets minus credit card debt. Investments at their last manual value.

▲ 15% in 90 days

**Top payees**

| | | |
|---|---|---|
| 1 | Puregold | ₱6,480 |
| 2 | Meralco | ₱3,215 |
| 3 | Grab | ₱1,870 |
| 4 | Starbucks | ₱940 |
| 5 | Shopee | ₱860 |
| 6 | Mercury Drug | ₱712 |

**Day-of-week spend**




Sat is your priciest day.

**Error**

Unknown kind is the code's; the error block is for a failed load (none in code).

## Report

**Unknown report.** Code: Empty "Unknown report" with "All reports" for a bad link.

**Couldn't load this report**

The server didn't answer. What you logged is safe on this phone.

Try again

## Finance · Budgets

`mobile/src/prototype/screens/finance-budgets.tsx (:30, :90, :163, :236, :330, :373)·`
route `/finance/budgets · /finance/budgets/[id]`

**Code prints:** Summary `{within}/{total}` "budgets within limit, {month} so far", "Bar marker = where you should be today", `{month}: {kept}/{total} kept, {name} over by {₱}`; "Overall" / "By category"; card pill "over budget" / "ahead of pace" / "on track", `{n} days left · ₱/day`. Detail: ring "left"/"over", "Spent", "Safe to spend / day", "Pace" (dashed even pace, solid cumulative spend), "You're ahead of pace — slow down to finish under." / "You're under pace. Nice.", "Past months" kept / blown. Empty: "Set your first budget" with a starter set. Moment: "Budget kept".

**Loaded**

### Budgets

**4/6**

budgets within limit, November so far

Bar marker = where you should be today

October: 5/6 kept · Food over by ₱1,240

Overall

**Monthly spend** on track

**₱5,700 / ₱9,300** 20 days left · ₱465/day

By category

**Food** over budget

**₱6,240 / –₱1,240** 20 days left · ₱0/day

**Fun & shopping** ahead of pace

**₱1,480 / ₱520** 20 days left · ₱26/day

**Transport** on track

**₱600 / ₱1,400** 20 days left · ₱70/day

Show 2 archived

**Budget detail**

### Food

Food, Groceries · monthly


–25% over

**–₱1,240**
Over the ₱5,000 limit
20 days left

**₱6,240**
Spent

**₱0**
Safe to spend / day

**Pace**




Dashed = even pace to the limit.

You're ahead of pace — slow down to finish under.

**Past months**

| 82% | 118% | 95% |
|---|---|---|
| Aug · kept | Sep · blown | Oct · kept |

**This month's transactions (14)**

Puregold
Groceries · GCash · Tue
–₱1,284.50

Jollibee
Food · Cash · Mon
–₱386.00

View in transactions

**Empty** The code's empty state, word for word.

### Budgets

**Set your first budget**

Based on your last 3 months, here's a starter set:

Food ₱5,000

Transport ₱1,400

Fun & shopping ₱2,000

Add these | Make my own


**Win: budget kept**

The code's "Budget kept" moment (`Every budget kept in {m} / {k} of {n} budgets kept in {m}`), drawn with the kit's goal badge.




**Error**

No error state in code. Missing id: "Budget not found".





## Finance · Accounts

`mobile/src/prototype/screens/finance-accounts.tsx (:182, :272, :483, :527) · finance-account-card.tsx:149 · route /finance/accounts · /finance/accounts/[id]`


**Code prints:** Net worth, `{n} accounts`, "credit cards count as debt"; groups "Cash", "E-wallets", "Banks", "Credit cards", "Savings & investments" with totals; AccountCard (solid account colour, name, type, amount, "owed" / "overdrawn" / "available", `{n}% of limit used`, `Matures in {d}d`, `{n}% of goal`). Detail: 60-day balance line; SavingsPanel ("Goal", "Interest" `{rate}% a year`, "Matures"); "Credit used"; "In this month" / "Out this month"; Transfer, Update, Import, Archive; "Transactions". Empty: "No accounts yet".

**Loaded**

Account cards sit on the brand's Fern ground with the scribble motif (Kai, 3 Nov). The colour the person picks for the account (finance-account-card.tsx draws it as the whole card) becomes the dot before its name.





**Account detail**




**Empty**

Code: Empty "No accounts yet". The detail line and the dimmed card under it are drafts (empty-state rule).



Error

No error state in code. Missing id: "Account not found".

## Accounts

**Couldn't load your accounts**

The server didn't answer. What you logged is safe on this phone.

Try again

## Finance · Projection and what-if

`mobile/src/prototype/screens/finance-projection.tsx (:102, :311, :449)` · route `/finance/projection`

**Code prints:** `Available money by {month}`, "Avg left over" `±₱ a month`, "Lowest point" `₱ · {month}`; line with the dashed "minimum"; "— Baseline", `– With {name}`, "┈┈ Minimum balance"; "Include average everyday spending"; "What if I buy…" / "Plan a purchase" (₱10k / 25k / 45k / 100k, "Pay in full" / "Installments"); verdicts "✓ Affordable", "Affordable, but dips below your minimum balance", "Not affordable — you'd go negative"; "New low", "Recovers in", "End balance"; "Available now", `{runway} mo` "Months you could cover"; "Left over each month". Empty: "Add your income to see the future".

### With a what-if

## Projection


6 mo | 12 mo | 24 mo | Custom

Available money by Nov 2027

**₱248,600** vs ₱296,100 without it

**+₱4,180**
Avg left over a month

**₱38,200 · Feb**
Lowest point




— Baseline — With iPhone 17

┈┈ Minimum balance

**Plan a purchase**

₱10k | ₱25k | ₱45k | ₱100k

Pay in full | Installments

₱3,750/mo × 12 on BDO Visa · No interest · ₱45,000 in all

Affordable, but dips below your minimum balance

| ₱38,200 | 7 mo | – ₱47,500 |
|---|---|---|
| New low | Recovers in | End balance |

Your safety floor is ₱50,000.

Save as scheduled

Save as draft | Discard

**₱142,800**
Available now

**4.2 mo**
Months you could cover

### Verdicts

## Projection

6 mo | 12 mo | 24 mo | Custom

✓ Affordable

| ₱92,400 | 2 mo | – ₱10,000 |
|---|---|---|
| New low | Recovers in | End balance |

Not affordable — you'd go negative

| – ₱12,600 | >12 mo | – ₱100,000 |
|---|---|---|
| New low | Recovers in | End balance |

Your safety floor is ₱50,000.

**Left over each month**

| | |
|---|---|
| Nov (rest) | **₱149,220** In ₱27,500 · Out ₱23,720 · Net +₱3,780 |
| Dec • | **₱104,100** In ₱82,500 · Out ₱127,620 · Net –₱45,120 |
| Jan | **₱109,300** In ₱55,000 · Out ₱49,800 · Net +₱5,200 |

### Empty


The code's empty copy, over a dimmed sample line.

## Projection

**Add your income to see the future**

The projection needs at least one scheduled income — like your 15th & 30th salary. No fake forecasts.

Add salary



Error

No error state in code. Errors are toasts: "Add a credit card to plan installments", "Add an account first".

‹ Projection

⚠ Couldn't load your projection

The server didn't answer. What you logged is safe on this phone.

↻ Try again

## Finance · Scheduled (recurring and installments)

`mobile/src/prototype/screens/finance-planned.tsx (:234, :364)` · route `/finance/planned` · `/finance/planned/[id]`

**Code prints:** "In / month", "Out / month", "Net / month"; "Next 30 days" tiles (overdue pill, due border); "Recurring" / "One-off" / "What-if drafts"; rows with "installment", "auto", "estimate". Detail: "Pay now", "Skip next", "Make it real", "Times paid", "Avg actual", "Plan accuracy", "Next dates", "History" paid / received / skipped / missed. Empty hints per tab.

**Loaded**

‹ Scheduled +

+₱55,000 In / month | −₱28,640 Out / month | +₱26,360 Net / month

Next 30 days — Projection

Thu 5 — Rent — −₱12,000 — due

Sun 15 — Salary — +₱27,500

Recurring | One-off | What-if drafts

Salary auto — 15th & 30th · BPI Savings — +₱27,500

Rent — Monthly on the 5th · GCash — −₱12,000

iPhone 17 installment — 3 of 12 · BDO Visa — −₱3,750

Meralco estimate — Monthly on the 20th · Maya — −₱3,200

**Item detail**

‹ Rent

−₱12,000

Monthly on the 5th

GCash | Asks Paid / Skip

✓ Pay now | Skip next

9 Times paid | ₱12,000 Avg actual | 100% Plan accuracy

Next dates

Thu 5 Nov — due

Sat 5 Dec — upcoming

Tue 5 Jan — upcoming

History

5 Oct — ₱12,000 — paid

5 Sep — ₱12,000 — paid

5 Aug — — — missed

**Empty**

The code's dimmed samples (Salary +45,000, Meralco −3,200, Netflix −549) and hint. "Next 30 days" is blank with nothing scheduled (no empty state for that row).

‹ Scheduled

Salary — Monthly — +₱45,000

Meralco — Monthly — −₱3,200

Netflix — Monthly — −₱549

Salary, rent and bills that repeat, so the month ahead is never a surprise. + Add

Error No error state in code.

‹ Scheduled

⚠ Couldn't load what's scheduled

The server didn't answer. What you logged is safe on this phone.

↻ Try again

## Finance · Monthly review

`mobile/src/prototype/screens/finance-review.tsx:61` · route `/finance/review`

**Code prints:** `{title} review`, month chips; notices "Period still running — numbers will move."; tiles "Savings rate", "No-spend days", "Income", "Spent"; "The short version" + "AI commentary from your own data — not licensed financial advice."; "Where it went" (top 7); "WINS" (`Kept {k}/{n} budgets`, `{n}`

`no-spend days`, `Savings rate up {n} pts`); "MISSES" (`Over {b} budget`, `{cat} spiked`) or "No misses. Genuinely clean month."; "Leaks"; "No-spend calendar"; "What to improve"; "Your note". Too early: "Not enough data yet".

**Loaded**

## October review

Aug ✓ | Sep ✓ | Oct | Nov so far

**22%** ▲4
Savings rate

**9**
No-spend days · wants only

**₱55,000** ▲0
Income

**₱42,900** ▲6
Spent · +8% vs 3-period avg

**Where it went**

Food ▲8% ₱14,600

Bills ▼2% ₱9,220

Transport ▲1% ₱6,150

**Wins**

Kept 5/6 budgets

9 no-spend days

Savings rate up 4 pts

**Misses**

Over Food budget +25% (₱1,240)

Delivery spiked +42% vs last month

**No-spend calendar**

| S | M | T | W | T | F | S |
|---|---|---|---|---|---|---|
| · | · | · | ● | ○ | ○ | ● |
| ○ | ○ | ● | ○ | ● | ● | ○ |
| ○ | ● | ○ | ○ | ● | ○ | ● |
| ● | ○ | ○ | ● | ○ | ○ | ○ |

Green = no spending on wants. Current streak: 2 days.

**Clean month** The code's own clean-month lines.

## September review

**Misses**

No misses. Genuinely clean month.

**Leaks**

No leaks. No small spend repeated enough to add up.

**Too early**

Code: Empty "Not enough data yet" with this copy; drawn over the dimmed review.

## November review

**Not enough data yet**

Less than 2 weeks of transactions for November. Your review will be ready on Sun 15 Nov.

Back to Finance

Where it went

Food ₱4,600

Bills ₱3,220

**Error**

No error state in code. A warn notice exists for changed data: "Data changed since you saved this review (a backdated transaction or import)."

## October review

**Couldn't load this review**

The server didn't answer. What you logged is safe on this phone.


Try again

## Finance · Transactions


`mobile/src/prototype/screens/finance-records.tsx:76` · route `/finance/records`

**Code prints:** Search "Payee, note or amount", filter with a count; chips All, Expense, Income, Transfer, "Needs review"; `{n} records · Net ±₱`; day groups with the day's total; 120 rows then `Show more ({n} older)`; "Nothing matches" + "Clear all"; selection `{n} selected`, "Category", "Delete".


**Loaded (10+)**




**Empty and no match** Both are the code's.




**Error** No error state in code.




# Fitness

## Fitness · Fitness home (train)

`mobile/src/prototype/screens/fitness-train.tsx:69 (TodayCard :160, RunPart :412, WeekPart :494, Progress :615, Recent :916) · steps-card.tsx:97 · sleep-card.tsx:70 · fitness-body.tsx:279` · route `/fitness`

**Code prints:** Today card: `Today · {day}`; a template with its first 3 exercises (`{kg} kg × {reps}`, badges `+{inc} kg`, "+1 rep", "New", `Goal …`) then `+{n} more`; "Run or walk" `{km} km this week · {n} sessions`; `{done} of {goal} this week` with "Target hit" or `{n} missed`, the M–S strip.

"Progress · 8 weeks": "PRs · 30 days", "Lifts going up", "Volume last week", top 4 lifts with "Stalled", "Weekly volume" bars. "Recent" (4). "Body" (7-day average, ▲/▼ {x} kg/wk, goal, trend). "STEPS TODAY", "LAST NIGHT". Templates, Exercises.

**Loaded**

## Fitness

Today · Tuesday

**Push day**
5 exercises · last done Thu
→ Start

Barbell bench press **62.5 kg × 8** +2.5 kg

Seated dumbbell shoulder press
**22 kg × 10** +1 rep

Cable triceps pushdown **30 kg × 12** New

+2 more

Run or walk
12.4 km this week · 3 sessions
Run · Walk

2 of 4 this week 1 missed
6 weeks on target in a row
M T W T F S S

**Progress · 8 weeks** All stats

| 3 | 75% | 14.3 t |
|---|---|---|
| PRs · 30 days | Lifts going up | ▲ 8% Volume last week |

Barbell back squat **142.5 kg** ▲ 5 kg
Barbell bench press **82.5 kg** ▲ 2.5 kg
Deadlift Stalled **170 kg** ± 0 kg
Overhead press **52.5 kg** ▲ 1 kg

**Weekly volume** 8.2 t so far this week
6 Sep … Now

**Recent** All workouts

Pull day — Thu · 1 h 05 m · 1 PR — 12,860 kg
Morning run — Wed · 06:12 · 5:48 /km — 5.2 km
Leg day — Mon · 58 min — 9,840 kg

**Empty**

Code: both LockedPreviews word for word; "Activity" is ConnectHealthCard (health-connect.tsx:60). Sleep renders nothing with no nights.

## Fitness

Today · Tuesday

**Nothing planned today**
Pick a template or start empty.
→ Start

**Your progress starts with one workout**
PRs, your lifts' strength and weekly volume fill in here as you train.
Browse templates

Progress · 8 weeks All stats

| 0 | 0% | 0 kg |
|---|---|---|
| PRs · 30 days | Lifts going up | Volume last week |

Barbell back squat 0 kg
Barbell bench press 0 kg
Weekly volume 8.2 t so far this week
6 Sep … Now

**No weigh-ins yet**
Your first weigh-in sets the starting point. Weigh in each morning; the 7-day average smooths out daily noise.
Weigh in

Body

**Activity**
See your steps and the calories you burn, and add them to your budget when you choose.
Connect Apple Health

**Week missed, rest day**

The code's rest-day state, missed days struck in red, and its short-of-target warning.

## Fitness

Today · Tuesday

**Rest day**
Nothing planned today. Recover.
→ Train anyway

1 of 4 this week 3 missed
Hit the target to start a streak
M T W T F S S


Last week 2 of 4, 2 short of your target

Body All entries

71.8 kg ▼ 0.32 kg/wk

7-day average

Today 71.6 kg | Goal 70 · 1.8 to go





Steps today Details

8,420 6.1 km today

7,960 This week


8,310 This month




Last night Details

7h 05m

This week 6h 48m




Error


No error state in code; Health cards render nothing while loading and on failure. The shared block, over the last steps dimmed.

Fitness

Couldn't load Apple Health

The server didn't answer. What you logged is safe on this phone.

Try again




## Fitness · Fitness stats

`mobile/src/prototype/screens/fitness-stats.tsx:24 (:131, :147, :222, :239, :293, :313)` · route `/fitness/stats`

**Code prints:** "4 weeks" / "12 weeks"; `Sessions (target N)`, "PRs", "Progress rate (4 wks)", "Weekly streak"; "Sessions per week" with `Target {n}/week`, `{n} missed` / "No misses"; "Weekly volume" `in range · prev {vol}`; "Top lifts · e1RM" (bench, squat, row, OHP, RDL) with ⚠ stalled;

"Stalled lifts" "no strength gain · 3 wks"; "Body weight". Empty: "No workouts yet".

**Loaded**

## Fitness stats

4 weeks | 12 weeks


**14** ▲ 2
Sessions (target 16)

**5** ▲ 1
PRs

**71%**
Progress rate (4 wks)

**6 wk**
Weekly streak

**Sessions per week**





Target 4/week · 2 missed

**Weekly volume**

**52.8 t**

in range · prev 48.1 t



**Top lifts · e1RM**

Barbell back squat — **142.5 kg** ▲ 5 kg

Barbell bench press — **82.5 kg** ▲ 2.5 kg


Barbell row ⚠ Stalled — **80 kg** • 0 kg

**Stalled lifts**

Barbell row — no strength gain · 3 wks

**Body weight**

**71.8 kg** ▼ 0.32 kg/wk



**Empty**

## Fitness stats

4 weeks | 12 weeks

**No workouts yet**

Finish your first workout. Sessions, PRs, volume and your lifts fill in below.

Start a workout

**Sessions per week**




**Error** No error state in code.

## Fitness stats

4 weeks | 12 weeks

**Couldn't load your training stats**

The server didn't answer. What you logged is safe on this phone.

Try again

---

## Fitness · Body weight

`mobile/src/prototype/screens/fitness-body.tsx:279 (:551 goal, :614 figures, :641 entries, :758 body fat)` · route `/fitness/body`

**Code prints:** "7-day average" `{avg} kg`, ▲/▼ `{x} kg/wk`, `{pct}% of bodyweight`; "Faster than ~1%/week — consider easing the deficit to keep your lifts."; trend with goal line, "4w" / "12w" / "All", legend "daily", "7-day avg", "goal"; "Goal" pill lose / maintain / gain, `{x} kg to go`, `Started at {kg} on`

{day}; "Latest", "Lowest", "Weigh-in days"; "Entries" (14 then Show all {n}); body fat {pct}% "Body fat · latest", "Fat mass", "Lean mass".


**Loaded**

## Body weight

7-day average

**71.8 kg** ▼ 0.32 kg/wk

0.4% of bodyweight




4w | 12w | All

● daily · — 7-day avg · ┈ goal

**Goal** lose weight

**70 kg** 1.8 kg to go



Started at 74.2 kg on 6 Oct

| 71.6 kg | 71.4 kg | 86% |
|---|---|---|
| Latest | Lowest | Weigh-in days |

**Body fat · latest**

**15.2%** ▼ 0.8 pts / 30d



| 10.9 kg –0.7 kg | 60.7 kg +0.2 kg |
|---|---|
| Fat mass | Lean mass |

**Entries**

| | | |
|---|---|---|
| Tue 3 Nov 06:40 | –0.2 | 71.6 kg |
| Mon 2 Nov 06:52 · after a long run | –0.4 | 71.8 kg |
| Sun 1 Nov 07:10 | +0.3 | 72.2 kg |

Show all 41

**Too fast** The code's warning and no-goal line.

## Body weight

**71.8 kg** ▼ 1.1 kg/wk

1.5% of bodyweight

Faster than ~1%/week — consider easing the deficit to keep your lifts.

**Goal**

No goal weight — trend colours stay neutral. Tap to set.

**Empty**


The code's LockedPreview over its 84 days of sample weigh-ins, and body fat's EmptyFoot.

## Body weight

**No weigh-ins yet**

Your first weigh-in sets the starting point. Weigh in each morning; the 7-day average smooths out daily noise.

Weigh in



**Body fat · latest**



Add body fat when you weigh in, from a smart scale or calipers.

+ Add

**Error** No error state in code.

## Body weight

**Couldn't load your weigh-ins**

The server didn't answer. What you logged is safe on this phone.

Try again

---


## Fitness · Workouts, workout detail

`mobile/src/prototype/screens/fitness-workouts.tsx (:46, :214, :319, :391, :595)` · route `/fitness/workouts · /fitness/workouts/[id]`


**Code prints:** Search "Search by name or exercise", template chips; `Week of {Mon d}` groups; rows `{relDay} · {min} · {volume}` with a PR trophy; 15 a page. Detail: "Duration", "Volume", "Sets"; `{kcal} kcal` "Active calories, estimated", "Steps during it", "How calories are estimated"; "Personal

records" ({label} PR, +{delta}); "Exercises" with Est. 1-rep max {kg} and sets 1. 60×8, warm-ups "W"; "Share", "Repeat". Empty: "No workouts yet — start one".

**List (10+)**





**Detail**





**Empty**

Code copy; drawn over a dimmed sample row. Filtered: "No matching workouts" / "Try another name or clear the filter."




**Error**

No error state in code. Not found: "Workout not found" / "It may have been deleted."




## Fitness · Exercises, exercise detail

mobile/src/prototype/screens/fitness-exercises.tsx (:98, :237, :378, :402, :434, :472) · route /fitness/exercises · /fitness/exercises/[id]

**Code prints:** "Search exercises", Create “{q}”, "Possible duplicates" ({merge} → {keep}, "Review", "Not duplicates", 3 then See all ({n})), muscle groups, {equipment} · {spec}. Detail: "NEXT SESSION · SUGGESTED" {kg} kg × {reps}; "Stalled for 3 weeks"; "Best est. 1-rep max", "Best set",

"Sessions"; "Est. max" / "Top weight" / "Volume" with "4w" / "12w" / "1y" / "All"; "PR history" (8); "Last 5 sessions". No history: "No sets logged yet".

**Detail**

## Barbell back squat

Legs · Barbell · 5–8 reps · +2.5 kg

Next session · suggested


**135 kg × 6** +2.5 kg

You hit 6 reps on every set last time.

| 142.5 kg | 130×4 | 18 |
|---|---|---|
| Best est. 1-rep max | Best set | Sessions |

Est. max | Top weight | Volume

**142.5 kg** ▲ 11.5 in range




**PR history**

| | |
|---|---|
| Est. 1-rep max · Tue | 142.5 kg |
| Heaviest · Tue | 130 kg |
| Volume · 24 Oct | 3,640 kg |

**Stalled** The code's stalled card and duplicate row.

## Barbell row

**Stalled for 3 weeks**

No strength gain since 13 Oct. Go 10% lighter for a week, or switch to 8–12 reps.

**Possible duplicates**

DB row → Dumbbell row — Same name

Review | Not duplicates

**Empty**

## Bulgarian split squat

**No sets logged yet**

Add it to a workout — your progress chart starts with the first set.

Start workout

| 0 kg | — | 0 |
|---|---|---|
| Best est. 1-rep max | Best set | Sessions |

**Error**

No error state in code. Not found: "Exercise not found".

## Exercises

**Couldn't load your exercises**

The server didn't answer. What you logged is safe on this phone.

Try again

---


## Fitness · Runs and walks

`mobile/src/prototype/screens/fitness-runs.tsx (:537, :604, :830, :898, :973)` · route `/fitness/runs · /fitness/runs/[id]`


Code prints: "This week" `{km} km` "Distance", "Sessions", "Moving time"; `All sessions · {km} km`; rows `{date} · {clock}`, `{km} km`, `{pace} /km`.
Detail: route map, `{km} km`, "Moving time", "Average pace" ▲/▼ `{d} s faster/slower than last`, `{hr} avg · {max} max bpm`, steps, kcal, climb;

"Splits" (fastest green); "Name" "e.g. Sunday long run". Empty: "Your first run or walk shows here".


**Loaded**




**Run detail**





**Empty**




**Error**

No error state in code. Not found: "Session not found".





## Fitness · Steps and sleep

`mobile/src/prototype/screens/steps-detail.tsx:25 · sleep-detail.tsx:17 · health-connect.tsx:60` · route `/fitness/steps · /fitness/sleep`


**Code prints:** Steps: Week / Month, `{DAY, MON D}`, the count, `{km} km · {kcal} kcal burned`, bars; "Total steps", "Daily average", "Best day", `Days at 10,000`, "Distance", "Active energy". Sleep: `7h 05m`, bars; "Average", "Longest night", "Nights at 7h", "Nights tracked". No Health: "Apple Health isn't

connected"; no sleep: "No sleep in Apple Health yet".


**Steps**




**Sleep**





**Not connected**




**Error**

No error state in code: while loading only the Week/Month toggle shows.




## Nutrition

### Nutrition · Nutrition home

`mobile/src/prototype/screens/nutrition.tsx:301 (MacroRings :84, Overview :393, FiberBar :550, DayMeals :637, MealRow :787, CaloriesByMacro :859) · nutrient-limits.tsx:166 · nutrition-period-bar.tsx:18 · route /nutrition`

**Code prints:** "Day" / "7 days" / "30 days" with ‹ ›; rings "kcal left" / "kcal over" / "kcal eaten", Protein, Carbs, Fat with `{g} g left`; `{kcal} of {target} kcal eaten`, `+N pending`, `N to review`; "Fiber" `{v} / {g} g · {x} g to go`; "Stay under · today": Sat fat, Sugar, Sodium with `{a} / {max} {u} ·`

`{r} {u} room`; "Log a meal"; "Today's meals" timeline Breakfast / Lunch / Snack / Dinner, `Now · {time}`, "+ Log"; "Calories by macro" stacked bars with dashed targets; links "Meal history", "Food library", "Targets", "Share".

**Day**

## Nutrition

Day | 7 days | 30 days

‹ **Today** ›

560 kcal left

Protein 98 — **42 g left**

Carbs 182 — **78 g left**

Fat 51 — **19 g left**

1,640 of 2,200 kcal eaten · +1 pending

Fiber — **18 / 25 g · 7 g to go**

Stay under · today

- Sat fat — **14 / 20 g**
- Sugar — **32 / 50 g**
- Sodium — **2,160 / 2,000 mg**

Log a meal

**Today's meals**

1,640 kcal

Breakfast · 420 kcal

- Tapsilog, coffee — 420
  07:40 · P 32 C 48 F 14

Lunch · 780 kcal

- Chicken adobo, 2 cups rice — 780
  Review
  12:30 · P 44 C 104 F 22

Snack · 440 kcal


- Banana, peanut butter toast — 440
  16:10 · P 22 C 30 F 15

— Now · 18:20

Dinner · + Log

**Calories by macro**

The 7 days to this day · dashed lines are each macro's target, stacked to 2,200 kcal




**Protein** 24% avg 128 / 140 g · hit on 4 of 7 days

**Carbs** 49%

avg 248 / 260 g · within 10% on 6 of 7 days

**Fat** 27% avg 64 / 70 g · within 10% on 5 of 7 days

**7 days**

## Nutrition

Day | 7 days | 30 days

‹ **Last 7 days** ›

A day on average, over 6 logged days

170 kcal left

Protein 128 — **12 g left**

Carbs 248 — **12 g left**

Fat 64 — **6 g left**

Calories on target 5 of 6 days · protein hit 4 of 6

Stay under · daily average

- Sat fat — **17 / 20 g**
- Sugar — **41 / 50 g**
- Sodium — **2,240 / 2,000 mg**

**Empty** Both are the code's, word for word.

## Nutrition

2,200 kcal left

Protein 0 — **140 g left**

Carbs 0 — **260 g left**

Fat 0 — **70 g left**

No targets set — showing what you ate.

Set targets


**Where your calories come from starts here**

Log meals for a few days and this shows each day's calories split by protein, carbs and fat, against your targets.

Log a meal


Calories by macro






**Error**

The code has this frame for foods (nutrition-foods.tsx:99: "Couldn't load your foods" / "The server didn't answer. Your meals and saved foods are unaffected." / "Try again"); the same block here.




## Nutrition · Meal history, meal detail

`mobile/src/prototype/screens/nutrition.tsx:1102 · nutrition-meals.tsx:272 · route /nutrition/history · /nutrition/meals/[id]`

**Code prints:** History: "7 days" / "14 days" / "30 days"; "Calories on target", "Protein hit rate", "Over-target days", "Days logged"; "Logged under 80% of days — these stats are incomplete, not perfect."; day rows with "On target" / "Over" / "Under" / "No target" / "Not logged" and `{kcal}/{t} kcal · P`

{p}/{t} g ✓. Meal: "Review estimate" / "Queued photo" / "Meal"; High/Medium/Low confidence · N%; totals; "Items"; "Not quite right?" "Re-estimate"; "Duplicate to today", "Delete"; failed: "Couldn’t estimate this one".

**History**

## Meal history

7 days | 14 days | 30 days

71% Calories on target
57% Protein hit rate
2 Over-target days
7 of 7 Days logged

Tue 3 Nov — On target
1,640/2,200 kcal · P 98/140 g

Mon 2 Nov — Over
2,480/2,200 kcal · P 148/140 g ✓

Sun 1 Nov — Under
1,340/2,200 kcal · P 72/140 g

Sat 31 Oct — Not logged
—

**Meal detail**

## Review estimate

Medium confidence · 72%

780 kcal | 44 g Protein | 104 g Carbs | 22 g Fat

**Items**

Chicken adobo, 1 cup — 420 kcal
Rice, 2 cups — 360 kcal

**Not quite right?**

Re-estimate

Duplicate to today | Delete

**Estimate failed (code's error)**

The code's own error (nutrition-meals.tsx:363), drawn in the shared error block.

## Meal

**Couldn’t estimate this one**

Describe it in words, or enter macros manually. Nothing is saved until you confirm.

Enter macros manually

**Queued photo** · Estimating when online. Your photo is saved on this device…

Estimate now

**Empty**

## Meal history

**No meals logged in this range**

On-target stats appear once you log at least one day.

Log today

### Nutrition · Nutrient detail, targets

mobile/src/prototype/screens/nutrition-nutrient.tsx:138 (:208, :445, :541) · nutrition-targets.tsx:24 · route /nutrition/nutrient/[key] · /nutrition/targets

**Code prints:** Nutrient: value or "Not tracked", {x} room / "past it" / "reached" / "to go" / "over"; a day on average, over N logged days, limit {g}, under on h of j days; bars with a dashed limit; Top foods for {label} (5 then "Show all N foods"); "Meals with the most {label}" / "Per 100 kcal".

Targets: steppers Calories, Protein, Carbs, Fat; `P×4 + C×4 + F×9 = {n} kcal ✓ adds up.`; "Stay under" (Sat fat, Sugar, Sodium, "Fiber goal", "Soluble", "Insoluble"); "Help me pick" "Suggest"; "History"; "Save · effective today".


**Sodium (a limit)**

## Sodium

Day | 7 days | 30 days

**2,160 mg** past it

so far today · limit 2,000 mg · under on 3 of 7 days




**Top foods for sodium**

| | | |
|---|---|---|
| Instant pancit canton ×2 | 36% | **1,120 mg** |
| Soy sauce ×3 | 28% | **860 mg** |
| Pandesal ×4 | 17% | **540 mg** |

Show all 14 foods

**Targets**

## Macro targets

| | | | |
|---|---|---|---|
| Calories | − | 2,200 kcal | + |
| Protein | − | 140 g | + |
| Carbs | − | 260 g | + |
| Fat | − | 70 g | + |

P×4 + C×4 + F×9 = 2,230 kcal ✓ adds up.

**Stay under** — WHO defaults

| | | | |
|---|---|---|---|
| Sat fat | − | 20 g | + |
| Sugar | − | 50 g | + |
| Sodium | − | 2,000 mg | + |
| Fiber goal | − | 25 g | + |

**Help me pick**

From your body and goal. A starting point, not advice.

Suggest

✓ Save · effective today

**Empty**

The code's LockedPreview over its SAMPLE_MEALS data.

## Fiber

**Your fiber breakdown starts here**

Log a meal and this shows your fiber against your goal, the foods that gave the most of it, and the meals that gave the most for their calories.

Snap a meal




**Error**

The code shows this as an error toast; drawn as the shared block where the person is looking.

## Macro targets

**Enter targets within the supported range**

Calories from 500; protein from 30 g.

# Habits

## Habits · Habits home

`mobile/src/prototype/screens/habits-home.tsx:256 (:343, :365, :419, :467, :544, :590, :699, :726; RoutineProgress :73)` · route `/habits`

**Code prints:** "7d" / "30d" / "90d" / "Year"; ring `{n}%` "completion", `{+|-}{n}pt` "vs prev 30d"; "Perfect days", "Invested", "Skip rate"; "7-day rolling completion"; "Habits", "Routines", "Share"; "Reflection" › "What slipped": "Missed", "Broken streaks", "Worst day", `Lost a {n}-day {name} streak`, `Most`

`skipped: {name} ({n}× · {pct})`, `Below 50%: …`, or "Nothing slipped this period."; "Last 13 weeks" heatmap; "Ranking" (rate / streak / skip / name); "Time invested · 8 weeks"; "Routines" progress. Empty: "No habits yet".

**Loaded**

## Habits

7d | 30d | 90d | Year

86% completion

+6pt vs prev 30d

| 9 ▲2 | 14h ▲3 | 4% ▼1 |
|---|---|---|
| Perfect days | Invested | Skip rate |

**7-day rolling completion** 86%

Habits | Routines | Share

Reflection

**What slipped**

| 11 | 2 | Thu |
|---|---|---|
| Missed | Broken streaks | Worst day |

Lost a 19-day Read 20 pages streak Wed 28 Oct

Most skipped: **Meditate 10 minutes** (4× · 13%)

Below 50%: Stretch 38%

**Last 13 weeks**

each column = a week, oldest left

brighter = more done

**Ranking**

rate | streak | skip | name

1 📖 Read 20 pages before bed 128 — 98% best 128

2 🚶 Morning walk 100 — 95% best 112

3 💧 Drink water 41 — 90% 2% skip

4 🧘 Meditate 10 minutes — 64% 13% skip

5 🤸 Stretch — 38% 22% skip

**Clean period** The code's clean line.

## Habits

**What slipped**

| 0 | 0 | — |
|---|---|---|
| Missed | Broken streaks | Worst day |

Nothing slipped this period.

**Empty**

## Habits

**No habits yet**

Add a habit and check it off for a few days. Your completion rate, streaks and misses fill in below.

+ Add a habit


0% completion

Last 13 weeks

Time invested · 8 weeks

3h 20m

this week in timed habits




Morning reset

9 steps · 20m planned · 06:30




— 23 done — 3 abandoned — 2 missed



8% faster than plan | Stops at Shower (2×)

Error No error state in code.

## Habits

Couldn't load your habits

The server didn't answer. What you logged is safe on this phone.

Try again

---

## Habits · Habit detail

`mobile/src/prototype/screens/habit-detail.tsx:210 (:42 calendar, :179 RuleToday, :301, :332, :386, :428, :453, :459) · focus-kit.tsx:518` · route `/habits/[id]`

**Code prints:** "Target · {label}"; buttons "Mark done today" / "✓ Done today — undo" / `+ {step} {unit} · {v}/{target}` / "◉ Start timer", "Log…"; "Paused until {date} · {reason}" "Resume"; grid "Current streak" `{n}-day`, "Best streak", "30-day rate" (▲/▼), "Skip rate", "Missed (30d)", "On time" / "Done

(30d)", "Time (90d)"; "🏆 New best — this is your longest streak yet."; "Skipped today — streak kept"; "Time spent" (FocusTimeCard); "Calendar" (done, partial, skipped, missed, paused, bonus); "Weekly completion · 12 weeks"; "Broken streaks"; "In routines"; "Recent logs" (10).

**Loaded, new best**

Read 20 pages before bed

📖 Every day · 21:30 · Target · 20 pages

✓ Mark done today  Log…

128-day
Current streak

128
Best streak

98% ▲4
30-day rate

1%
Skip rate

0
Missed (30d)

91%
On time

New best — this is your longest streak yet.

**Calendar**

‹ November 2026 ›

S M T W T F S

● done ◐ partial – skipped ✕ missed · paused · bonus

**Weekly completion · 12 weeks**

12w ago  this week

**Recent logs**

✓ Tue, Nov 3 · 22 pages
21:40 · via Fern · “the Murakami one”
Done

✓ Mon, Nov 2 · 20 pages
22:05 · via Today
Done

– Sun, Nov 1 · skipped
Travel
Skipped

**Paused, screen-time rule**

RuleToday (:179) and the paused card (:332), from the code.

No phone after 22:00

Paused until Wed, Nov 5 · Travel
Resume

18m
At most 30 min of Social
Completes itself when the day ends within the limit.

**Empty**

The code's empty lines. Not found: "Habit not found".

Stretch

**Recent logs**

S M T W T F S

No logs yet — check it off from Today or tell Capture.

**Time spent**

Time you spend on this with the focus timer adds up here.

**Error**

No error state in code. Habit form save failure is a toast: "Couldn't save — your changes are kept. Tap Save to retry."

Habit

⚠ **Couldn't load this habit**

The server didn't answer. What you logged is safe on this phone.

Try again

## Habits · Routines, routine detail and summary

`mobile/src/prototype/screens/routines.tsx (:134, :285, :649, :809)` · route

`/habits/routines · /habits/routines/[id] · …/summary`

**Code prints:** "Active" / `Archived · {n}`; cards with a 7-dot week and `Last: {Wed} · ✓ {duration}`, abandoned `{cur}/{n}`, "Never run", "Start". Detail: `{n} steps · {m} min planned`; "Start routine" / `Resume · step {n}/{total}` / `Done today in {duration}`; "Completion 30d", "Pace vs plan", "Runs 30d"; "You usually run {n}% over plan — consider raising the planned minutes."; "Steps" with −/+ minutes; "Last runs" (7). Summary: `{name} done!`, "Steps done", "Actual", "vs planned", "🏆 Fastest this month". Empty: "Stack habits into one guided flow".

**Detail**

## Morning reset

Every day · 06:30 · Change · 9 steps · 20 min planned

→ Start routine

| 82% | 8% faster | 23 |
|---|---|---|
| Completion 30d | Pace vs plan | Runs 30d |

**Steps** + Add step

| | | |
|---|---|---|
| 10 minutes of stretching | − 10m + |
| Shower | − 5m + |
| Make the bed | − 2m + |
| Plan the day | − 2m + |
| **Total** | **20 min** |

**Last runs**

| | |
|---|---|
| Tue, Nov 3 | 9/9 done · 18:42 vs 20:00 |
| Mon, Nov 2 | Abandoned at 6/9 |
| Sun, Nov 1 | 9/9 done · 19:10 vs 20:00 |

**Error**

No error state in code. Not found: "Routine not found".

## Routines

**Couldn't load your routines**

The server didn't answer. What you logged is safe on this phone.

↻ Try again

**Summary (win)**

## Morning reset

### Morning reset done!

| 9/9 | 18:42 | 1:18 under |
|---|---|---|
| Steps done | Actual | vs planned |

🏆 Fastest this month

**Steps**

| | |
|---|---|
| 10 minutes of stretching | 10:05 of 10m |
| Shower | 4:50 of 5m |
| Make the bed | 1:45 of 2m |

Share ✓ Done

**Empty**

Code: "Stack habits into one guided flow" with "Build Morning routine". The detail line is a draft. Steps empty: "No steps yet" / "Every step is a habit, so each one is tracked."

## Routines +

Active | Archived · 0

### Stack habits into one guided flow

A routine plays its habits in order with a timer for each.

+ Build Morning routine

Morning reset

Never run

# Tasks

## Tasks · Tasks and task stats

`mobile/src/prototype/screens/plan.tsx:566 (TaskPlanPanel :109, DoneView :504) · task-stats.tsx:73 · task-lists.tsx:291 · route /tasks · /tasks/stats`

**Code prints:** Ring `{done}/{count}`, `{n} left today` / "Today's clear", `{n} overdue`, `{n}-day streak`; tabs "Today" / "Next" / "Late" / "Done" / "Lists"; "OVERDUE · {n}" "Triage" (3 then `+{n} more overdue`), "Due today · {n}", "DONE TODAY · {n}"; Late: `{n} slipped`, `{n} reschedules this week`. Stats: "FOLLOW-THROUGH RATIO", "Tasks finished per task that slipped (late counts half)", the formula line, ring "on time"; "Tasks done", "On-time rate", `Done`

`streak · best {n}`, "Clear days"; "Trend · {range}"; "Honest reflection" (`{n} overdue now`, "Reschedules", "Avg lateness", "MOST PUSHED" top 3); "Last 12 weeks" heatmap; "By list".

**Today**

## Tasks

4/9

**5 left today**

3 overdue · 6-day streak

Today | Next | Late | Done | Lists

Overdue · 3 — Triage

- ○ Send the October invoice to Northwind Logistics
  Mon · Work
- ○ Renew passport
  Sun · Life
- ○ Book the dentist
  Sat · Life

Due today · 6

- ○ Pay rent ★
  12:00 · Life
- ○ Buy groceries
  Groceries · 6
- ○ Reply to Ana about Saturday
- ✓ ~~Call the bank~~

+2 more

**Stats**

## Task stats

Week | Month | 90 days

Follow-through ratio

**2.4**

Tasks finished per task that slipped (late counts half)
**(28 on-time + ½×6 late) ÷ (3 overdue + 10 pushed)**

82% on time


**34** ▲ 9
Tasks done

**82%** ▲ 6pt
On-time rate

**6-day**
Done streak · best 14

**5/7**
Clear days

Trend · this week




**Honest reflection**

3 overdue now ›

Always visible, never hidden. Tap to sort them out.

**10**
Reschedules


**1.4d**
Avg lateness

Pushed 10× this week. Avg 0.29 pushes per finished task. Lateness uses the original due date.

Most pushed

| | |
|---|---|
| Renew passport | 4× |
| Book the dentist | 3× |
| Clean the fridge | 2× |

Last 12 weeks



By list

| | |
|---|---|
| Work | 18 |
| Life | 11 |
| Groceries | 5 |

**Empty**

Both are the code's (the second is the Done tab, with its own samples).

## Tasks

**Dump everything on your mind**

One line per thought, or tell Fern. Pick a list or leave it in the Inbox.

+ Add your first tasks

○ Task

○ Task

**Nothing done in the last two weeks**


Tick a task and it lands here with the time you finished it. Tap its tick again to reopen it.

+ See today's tasks

✓ ~~Pay the electric bill~~

✓ ~~Take vitamins~~

Error No error state in code.





## Journal

### Journal · Journal

`mobile/src/prototype/screens/journal.tsx:422 (stats :476, MoodTrend :236) · ui.tsx:511`
`usePaged` · route `/journal`


**Code prints:** "Streak" `{n}d`, "This week", "Entries"; 28-day grid "Last 4 weeks"; "Mood · 8 weeks" (Rough, Meh, Okay, Good, Great; average and ▲/▼), the distribution row; "Talk it out", "Write"; search "Search entries and #tags"; day groups of entries (source, time, mood, area, 3 lines, #tags); "Voice entry · transcription pending" / "Transcribe again"; 15 day-groups then 30 more. Empty: "Your journal is empty". Mood marks drawn in the brand's leaf line (the code shows emoji icons): Rough wilts, Meh curls, Okay levels, Good lifts, Great opens.

**Loaded**





**Empty**

Code copy; "Write" is the screen's own button. Filtered: "No entries match" / "Try another word or area."




**Error (the code's one)**

The code shows `dictationMessage(err)` then "Transcribe again" (the only error on this screen); the heading is a draft.




# Focus

## Focus · Focus timer

`mobile/src/prototype/screens/focus-timer.tsx:54 (:538, :600, :645) · focus-kit.tsx:123 / :345 · route /focus`


**Code prints:** "Pomodoro" / "Stopwatch"; "25/5", "50/10", "90/20", "Custom"; "What are you working on?" "Pick"; ring with the clock and `Focus · set n of N` / "Short break" / `Paused · set n`; "+5m", Pause, End; "This session · {hm} focused", "No pauses"; "Today" `{hm} / {goal}`, `{hm} to your daily goal` / "Daily goal reached"; "Today's timeline", "Log a past session", "Focus stats"; timeline blocks, "No focus {a}–{b}"; "Safe to lock your phone or close the app: the timer keeps time from when each block started."; "Daily focus goal reached"; "Session done"; "End this session?".

**Running**





**Goal reached**

The code's MomentCard copy, with the kit's goal badge.





**Idle, nothing today**

Empty timeline is the code's dimmed 5–6 AM grid.




**Error** No error state in code.




# Plan


## Plan · Plan tab (Tasks, Habits, Calendar)

`mobile/src/prototype/screens/plan.tsx:574 (HabitPlanPanel :603, CalendarPanel :844) · route /plan`


**Code prints:** Tabs "Tasks" / "Habits" / "Calendar". Habits: "This week", 7 day rings `{done}/{due}`, "Today" with "Edit day", items by time, "Routine · {n} steps · {m}m"; "Nothing scheduled — rest day."; "Manage". Calendar: "November 2026", M / W, dots per module and money marks (+ income, – bill, ⇄

transfer), filter chips, day parts "Early morning", "Morning", "Afternoon", "Night" with "NOW" and `done/n`, "Anytime"; "Nothing scheduled" / "Free day — add a task or let it breathe."; `Bills & paydays · {day}` "Paid" / "Overdue" / "Due" / "Scheduled".

**Habits week**





**Calendar**





**Empty**

The code's empty lines; habits: "Nothing scheduled — rest day."




**Error** No error state in code.




## Me

### Me · Me tab

`mobile/src/prototype/screens/me.tsx:65 (:135 profile)` · route `/me`


Code prints: Profile card (avatar, name, handle, `{score} Life Score`, flame `{n} streak`, identity chips “`{text}`” with a goal bar or "Link a goal →"); "Apps"; "Not installed" / "Reminders are off" with "Fix"; "Progress": "Stats", "Social profile", "Goals" `{n} active`, "Trophy case", "Reviews", "Share a card" "Story or post, no amounts ever", "Journal"; "Setup": "Sections & settings", "Life Score weights", "Notifications", "Day & time", "Appearance", "AI &

connector", `What {companion} remembers`, "Privacy mode" "Blur every money amount"; "Sections"; "App": "Account & security", "Run setup again", "Sign out"; footer "Unfurl".

**Loaded**

**Error**

No error state in code. "Re-upload this phone's data" fails with a toast: "Not signed in to the server".



The footer uses the flat Unfurl mark; Fern appears only as the companion name ("What Fern remembers"), from the code's `{companion}`.

# Me

KR

**Kai Reyes**
@kai.reyes
**82** Life Score · 12 streak

"I show up every day" **86% · Habits ≥ 80%**

"I'm someone who trains" **4 · Workouts ≥ 4 / wk**

**Reminders are off** · Notifications: denied
Fix

## Progress

- **Stats** — Life score, trends and reviews
- **Goals** — 3 active
- **Trophy case**
- **Reviews** — Weekly & monthly
- **Share a card** — Story or post, no amounts ever
- **Journal** — Wrap-up & review reflections

## Setup

- **Sections & settings**
- **Life Score weights**
- **Notifications** — Blocked
- **Day & time** — Day starts 04:00 · Evening 21:00 · Asia/Manila
- **Appearance** — Follows system · dark now
- **What Fern remembers** — 128 memories
- **Privacy mode** — Blur every money amount

## App

- **Account & security** — Email, password, export, delete account
- **Run setup again** — Accounts, habits, training, tasks — pick up where you left off
- **Sign out** — Signed in as kai@example.com

Unfurl


## Me · Trophy case, goals, reviews

`mobile/src/prototype/screens/dash-achievements.tsx:263 · dash-goals.tsx:270 (GoalEditor :49) · missed-goals.tsx:15 · dash-reviews.tsx (:84, :207, :244)` · route `/stats/trophies · /stats/goals · /stats/reviews · /stats/reviews/[id]`


**Code prints:** Trophies: tiles "RECORDS", "MILESTONES", "BESTS", "HIT", "FIRSTS" `{earned}/{total}`; sections `{label} · {earned} / {total}`; earned cards (red "NEW" in code, value, title, date) and locked cards (requirement, progress). Goals: `In play · n`, `Hit · n`, `Archived · n`; "Missed {period}: …" "Ended at {value}"; rows with " ✓"; "Goal archived" + Undo; "No goals yet". Reviews: "Weekly" / "Monthly", `{n} pending — reviews auto-archive after 2 days but stay here.`, rows "Ready to review" / "Reviewed"; detail "Life Score", "On-target rate", "On-target days", per-module card, "Wins" (`Best day: {day} — {done}/{due} done`), "Misses & leaks · top 3" "Recover", "AI summary", "Reflection", "Next focus", "Mark done".

### Trophy case

"New" is drawn in blue (information), not the code's red (flag: G-X-051).





### Goals





### Review

The AI summary is the code's template (useReviewDigest :207); Fern says it, as the brand kit's weekly review does.




**Empty**

Code copy. Other empties: "Nothing hit yet this period", "Every active goal is hit" / "Raise the bar or set a new one.", reviews "All caught up. ✓", wins "A quiet one. Showing up is the target."




**Error**

No error state in code. Not found: "Review not found" with "All reviews".





## Stats

## Stats · Misses & leaks

`mobile/src/prototype/screens/dash-achievements.tsx:49` · route `/stats/misses`


**Code prints:** "7d" / "30d" / "90d" / "1y"; the count, `misses · last {n}d`, delta "vs prior", per-area tiles; "Noted misses drop out of the count but stay listed. They still count against on-target rate."; filter "All" + areas; `{Area} · n` sections; rows with "→ Today", "Note" / "Edit note", "Open ›"; sheet "Add a note" ("Sick", "Rest day", "Travel", "Work ran late", "Chose not to", "Or say why in a few words", "Clear", "Save note"). Empty: "No misses in this range".

**Loaded**





**Add a note**


The code's sheet; the quick chips end with "Chose not to" (no Other: the free-text field covers it).




**Empty**




**Error** No error state in code.




# 2c · Flows and sheets

The share composer and its privacy check, each share screen's options, and the Stats sheets, drawn in the phone shell.


## Share composer

`mobile/src/prototype/share-kit.tsx:878 (carousel :1073, actions :1177, Size :1224, Background :1239, photo :1301, caption :1396) · screens/dash-share.tsx:752`


Carousel of the screen's layouts (others at 45% and 94% scale), the selected label and dots; "Post" and "Story" (social only), "Save", "Caption", "More"; "Size" Story / Post 4:5 / Square; "Background" Fern, Dusk, Dark, Light, Colour, Photo, Sticker; then the screen's own toggles ("Show on card"), the shield note and "Share".





**Composer**




**Show on card**




**Privacy check**





Caption and errors


## Per-screen share options

`screens/habit-share.tsx:426 · task-share.tsx:290 · journal-share.tsx:166 · nutrition-share.tsx:213 · fitness-share.tsx:368`


The section that sits under the composer on each share screen, word for word.




Habits




Tasks




Food and workout

9:41

Post your workout?

Sat 1 Nov

Push day

14,250 kg

↑ 8% vs last push

1 h 12 m Time · 24 Sets · 2 Records

Barbell bench press 4 sets · 2,640 kg

Seated dumbbell shoulder press 3 sets · 1,440 kg

+3 more

unfurl 12-week streak

Post

Not now

Nothing to share yet · Finish a workout to make a card.

**Workout done**

## Stats sheets

`screens/stats-home.tsx:709 (All metrics), :1322 (Life Score weights) · dash-goals.tsx:49 (GoalEditor) · dash-metric.tsx:47`

"All metrics" lists every metric per area; "Life Score weights" edits each area's weight (0 to 5); the goal editor sets a metric, at least / at most, week / month and a target.

9:41

### All metrics

Habits

Done this week 86%

Best current streak 41d

Perfect days, 7d 5

Finance

Spent, 7 days ₱18,460

Savings rate 22%

Fitness

Workouts this week 4/4

Volume, 7d 14.3 t

**All metrics**

9:41

### Life Score weights

Life Score = weighted mean of each area's rate over the range. Weights are relative — only their ratio matters. Now: 82

| | | |
|---|---|---|
| Habits rate 88% | − | 2 + |
| Tasks rate 71% | − | 1 + |
| Fitness rate 90% | − | 2 + |
| Nutrition rate 72% | − | 1 + |
| Focus rate 64% | − | 1 + |
| Finance rate 88% | − | 1.5 + |

Reset weights

**Life Score weights**

Code uses a numeric field capped at 5; drawn with − / + (entry rule).

9:41

### Set a goal

Pick a metric, a target and a period. Progress shows on Today and Stats.

Savings rate
Finance · now 17% this month

At least ≥ | At most ≤


Week | Month

Target − 20% +

Suggested: last period +10%, rounded.

Cancel Save goal

**Set a goal**




**Delete and unknown**
The code's confirm and Undo toast.

## 3 · Onboarding flow

The order a new person sees, in the default prototype mode: Welcome → seven questions before the account (`/get-started`) → Create account → email code → Protect your plan → Day 1 → Setup → Today. Gating: `app/(sop)/_layout.tsx:197` sends every path to `/onboarding` until `dashStore.onboarded`, with no tab bar and no Fern button; answers are saved to the `onboarding-draft` store, so the flow resumes after a restart.

### Is a longer, more emotional onboarding good for us? (research, 3 Nov 2026)

**Short answer:** length on its own doesn't convert. Questions that build a visible plan, and a commitment the person makes, do. Unfurl has no paywall yet (`docs/15-pricing-monetization.md` is still the blank template), so the "people pay more after a long quiz" effect has nothing to act on today. Our conversion point is the account step after the Pledge.

| Claim | What the evidence actually shows | Strength |
|---|---|---|
| Long quizzes make people pay more (Noom, Cal AI, QUITTR) | Teardowns describe 29 screens (Cal AI) to 113 screens (Noom), each ending in a personal result just before the paywall. The "more questions raised conversion" line is a founder's remark, passed on second-hand. No public test isolates quiz length. | Anecdote, vendor content |
| Length is normal in the category | Mobbin counted 1,460 flows: a mean of 25 screens, Health & Fitness 35.8 and Finance 40.1. Of apps that put a paywall in onboarding, 71% ask nothing about the person; the 6% that ask run the longest flows. These are counts, not conversion figures. | Descriptive data |
| Effort raises value (the "IKEA effect") | Norton, Mochon & Ariely (2011): people valued things they built themselves more, but only when they finished them. The effect disappeared when the effort failed. | Peer-reviewed, replicated |
| Showing the work raises value ("Building your plan…") | Buell & Norton (2011, *Management Science*): people valued a service more when they could see it working, even if that made the wait longer. | Peer-reviewed |
| Long flows have a cost | Drop-off rises with every screen. Vendors put it at 10–20% per screen; that figure is unverified. Teardowns also report "I thought it was free" complaints and refunds when a quiz runs straight into a price. A thesis on a live productivity app found better onboarding raised activation but left retention flat. | Mixed; directional |

**What this means for Unfurl (decision 13):**


- **Keep:**
  - Identity, Pace and When feed the plan the person sees.
  - "Building your plan…" and "Hold to commit" are the labor-illusion and commitment steps the research supports.
- **Don't lengthen for its own sake.** Each question must change something the person sees next. "About you" (job, how you heard) changes nothing they see. It is already skippable; move it after the account, or into Me.
- **Make Setup skippable** (drawn below). Setup is data entry after the account. Leaving it is safe because Today's "Finish setting up" nudge brings it back.
- **When a paywall exists:**
  - put it after the plan screen and A/B test length there;
  - keep the price and trial plain, to avoid the "I thought it was free" refunds;
  - keep the emotional questions honest: no loaders that only pretend to work, and no reassurance that ignores the answer given.

Sources: Mobbin, 1,460 flows · ASOitis, Cal AI / QUITTR / Glowly · RevenueCat, Noom teardown · PaywallPro, 15 patterns · Norton, Mochon & Ariely, the IKEA effect · Buell & Norton, the labor illusion · DiVA thesis, onboarding vs retention · Glance, per-screen drop-off

## Before the account `/welcome → /get-started`

Welcome opens the app. Its main button, "Get started", goes straight into onboarding (`app/get-started.tsx` renders `<Onboarding phase="pre" />`,


steps PRE_ACCOUNT in onboarding.tsx:73). Nothing asks you to sign in first; "I already have an account" and Apple / Google are for returning people.




**1 · Welcome · slide 1 of 3**

`mobile/src/prototype/screens/auth-welcome.tsx:389 · route /welcome`


Logo: the Wordmark (flat fiddlehead in primary + "unfurl", auth-kit.tsx:104). Fern appears only inside the slide art, drawn as the C1 wreath sprite (the code still draws the older orb). Slides advance every 5 s until touched; not under reduced motion.




**1 · Welcome · slide 2 of 3**

`mobile/src/prototype/screens/auth-welcome.tsx:389`


Same screen; the art is a "Today" card.





**1 · Welcome · slide 3 of 3**

`mobile/src/prototype/screens/auth-welcome.tsx:389`


Last slide; auto-advance stops here.





**2 · Identity**
`mobile/src/prototype/screens/onboarding.tsx:419 (config :234) · route /get-started`
Pick up to 3; the rest drop to 40%. Stored: identities. Button reads "Pick at least one" (disabled) until one is picked. Every step's hero is the icon in a hand-drawn ring (the code draws a gradient tile); progress is a vine with a leaf per finished step.





**3 · About you (skippable)**
`mobile/src/prototype/screens/onboarding.tsx:477`
Pills are single-choice (tap again clears). A detail field appears only for "A friend" or "Other". "Skip" clears all four answers.





**4 · Modules**
`mobile/src/prototype/screens/onboarding.tsx:517`
All on except Screen time. "Next" is disabled when nothing is on. Stored: enabled.





**5 · Targets**
`mobile/src/prototype/screens/onboarding.tsx:592`
Gentle values: 60, 70, 2, 60, 3, 10, 240 (one row per enabled module; six shown). Typing a number clears the pace. Stored: pace, targets. Drawn as plain number fields, as the code describes them; the entry rule asks for – and + (see Decisions).




**6 · When**
`mobile/src/prototype/screens/onboarding.tsx:721`
Stored: pushMorning, pushEvening.




**7 · Building your plan (no tap)**
`mobile/src/prototype/screens/onboarding.tsx:754`
Four lines light up 650 ms apart, then it moves to Pledge on its own. No progress segment of its own; Back from Pledge skips it. Drawn mid-way.




**8 · Pledge**


`mobile/src/prototype/screens/onboarding.tsx:772`

"Hold to commit" reads "Keep holding…" while pressed and advances after 1.2 s (drawn mid-hold). Code label "WHO I'M BECOMING" drawn in sentence case (ADR-0019).

## The account, made last

/get-started (last step) → /verify-email


After the Pledge, the same route shows the account form; the email code confirms it.




### 9 · Create account

`mobile/src/prototype/screens/auth-sign-up.tsx:177 (same route /get-started)`

AuthScreen frame, no progress bar. Next: /verify-email; Apple or Google skips to /onboarding. Errors include "@x is already taken", "Enter a valid email, like name@example.com", "Please accept the terms to continue".





### 10 · Verify email

`mobile/src/prototype/screens/auth-verify.tsx:31 · route /verify-email`


Six digits submit themselves when full. After success ("You're verified", "Setting up Unfurl…") it waits 1.1 s and goes to /onboarding.

## After the account `/onboarding → /setup → /today`


Steps `POST_ACCOUNT` (onboarding.tsx:83), then Setup, then Today with the tab bar.





**11 · Protect your plan**
`mobile/src/prototype/screens/onboarding.tsx:841 · route /onboarding`
First step after the account: no back, no header links, swipe-back off. The main button calls enableReminders() (the iOS notification prompt) and advances whatever the answer.




**12 · Day 1**
`mobile/src/prototype/screens/onboarding.tsx:891`
Back goes to step 11.





**13 · Setup hub (skippable)**
`mobile/src/prototype/screens/setup.tsx:184 · route /setup`
Proposed (Kai, 3 Nov): skippable on the first run too. The code already has "I'll finish later", the hub line " Skip anything — it waits here until you're ready." and `Skipped · {time}` rows, but shows them only on later runs. Drawn after Finance is done and Fitness skipped.




**14 · Today, after skipping Setup**

`mobile/src/prototype/screens/today.tsx:1885 (setup nudge)`


"I'll finish later" lands on Today with the tab bar; the code's own nudge brings Setup back (`{n} steps done · next: {module}`), and each skipped section keeps its LockedPreview until set up.




**13a · Setup · Finance**

`mobile/src/prototype/screens/setup.tsx`


Accounts are ticked rows with an editable name and "balance ₱". The projection fields are optional. Button "Add N accounts".





**13b · Setup · Habits**

`mobile/src/prototype/screens/setup.tsx`

The pill emoji are the code's starter set (ADR-0030 allows emoji only on a person's own habit icons).




**13c · Setup · Fitness**
`mobile/src/prototype/screens/setup.tsx`
Sessions per week is a 2–6 choice.




**13d · Setup · Nutrition, question 1 of 7**
`mobile/src/prototype/screens/nutrition-plan.tsx:79 (QUESTION :41) · shared/prototype/fitness/plan.ts:40`
Full-width 56 pt choices.




**13d · Setup · Nutrition, question 2 of 7**
`mobile/src/prototype/screens/nutrition-plan.tsx:79 (QUESTION :41) · shared/prototype/fitness/plan.ts:40`

9:41

Skip

## Your daily targets

Your calories and macros, worked out from your body and goal. Adjust anything.

3 of 7

### How tall are you?

cm | ft

175 cm

→ Continue

‹ Back

**13d · Setup · Nutrition, question 3 of 7**

`mobile/src/prototype/screens/nutrition-plan.tsx:79 (QUESTION :41) · shared/prototype/fitness/plan.ts:40`

9:41

Skip

## Your daily targets

Your calories and macros, worked out from your body and goal. Adjust anything.

4 of 7

### What do you weigh?

kg | lb

72.5 kg

Skipped when there is already a weigh-in.

→ Continue

‹ Back

**13d · Setup · Nutrition, question 4 of 7**

`mobile/src/prototype/screens/nutrition-plan.tsx:79 (QUESTION :41) · shared/prototype/fitness/plan.ts:40`

9:41

Skip

## Your daily targets

Your calories and macros, worked out from your body and goal. Adjust anything.

5 of 7

### How active are you?


- Mostly sitting
- Light exercise 1–3 days/wk
- Exercise 3–5 days/wk
- Hard exercise 6–7 days/wk
- Physical job + training

→ Continue

‹ Back


**13d · Setup · Nutrition, question 5 of 7**

`mobile/src/prototype/screens/nutrition-plan.tsx:79 (QUESTION :41) · shared/prototype/fitness/plan.ts:40`




**13d · Setup · Nutrition, question 6 of 7**


`mobile/src/prototype/screens/nutrition-plan.tsx:79 (QUESTION :41) · shared/prototype/fitness/plan.ts:40`




**13d · Setup · Nutrition, question 7 of 7**

`mobile/src/prototype/screens/nutrition-plan.tsx:79 (QUESTION :41) · shared/prototype/fitness/plan.ts:40`


Last question: "See my plan" with a value, "Skip and see my plan" without.





**13d · Setup · Nutrition, building your plan**

`mobile/src/prototype/screens/nutrition-plan.tsx:393`


Then the steppers screen. Warn notes such as "Below what your body burns at rest" appear beside a stepper when a value is off.





**13d · Setup · Nutrition, your plan**
`mobile/src/prototype/screens/setup.tsx`
After "Building your plan…" (resting burn, activity, calories for your goal, the protein/carbs/fat/fiber split). Steppers per target; values are the worked example.





**13e · Setup · Focus**
`mobile/src/prototype/screens/setup.tsx`
Stepper for hours; Pomodoro choice with a description line.





**13f · Setup · Screen time**
`mobile/src/prototype/screens/setup.tsx`
"Not now" turns the module off and shows the toast "Screen time is off. Turn it on anytime in Settings." After a denial the button reads "Try again". Copy from setup.tsx:634.




**13g · Setup · Tasks**
`mobile/src/prototype/screens/setup.tsx`
Dates like "friday" are parsed. One task per line.




**13h · You're all set**
`mobile/src/prototype/screens/setup.tsx:184`
"Go to Today" calls setOnboarded(true) and replaces the screen with /today.





**14 · Lands on Today**
`mobile/src/prototype/screens/today.tsx:1786 · tab bar app/(sop)/_layout.tsx:55`
The tab bar and the Fern button appear for the first time. First-day cards: "Your first week" and the plan.

## Side branches: signing in and passwords

/login · /recover-password · /reset-password


For a returning account, a forgotten password, and the rare username clash after the email code.




**S1 · Sign in**

`mobile/src/prototype/screens/auth-sign-in.tsx · /login`


A returning account goes straight to /today. Wrong password: ErrorBanner with "Reset your password".




**S2 · Forgot password**

`mobile/src/prototype/screens/auth-forgot.tsx · /recover-password`


Then "Check your inbox" (next frame).





**S3 · Check your inbox**

`mobile/src/prototype/screens/auth-forgot.tsx`

No mail app: toast "No mail app found" / "Open your email from your phone's home screen."




**S4 · Set a new password**
`mobile/src/prototype/screens/auth-reset.tsx · /reset-password`
Done: "Password updated" / "Your password has been changed. Sign in with your new password to continue." / "Back to sign in".




**S5 · Choose another username**
`mobile/src/prototype/screens/auth-sign-up.tsx:90`
Only when the username was taken while the email code was being confirmed.

### Side branches

| Branch | Source | What it does |
|---|---|---|
| Sign in | `mobile/src/prototype/screens/auth-sign-in.tsx · /login` | "Welcome back" / "Sign in to pick up where today left off." Email, Password, "Remember me", "Reset your password", "Sign in", Apple, Google. A returning account goes straight to /today and skips onboarding. |
| Recover and reset password | `mobile/src/prototype/screens/auth-forgot.tsx · auth-reset.tsx` | Routes /recover-password and /reset-password. |
| Username taken while verifying | `mobile/src/prototype/screens/auth-verify.tsx:31 → /signup` | "Choose another username", "Your email is verified. Someone took your username while you were confirming it, so pick another to finish.", field "Username", "Continue". |
| Connected mode | `mobile/src/app/index.tsx:11 · app/_layout.tsx:37` | With EXPO_PUBLIC_APP_MODE = "connected", / goes to /login and /welcome, /get-started, /verify-email all redirect to /login. Everything above is the default (prototype) mode. |

### Not in the code (checked by grep)

- No health, HealthKit or location permission step (health-connect.tsx exists but is outside this flow).
- No first Fern message or chat step. Fern is only the Orb in Welcome slides 1 and 3; the Fern button is hidden until onboarding ends.
- No profile photo or avatar step.
- The "welcome" step ("Your life, one dashboard" / "Build my plan" / "About 90 seconds") and the "install" step ("Keep your plan one tap away") are defined in the configs but are in no phone step list, so they never show.
- The logo appears only on Welcome.

## Long data


The busiest card of each kind with the longest names and seven-digit figures. Names wrap, numbers keep their separators, and rows past the room drop into "+N more".





Long data **Workout summary**

Post 4:5 · Fern ground

**Finance card** seven-digit money, long names




**Tasks card** long titles wrap; nothing truncates




## Sources

| Section | Files (under `mobile/src/prototype/` unless noted) | Drawn |
|---|---|---|
| 1 · Share-card library | `mobile/src/prototype/share-kit.tsx (CardFrame :727, BACKDROPS :74, cardInk :136, ShareComposer :878) · screens/habit-share.tsx:98 · task-share.tsx:110 · journal-share.tsx:64 · nutrition-share.tsx:49 · fitness-share.tsx:109 · dash-share.tsx:288 · shared/prototype/dash/share-data.ts:23 · finance-review.tsx:589 · share-format.ts · tests __tests__/share-cards.test.tsx` | 19 card layouts in 6 components, drawn as 45 frames (win, miss, area and size variants). Win designs reuse the approved brand-kit cards (kit p2-cards.js). |
| 2 · Dashboard and data cards | `screens/today.tsx (:296, :715, :928, :1088, :1237, :1271, :1363, :1600, :1786) · today-stats.tsx · weekly-review-card.tsx:22 · daily-strips.tsx · calendar-card.tsx:24 · weather-card.tsx · mood-check-in.tsx · app-launcher.tsx · social/today-card.tsx · sleep-card.tsx:45 · stats-home.tsx (:98, :177, :389, :486, :791, :1072, :1087, :1144, :1201, :1233) · patterns-card.tsx:61 · screen-card.tsx:207 · dash-metric.tsx:88 · locked-preview.tsx:12 · deferred.tsx:68 · chart.tsx · visual.tsx · native-kit.tsx:435` | 29 cards (16 Today, 12 Stats, 1 unused), each in loading, empty, few, 10+ and error. |
| 2b · Area screens | `screens/finance-home.tsx · finance-home-cards.tsx · finance-report-cards.tsx · finance-reports.tsx · finance-budgets.tsx · finance-accounts.tsx · finance-account-card.tsx · finance-projection.tsx · finance-planned.tsx · finance-review.tsx · finance-records.tsx · finance-charts.tsx · fitness-train.tsx · fitness-stats.tsx · fitness-body.tsx · fitness-workouts.tsx · fitness-exercises.tsx · fitness-runs.tsx · steps-card.tsx · steps-detail.tsx · sleep-card.tsx · sleep-detail.tsx · health-connect.tsx · nutrition.tsx · nutrition-meals.tsx · nutrition-nutrient.tsx · nutrition-targets.tsx · nutrient-limits.tsx · habits-home.tsx · habit-detail.tsx · routines.tsx · focus-kit.tsx · plan.tsx · task-stats.tsx · journal.tsx · focus-timer.tsx · me.tsx · dash-achievements.tsx · dash-goals.tsx · missed-goals.tsx · dash-reviews.tsx` | Finance (9 screens), Fitness (6), Nutrition (3), Habits (3), Tasks, Journal, Focus, Plan, Me and its Stats screens: each drawn loaded, empty, at volume or in a key variant, and with the error block. |
| 2c · Flows and sheets | `share-kit.tsx:878 · screens/dash-share.tsx:752 / :905 · habit-share.tsx · task-share.tsx · nutrition-share.tsx · fitness-share.tsx · stats-home.tsx:709 / :1322 · dash-goals.tsx:49 · dash-metric.tsx:47 · nutrition-foods.tsx:99 (the error pattern)` | Share composer, show-on-card options, privacy check, caption, toasts; All metrics, Life Score weights, Set a goal, delete confirm. |
| 3 · Onboarding flow | `app/index.tsx:11 · app/_layout.tsx:37 · app/(sop)/_layout.tsx:197 · screens/auth-welcome.tsx:389 · auth-kit.tsx:104 · onboarding.tsx (:234, :419, :477, :517, :592, :721, :754, :772, :841, :891) · onboarding-draft.ts · auth-sign-up.tsx:177 · auth-verify.tsx:31 · setup.tsx:184 · auth-sign-in.tsx · session.ts:309 · shared/prototype/dash/data.ts:320` | 14 steps in 25 phone frames (3 Welcome slides, 7 Setup sub-steps), plus 4 side branches. |