CS 61B   Discussion 7 Exam Prep Spring 2017

1 Syntax Mastery (Spring 2015 Final Q5)

Give the output of `main`. You may not need all lines.

```java
public class Sklarp implements Iterable <Character>, Iterator <Character> {
    public char[] contents;
    public char magicCharacter;
    public int k;
    public Sklarp(char[] s, Character c) {
        contents = s;
        magicCharacter = c;
        k = 0;
    }
    public Iterator <Character> iterator() {
        return this;
    }
    public boolean hasNext() {
        return k < contents.length;
    }
    public Character next() {
        if (k % 3 == 0) {
            contents[k] = magicCharacter;
        }
        char returnChar = contents[k];
        k += 1;
        return returnChar;
    }
    public void remove() {
        throw new UnsupportedOperationException();
    }
    public static void main(String[] args) {
        Sklarp g = new Sklarp("Zeoidei".toCharArray(), 'r');
        for (Character c : g) {
            System.out.print(c);
        }
        System.out.println();
        for (Character c : g) {
            System.out.print(c);
        }
        System.out.println();
    }
}
```

_____

_____

_____

2   That Asymptotics Problem (Spring 2016 MT2 Q9)

For each of the pieces of code below, give the runtime in $\Theta(\cdot)$ notation as a function of N. Your answer should be simple, with no unnecessary leading constants or unnecessary summations.

```java
public static void p1(int N) {
    for (int i = 0; i < N; i += 1) {
        for (int j = 1; j < N; j = j + 2) {
            System.out.println("hi !");
        }
    }
}
```

P1 answer: $\Theta($ $)$

```java
public static void p2(int N) {
    for (int i = 0; i < N; i += 1) {
        for (int j = 1; j < N; j = j * 2) {
            System.out.println("hi !");
        }
    }
}
```

P2 answer: $\Theta($ $)$

```java
public static void p3(int N) {
    if (N <= 1) return;
    p3(N / 2);
    p3(N / 2);
}
```

P3 answer: $\Theta($ $)$

```java
public static void p4(int N) {
    int m = (int)((15 + Math.round(3.2 / 2)) *
        (Math.floor(10 / 5.5) / 2.5) * Math.pow(2, 5));
    for (int i = 0; i < m; i++) {
        System.out.println("hi");
    }
}
```

P4 answer: $\Theta($ $)$

```java
public static void p5(int N) {
    for (int i = 1; i <= N * N; i *= 2) {
        for (int j = 0; j < i; j++) {
            System.out.println("moo");
        }
    }
}
```

P5 answer: $\Theta($ $)$

3   HistoryMap (Summer 2016 MT2 Q4)

Suppose we have a `HashMap`, but want to be able to undo operations made on it. Implement `HistoryMap` below to have this functionality. The only operations that we care about that modify the structure are put and remove.

Calling undo should revert the state of the `HistoryMap` to before the last put or remove, whichever was most recent. See the main method for example behavior. Assume remove is used correctly; any key removed is assumed to already exist in the `HistoryMap`. You may not need all lines.

[Hint: Use Java's built-in `Stack<E>` class, which has methods `push` and `pop`.]

```
public class HistoryMap<K, V> extends HashMap<K, V> {
    _____

    class _____ {  /* Helper class */
        /* Place fields/variables here */
        _____
        _____
        _____


        /* Place the constructor here */
        _____
            (_____) {
                _____
                _____
                _____
        }
    }

    @Override
    /** Remember that in a HashMap, a null value is valid */
    public V put(K key, V value) {
        _____
        _____
    }
    @Override
    public V remove(Object key) {
        _____
        _____
    }
    // Continues on next page
```

```java
    @Override
    public boolean containsKey(K key) {
        return super.containsKey(key);
    }

    public void undo() {
        if (_____) {
            return;
        }
        _____
        if (_____) {
            _____
        } else {
            _____
        }
    }

    public static void main(String[] args) {
        HistoryMap<String, Integer> h = new HistoryMap<>();
        h.put("party", 1);
        h.put("parrot", 2);
        h.put("conga", 4);
        h.put("parrot", 3);
        h.undo();
        h.undo();
        System.out.println(h); // Output: {parrot=2, party=1}
        h.remove("party");
        h.undo();
        System.out.println(h); // Output: {parrot=2, party=1}
    }
}
```