

Scalable Multi-Period Optimal Power Flow for Active Power Distribution Systems

or simply, Scalable MP-OPF in ADS

Aryan Ritwajeet Jha

Graduate Research Assistant Washington State University

Dual Variables Comparison

 $ADS10_{1ph},$ T = 3

DDP

Dual Variables (mu) for SOC Constraints: mu[5, 1, 3] = 45.17473125550735 mu[6, 1, 3] = 45.185519186176556 mu[5, 2, 3] = -45.174801744427846mu[6, 2, 3] = -45.18566013739137mu[5, 3, 3] = -48.239942587228796mu[6, 3, 3] = -48.25099019620321mu[5, 4, 3] = -48.24107478564388mu[6, 4, 3] = -48.2516640313043mu[5, 5, 3] = -48.241196259159416mu[6, 5, 3] = -48.25189015114355mu[5, 6, 3] = -48.241498954100564mu[6, 6, 3] = -48.25245499800463mu[5, 7, 3] = -48.241996600606505mu[6, 7, 3] = -48.253124259218936mu[5, 8, 3] = -48.242352832568955mu[6, 8, 3] = -48.25352967582148mu[5, 9, 3] = -48.242971180373054mu[6, 9, 3] = -48.25442486213601mu[5, 10, 3] = -48.243623170596926mu[6, 10, 3] = -48.25512400205344mu[5, 11, 3] = -48.243784096347376mu[6, 11, 3] = -48.25464693444468mu[5, 12, 3] = -48.243857925739185mu[6, 12, 3] = -48.254525571498355mu[5, 13, 3] = -48.243911780436605mu[6, 13, 3] = -48.25436727134667mu[5, 14, 3] = -48.243611647078mu[6, 14, 3] = -48.25382187859363mu[5, 15, 3] = -48.27767043280479mu[6, 15, 3] = -48.287965604466486mu[5, 16, 3] = -301.66935431134704mu[6, 16, 3] = -301.7358816667674mu[5, 17, 3] = -301.83189287498675mu[6, 17, 3] = -301.9069334415277mu[5, 18, 3] = -301.83806304872076mu[6, 18, 3] = -301.9232220706423mu[5, 19, 3] = -301.8524462450138mu[6, 19, 3] = -301.9549648463871mu[5, 20, 3] = -301.85952662140807mu[6, 20, 3] = -301.9698513713682mu[5, 21, 3] = -301.85603642385746mu[6, 21, 3] = -301.9630767020347mu[5, 22, 3] = -302.0049526046895mu[6, 22, 3] = -302.10666900436934mu[5, 23, 3] = -48.29845680868607mu[6, 23, 3] = -48.31416276384528mu[5, 24, 3] = -177604.01937392345mu[6, 24, 3] = -88822.93735871241

BruteForced

```
Dual Variables (mu) for SOC Constraints:
mu[5, 1] = -51.41801881638614
mu[6, 1] = -51.428827793029235
mu[5, 2] = -51.41801979342437
mu[6, 2] = -51.42883047558444
mu[5, 3] = -51.418023465518246
mu[6, 3] = -51.42883904249744
mu[5, 4] = -51.41803524911316
mu[6, 4] = -51.42886076359697
mu[5, 5] = -51.41807640762771
mu[6, 5] = -51.428910924641634
mu[5, 6] = -51.418148149916966
mu[6, 6] = -51.428989919622026
mu[5, 7] = -51.418247324543884
mu[6, 7] = -51.42909387136665
mu[5, 8] = -51.41836979730944
mu[6, 8] = -51.429219943018055
mu[5, 9] = -51.41851776114211
mu[6, 9] = -51.429369368599055
mu[5, 10] = -51.41869015145029
mu[6, 10] = -51.42953880457677
mu[5, 11] = -51.4188863429248
mu[6, 11] = -51.42972686728392
mu[5, 12] = -51.419113183857114
mu[6, 12] = -51.4299440750174
mu[5, 13] = -51.41938428087563
mu[6, 13] = -51.43020441803826
mu[5, 14] = -51.41972842806792
mu[6, 14] = -51.43054027925132
mu[5, 15] = -51.42030280344431
mu[6. 15] = -51.43115597947386
mu[5, 16] = -286.1783903314517
mu[6, 16] = -286.25232257011146
mu[5. 17] = -286.18413492690695
mu[6, 17] = -286.2697067055625
mu[5, 18] = -286.1869461326777
mu[6, 18] = -286.2791023564704
mu[5, 19] = -286.18833870443524
mu[6, 19] = -286.28481722740173
mu[5, 20] = -286.1884103837522
mu[6, 20] = -286.285043875479
mu[5, 21] = -286.1883973978632
mu[6, 21] = -286.2850199931506
mu[5, 22] = -286.1882908057603
mu[6, 22] = -286.28460871257334
mu[5, 23] = -51.424572090777126
mu[6, 23] = -51.44038325614457
mu[5, 24] = -51.424445284541065
mu[6, 24] = -51.44010590105099
```

DDP

Dual Variables (mu) for SOC Constraints: mu[5, 1, 3] = 45.16940459928702

mu[6, 1, 3] = 45.18525275674813 mu[5, 2, 3] = -45.16947508820853 mu[6, 2, 3] = -45.185393707968935 mu[5, 3, 3] = -22553.064658338142

mu[6, 3, 3] = -11279.18311886909

BruteForced

```
Dual Variables (mu) for SOC Constraints:
mu[5, 1] = -51.43296947278457
mu[6, 1] = -51.444417850802154
mu[5, 2] = -51.433014630013794
mu[6, 2] = -51.44449826072886
mu[5, 3] = -51.43322659704835
mu[6, 3] = -51.44492057842625
```

 $IEEE123_{1ph}$ T = 24

Dual Variables Comparison

 $\overline{IEEE}123_{1ph}$ T=3

DDP

Dual Variables (mu) for SOC Constraints: mu[3, 1, 3] = 45.60864760521776 mu[116, 1, 3] = 47.08876539391993 mu[3, 2, 3] = -45.60871809413895mu[116, 2, 3] = -47.088906345152424mu[3, 3, 3] = -48.501845777200465 mu[116, 3, 3] = -50.02028563871999 mu[3, 4, 3] = -48.49125943942271 mu[116, 4, 3] = -49.939168077339765 mu[3. 5. 3] = -48.49400750612041mu[116, 5, 3] = -49.958082254667374 mu[3, 6, 3] = -48.50090569669647 mu[116, 6, 3] = -50.005663401497095 mu[3, 7, 3] = -48.512206604238095 mu[116, 7, 3] = -50.08286763445897 mu[3, 8, 3] = -48.520316096659364 mu[116, 8, 3] = -50.138314593731565 mu[3, 9, 3] = -48.53452079210512mu[116, 9, 3] = -50.2366599987618 mu[3, 10, 3] = -48.54957735426274mu[116, 10, 3] = -50.341196614655466 mu[3, 11, 3] = -48.55335367549444mu[116, 11, 3] = -50.36721810258768mu[3, 12, 3] = -48.5551370821374mu[116, 12, 3] = -50.380045203808876 mu[3, 13, 3] = -48.55649813697718mu[116, 13, 3] = -50.39026006222793 mu[3, 14, 3] = -48.54988031444939mu[116, 14, 3] = -50.343517862988904 mu[3, 15, 3] = -48.582414475949115mu[116, 15, 3] = -50.382407582723566 mu[3, 16, 3] = -303.64338615003595mu[116, 16, 3] = -315.08503717457677 mu[3, 17, 3] = -303.94432070460806 mu[116, 17, 3] = -316.2826585511957mu[3, 18, 3] = -304.0919188015224mu[116, 18, 3] = -317.31466316868733 mu[3, 19, 3] = -304.43789314137445 mu[116, 19, 3] = -319.8278050520248 mu[3, 20, 3] = -304.6086406827508mu[116, 20, 3] = -321.1052878385193 mu[3, 21, 3] = -304.5149433341445mu[116, 21, 3] = -320.42375598320746

mu[3, 22, 3] = -304.4804277976777

mu[3, 23, 3] = -48.6613104154854

mu[116, 22, 3] = -319.4473164224873

mu[116, 23, 3] = -50.825429407582014

mu[3, 24, 3] = -183395.68396762005

mu[116, 24, 3] = -91719.43856902262

BruteForced

```
Dual Variables (mu) for SOC Constraints:
mu[3, 1] = -51.51257833256933
mu[116, 1] = -53.173875250036204
mu[3, 2] = -51.512578405332654
mu[116, 2] = -53.173875309107316
mu[3, 3] = -51.51257813731455
mu[116. 3] = -53.17387539100572
mu[3, 4] = -51.512593339424946
mu[116, 4] = -53.17390469427558
mu[3, 5] = -51.51264583900783
mu[116, 5] = -53.17402363849502
mu[3, 6] = -51.51278078349113
mu[116, 6] = -53.17440092574151
mu[3, 7] = -51.51321528994621
mu[116, 7] = -53.1770914568914
mu[3, 8] = -51.51484563582417
mu[116, 8] = -53.188725859055204
mu[3, 9] = -51.517325758602176
mu[116, 9] = -53.20647159896489
mu[3. 10] = -51.52023804567281
mu[116, 10] = -53.227241502546654
mu[3, 11] = -51.523471880889936
mu[116, 11] = -53.25022356877818
mu[3, 12] = -51.52709555057574
mu[116, 12] = -53.27587912950017
mu[3. 13] = -51.53124886730688
mu[116, 13] = -53.30515202141375
mu[3, 14] = -51.53619815448398
mu[116, 14] = -53.3398261016505
mu[3, 15] = -51.54379936789264
mu[116, 15] = -53.39270701318736
mu[3, 16] = -288.35952695269947
mu[116, 16] = -300.2213698875003
mu[3, 17] = -288.5178563452341
mu[116, 17] = -301.38878058997847
mu[3, 18] = -288.6015637627998
mu[116, 18] = -302.01885852965825
mu[3, 19] = -288.65164393053993
mu[116, 19] = -302.40411917860666
mu[3, 20] = -288.65175671309373
mu[116, 20] = -302.4043103325418
mu[3, 21] = -288.6517442533275
mu[116, 21] = -302.40427745233603
mu[3, 22] = -288.6516450221879
mu[116, 22] = -302.40392181133296
mu[3, 23] = -51.63668986379404
mu[116, 23] = -54.050243374223136
mu[3, 24] = -51.636548882408114
mu[116, 24] = -54.04995997455812
```

DDP

```
Dual Variables (mu) for SOC Constraints:
mu[3, 1, 3] = 45.63893318054958
mu[116, 1, 3] = 47.301492040235075
mu[3, 2, 3] = -45.639004920833266
mu[116, 2, 3] = -47.30164573295515
mu[3, 3, 3] = -23288.521097996185
mu[116, 3, 3] = -11646.998034908327
```

BruteForced

```
Dual Variables (mu) for SOC Const
mu[3, 1] = -51.59309339195896
mu[116, 1] = -53.683406950678155
mu[3, 2] = -51.593131240451726
mu[116, 2] = -53.68349448499136
mu[3, 3] = -51.593343229505564
mu[116, 3] = -53.68391677038888
```

T=3 all batteries: μ values for all batteries for any particular time step t_0 are pretty much the same

mu[116, 1] = -53.683406950678155mu[3, 2] = -51.593131240451726 mu[7, 2] = -51.64597979885023mu[11, 2] = -52.07329816772151mu[18, 2] = -52.34772454007912mu[22, 2] = -52.619436028467476mu[30, 2] = -52.63338725105715mu[34, 2] = -52.653757124520894 mu[37, 2] = -52.65776443635618 mu[41, 2] = -52.68943973495119mu[47, 2] = -52.79425454302701mu[50, 2] = -52.8359303591509mu[53, 2] = -52.84394094777267mu[58, 2] = -52.707719939257814mu[62, 2] = -53.274431422352755mu[67, 2] = -53.57642427152813mu[71, 2] = -53.48089120605158mu[75, 2] = -53.53486792317647mu[79, 2] = -53.5620976422982 mu[84, 2] = -53.60264525252994mu[87, 2] = -53.6646589847673mu[92, 2] = -53.64642902580883mu[97, 2] = -53.649216321434224mu[101, 2] = -53.473003045789824mu[106, 2] = -53.586645356621005mu[111, 2] = -53.5896811122778 $IEEE123_{1ph}$, mu[116, 2] = -53.68349448499131 mu[3, 3] = -51.593343229505564mu[116, 2] = -53.68349448499136mu[7, 3] = -51.646402201677525mu[11, 3] = -52.0735101498098 mu[18. 3] = -52.347936518186465mu[22, 3] = -52.61964800263351mu[30, 3] = -52.63359922502093mu[34. 3] = -52.65417946925903mu[37, 3] = -52.65797640996631mu[41, 3] = -52.68986207763251mu[47. 3] = -52.79467687966754mu[50, 3] = -52.83597084273534mu[53, 3] = -52.84436328154971mu[58, 3] = -52.70814228088628mu[62. 3] = -53.27485373132199mu[67. 3] = -53.57648497078599mu[71, 3] = -53.48110316772271mu[75, 3] = -53.53507988406481mu[79, 3] = -53.56230960279157mu[84, 3] = -53.602857212435175mu[87, 3] = -53.66487094377281mu[92. 3] = -53.6466409850791mu[97, 3] = -53.64963860880763mu[101, 3] = -53.47321500757538mu[106, 3] = -53.586857316758156mu[111, 3] = -53.589893072371034mu[116, 3] = -53.68391677038888

mu[101, 1] = -53.47295830616711mu[106, 1] = -53.58659837946916 mu[111, 1] = -53.58963310583314