

A Systematic Literature Review on Role-Based Access Control

Abstract

Role-based access control (RBAC) has become an increasingly popular access control for various applications such as web applications and database applications. RBAC restricts access to resources based on identity of subjects and/or groups called roles. Since RBAC is introduced in 1998, researchers have proposed various extended models of RBAC. For example, they define additional constraints among roles (e.g., temporal constraints or location constraints) or hierarchy relationship of roles. Our goal of this work is to study extended models of RBAC and analyze their extended features and claimed research contributions to find limitations of current RBAC models and what extent of extended features that can be used for future RBAC. We conduct a systematic literature review by collecting and synthesizing relevant research papers. We initially collect XXXX papers from various sources such as IEEE and ACM websites and selected 26 papers systemically. We perform a comparative analysis to find relationships among extended models and RBAC.

Keywords:

1. Introduction

Why is the base model of RBAC extended by newer models?

P1: Note history of the RBAC model, statistics, and official status

P2: Mention extensions exist in response to developments and new domains over time

P3: Mention audience, why they should care, and why exploring extensions space is important in relation to the reason the standard was originally conceived

P4: Talk about what this work is going to do, goal, brief process

P5: List goals or contributions

P6: Outline paper and sections

Role based access control (RBAC) was first introduced in the 1990 when the National Institute for Standards and Technology (NIST) requested that a unified standard be created. proposed standard RBAC model [1]

Role-based access control (RBAC) models [1] became popular used to govern access to critical resources. In an RBAC model, roles represent a group of users who are involved in a specific job function in an organization. RBAC assigns permissions of specific actions on resources to roles instead of individual users. Therefore, in order to gain roles' permission on specific resources, users acquire appropriate roles first.

RBAC is a generalized access control approach used for various applications including web services, database applications, and healthcare applications. RBAC has advantages in maintaining and managing organization's security policies. For example, if a user is to access manager role's resources within a given organization, security policy administrators simply add the user to be associated with the manager role.

Standard RBAC model considers only role-user association and role hierarchy. Since standard RBAC model has limitations such as specifying environmental constraints or context information Researchers developed extended models of RBAC to overcome the limitations. However, as researchers often develop their own specialized extended models of RBAC, their research cannot be generalized or compared with other research work appropriately. As a result, researchers could take time on reinventing the wheel. But how do we, as a community, ensure that a metric is suitable and acceptable for its intended purpose?

The goal of this work is to synthesize available research results on extended models of RBAC. We analyze their extended features and claimed research contributions to find limitations of current RBAC models and what extent of extended features by comparing with similar research work. We conducted a systematic literature review (SLR) to evaluate and interpret all available research relevant to a particular research question or topic area of interest.

Our research give benefits to a community as follows:

- Our work summarizes current extended RBAC research work and its contributions. By synthesizing the current results, our work shows a roadmap of current extended RBAC research.

- Our work guides a direction for a standard of extended RBAC. Understanding the categorization and the motivation of the existing research results helps decide a standard of extended RBAC.
- Our work shows a criteria in comparison among research results.
- Our work helps identify the research challenges in the ares of security policies and suggest a future extension of RBAC.

2. Core Role Based Access Control

P1: Describe RBAC entities

P2: Note the 4 levels of RBAC

P3: Concisely describe level 1

P4: Concisely describe level 2

P5: COncisely describe level 3

P6: Concisely describe level 4

Since the basis for our review is extensions to the core model, we will describe the core model, associated entities and other terminology encountered across the space of our review. The NIST RBAC model proposed by Ferraiolo et al. and later adopted as the official standard for RBAC by the International Committee for Information Technology Standards (INCITS) consists of four basic entities:

- a set of users *Users*: A user can be a person or an agent.
- a set of roles *Roles*: A role is a collection of permissions to perform a specific job function in an organization.
- a set of permissions *Permissions*: A permission refers to an access mode that can be exercised on an object in the system and a session relates a user to possibly many roles.
- a set of sessions *Sessions*: In each session, a user can be assigned to some of the roles, only when the corresponding role is enabled for activation for that time.

In the RBAC, a user can exercise a permission only if the user are assigned to a role. In addition to the four basic components, two functions are defined: the user role assignment (UA) and the role permission assignment (PA) functions. UA models assignment of users to roles. PA models assignment of permissions to roles.

3. Terms and Definitions

NOTE: Not sure about this section since some of this is derived from our results

We found that different definitions for the same terms. Therefore, we next describe terms and definitions.

- Task-Based Access Control:
- Agent-Based Access Control:
- Obligations: obligations are requirements, which should be fulfilled before or after authorization decision is enforced. Consider that a user has permission to access specific resources. For example, obligation is that the user should complete her/his office duty before accessing the resources.
- Inheritance: Inheritance defines an inheritance relationship among attributes such as roles. For example, the role structure for a company use employee role for employees. Department manager may inherit all permissions of the employee role. (Role-Based Access Control by F. Ferrailolo et al.)
- Static Separation of Duty (SSoD): SSoD restricts the conflicting-role assignments statically that are associated with a user. On situations where multiple roles can be associated with a single user and roles $Role_A$ and $Role_B$ are conflicting each other, no permission is given to a user who is assigned to both $Role_A$ and $Role_B$. SSoD is known to be too rigid for practical use in cases where a user should have permissions as either $Role_A$ and $Role_B$. (Role-Based Access Control by F. Ferrailolo et al.)
- Dynamic Separation of Duty: Dynamic SoD (DSD) is known to be more flexible than SSD. DSD restricts the conflicting-role assignments dynamically that are associated with a user. On situations where multiple roles can be associated with a single user and , given a context, roles $Role_A$ and $Role_B$ are conflicting each other dynamically, no permission is given to a user. (Role-Based Access Control by F. Ferrailolo et al.)

We define temporal and spatial constraints as follows:

- **Temporal Constraints:** Temporal constraints are time-based constraints in specifying access control policies. For example, in organizations, periodic temporal durations are enforced while a specific role is permitted to conduct an action. Consider that part-time employee works only from 9:00 a.m. to 3:00 p.m. In such cases, the part-time employee role should access required resources during the interval. Temporal constraints can incorporate either on roles, user-role assignments, or role-permission assignments. (Role-Based Access Control by F. Ferraiolo et al.)
- **Spatial Constraints:** Spatial constraints are location-based constraints in specifying access control policies. For example, in organizations, locations are enforced while a specific role is permitted to conduct an action. Consider that part-time employee works only in specific location. In such cases, the part-time employee role should access required resources only when the user is in the location. Spatial constraints can incorporate either on roles, user-role assignments, or role-permission assignments.

4. Methodology and Process

P1: Describe general search strategy and phases

S1: Describe search strategy in detail

S2: Describe first elimination round

S3: Describe second elimination round

S4: Describe final elimination round

The systematic literature review process was developed ahead of time and agreed upon by the researchers following recommendations from Kitchenham's suggested processes [2]. The systematic literature review was performed in four stages:

- Development of a search strategy
- Elimination of papers based on title
- Elimination of papers based on abstract
- Elimination of papers based on content and matching to elimination criteria

4.1. Search Strategy

For the first phase of our systematic literature review, an automated comprehensive search of multiple academic search engines was performed. The list of search engines were:

- Google Scholar - <http://scholar.google.com>
- IEEEExplore - <http://ieeexplore.ieee.org>
- ACM Portal - <http://dl.acm.org>
- CiteSeerX - <http://http://citeseerx.ist.psu.edu/index>

For each of the criteria below, a search was performed on each of the search engines for a total of 12 data sets. The criteria used were:

- role based access control
- RBAC
- role-based access control

The search performed was done in an automated way using a set of scripts to query and collect data from each search engine with the criteria string as input. For each criteria for each search engine, the results were captured until a stopping criteria was met. Each run was performed as follows:

1. Remote call to search engine with current search start position and the current search criteria.
 2. Parse results and extract paper title, authors and year of publication.
 3. Compare results against stopping criteria.
- If stopping criteria met, stop search.
 - If stopping criteria not met, increase search position by number of results and return to step 1.

The stopping criteria used was either after the first 1000 results, a limitation imposed by some of the search engines, or if ten consecutive results did not contain the search criteria phrase within the title. After gathering all 12 data sets, the data was combined into a master list by systematically comparing the bibliographic information for each. After producing a master list, a series of assessment rounds were performed to narrow the paper list and identify primary sources.

4.2. Elimination Rounds

The elimination rounds were performed based on reading of the title, abstract and finally the paper itself. While each elimination stage had a unique set of criteria for elimination the general procedure for elimination for the researchers was as follows.

- Each reviewer independently classified papers as relevant, irrelevant or uncertain.
- Those papers marked as relevant by both reviewers were kept and those marked irrelevant by both were thrown out.
- Papers marked as relevant, or irrelevant by a single reviewer were combined with all papers marked as uncertain and discussed by both reviewers. From this discussion, papers were either thrown out or kept until the next round of the review. Ties were broken by an independent party.

The title elimination round was based off of whether role based access control and model were mentioned directly.

The second round of elimination was based off on reading the abstracts of the remaining papers. The inclusion criteria for the abstract reading tried to answer the following questions:

- Does the abstract mention a proposed model?
- Does the abstract mention extension of role-based access control?
- Does the abstract mention either an implementation, evaluation or domain for their model?

The results of the searches is summarised below:

Search En-gines	RBAC	role based access control	role-based access control	Total
Google Scholar	651	213	435	1299
ACM Portal	500	20	720	1240
IEEEExplore	200	40	230	470
CiteSeerX	100	100	150	350
Totals	1451	373	1535	3359
Combined				1716

5. Data Extraction

P1: Describe data extraction process, including questions each reviewer based note taking off of

P2: Describe how from the data extraction process categories of extension became evident

P3: Describe how those categories were deemed relevant and a way to organize going forward

P4: Describe the categories, show how each paper and their category

P5: Discuss how the categories are inter-related and show diagram of relationships

After selection of primary sources, the next step was to extract data from each paper that pertained to our research questions in order to look for trends. The first step was to take the individual data generated from the final elimination round and organize this information around the research questions. During the paper reading round, and resulting data, the fact that the papers were logically falling into a number of categorizations became evident. Thus, the first step undertaken was to answer the question of what categories exist for the RBAC model extensions and what papers fall into what categories. The result of this paper categorization is displayed below:

Paper	Category
Alam, M. and Hafner, M. and Breu, R. 2006 [3]	Constraint
Tzelepi, Sofia K. and Koukopoulos, Dimitrios K. and Pangalos, George 2001 [4]	Context
Haibo, SHEN and Fan, HONG 2005 [5]	Context
Damian G. Cholewka and Reinhardt A. Botha and Jan H. P. Eloff 2000 [6]	Context
Huang, X. and Wang, H. and Chen, Z. and Lin, J. 2006 [7]	Context
Motta, G.H.M.B. and Furuie, S.S. 2003 [8]	Context
Bao, Y. and Song, J. and Wang, D. and Shen, D. and Yu, G. 2008 [9]	Context
Yamazaki, W. and Hiraishi, H. and Mizoguchi, F. 2004 [?]	Context
Jian-min, H. and Xi-yu, L. and Hui-qun, Y. and Jun, T. 2008 [10]	Context
Thein, N. and others 2011 [11]	Context
Zou, D. and He, L. and Jin, H. and Chen, X. 2009 [12]	Context
Hasebe, K. and Mabuchi, M. and Matsushita, A. 2010 [13]	Delegation
Zhang, Z. and Zhang, X. and Sandhu, R. 2006 [14]	Organizational
Ni, Q. and Trombetta, A. and Bertino, E. and Lobo, J. 2007 [15]	Privacy
Masoumzadeh, A. and Joshi, J. 2008 [16]	Privacy
Zhao, Y. and Zhao, Y. and Lu, H. 2008 [17]	Resource
Bertino, E. and Catania, B. and Damiani, M.L. and Perlasca, P. 2005 [?]	Spatial
Ray, I. and Kumar, M. and Yu, L. 2006 [18]	Spatial
Hansen, F. and Oleshchuk, V. 2003 [19]	Spatial
Aich, S. and Sural, S. and Majumdar, A. 2007 [20]	Spatio-Temporal
Chen, L. and Crampton, J. 2008 [21]	Spatio-Temporal
Samuel, A. and Ghafoor, A. and Bertino, E. 2007 [22]	Spatio-Temporal
Chandran, S. and Joshi, J. 2005 [23]	Spatio-Temporal
Ray, I. and Toahchoodee, M. 2007 [18]	Spatio-Temporal
Aich, S. and Mondal, S. and Sural, S. and Majumdar, A. 2009 [24]	Spatio-Temporal
Yao, L. and Kong, X. and Xu, Z. 2008 [25]	Task
ZHANG, S. and CHEN, X. and HOU, G. 2009 [26]	Task
Oh, S. and Park, S. 2003 [27]	Task
Joshi, J.B.D. and Bertino, E. and Latif, U. and Ghafoor, A. 2005 [28]	Temporal

Given that there were multiple papers for some categories, the researchers decided to tackle all further research questions by first analyzing the research question on a per category basis and then looking across all categories for generalization and trends.

References

- [1] D. F. Ferraiolo, R. S. Sandhu, S. I. Gavrila, D. R. Kuhn, R. Chandramouli, Proposed NIST standard for role-based access control, *ACM Transactions on Information and System Security* 4 (3) (2001) 224–274.
- [2] B. Kitchenham, S. Charters, Guidelines for performing systematic literature reviews in software engineering.
- [3] M. Alam, M. Hafner, R. Breu, A constraint based role based access control in the sector a model-driven approach, in: *Proceedings of the 2006 International Conference on Privacy, Security and Trust: Bridge the Gap Between PST Technologies and Business Services, PST '06*, 2006, pp. 13:1–13:13.
- [4] S. K. Tzelepi, D. K. Koukopoulos, G. Pangalos, A flexible content and context-based access control model for multimedia medical image database systems, in: *Proceedings of the 2001 workshop on Multimedia and security: new challenges, Sec '01*, 2001, pp. 52–55.
- [5] S. Haibo, H. Fan, A context-aware role-based access control model for web services, in: *Proceedings of the IEEE International Conference on e-Business Engineering, ICEBE '05*, 2005, pp. 220–223.
- [6] D. G. Cholewka, R. A. Botha, J. H. P. Eloff, A context-sensitive access control model and prototype implementation, in: *Information Security for Global Information Infrastructures: IFIP TC 11 Sixteenth Annual Working Conference on Information Security*, Kluwer Academic Publishers, 2000, pp. 341–350.
- [7] X. Huang, H. Wang, Z. Chen, J. Lin, A context, rule and role-based access control model in enterprise pervasive computing environment, in: *Pervasive Computing and Applications, 2006 1st International Symposium on*, 2006, pp. 497–502.

- [8] G. Motta, S. Furuie, A contextual role-based access control authorization model for electronic patient record, *Information Technology in Biomedicine, IEEE Transactions on* 7 (3) (2003) 202–207.
- [9] Y. Bao, J. Song, D. Wang, D. Shen, G. Yu, A role and context based access control model with uml, in: *Young Computer Scientists, 2008. ICYCS 2008. The 9th International Conference for*, 2008, pp. 1175–1180.
- [10] H. Jian-min, L. Xi-yu, Y. Hui-qun, T. Jun, An extended RBAC model based on granular logic, in: *Granular Computing, 2008. GrC 2008. IEEE International Conference on*, 2008, pp. 261–264.
- [11] N. Thein, et al., Leveraging access control mechanism of android smart-phone using context-related role-based access control model, in: *Networked Computing and Advanced Information Management (NCM), 2011 7th International Conference on*, IEEE, 2011, pp. 54–61.
- [12] D. Zou, L. He, H. Jin, X. Chen, Crbac: Imposing multi-grained constraints on the rbac model in the multi-application environment, *Journal of Network and Computer Applications* 32 (2) (2009) 402–411.
- [13] K. Hasebe, M. Mabuchi, A. Matsushita, Capability-based delegation model in RBAC, in: *Proceedings of the 15th ACM symposium on Access control models and technologies, SACMAT '10*, 2010, pp. 109–118.
- [14] Z. Zhang, X. Zhang, R. Sandhu, Robac: Scalable role and organization based access control models, in: *Collaborative Computing: Networking, Applications and Worksharing, 2006. CollaborateCom 2006. International Conference on*, 2006, pp. 1–9.
- [15] Q. Ni, E. Bertino, J. Lobo, C. Brodie, C. Karat, J. Karat, A. Trombeta, Privacy-aware role-based access control, *ACM Transactions on Information and System Security (TISSEC)* 13 (3) (2010) 24.
- [16] A. Masoumzadeh, J. Joshi, Purbac: Purpose-aware role-based access control, *On the Move to Meaningful Internet Systems: OTM 2008* (2008) 1104–1121.
- [17] Y. Zhao, Y. Zhao, H. Lu, A flexible role-and resource-based access control model, in: *Computing, Communication, Control, and Management*,

2008. CCCM'08. ISECS International Colloquium on, Vol. 2, IEEE, 2008, pp. 75–79.
- [18] I. Ray, M. Toahchoodee, A spatio-temporal role-based access control model, in: Proceedings of the 21st annual IFIP WG 11.3 working conference on Data and applications security, 2007, pp. 211–226.
 - [19] F. Hansen, V. Oleshchuk, Spatial role-based access control model for wireless networks, in: Vehicular Technology Conference, 2003. VTC 2003-Fall. 2003 IEEE 58th, Vol. 3, IEEE, 2003, pp. 2093–2097.
 - [20] S. Aich, S. Sural, A. K. Majumdar, Starbac: spatiotemporal role based access control, in: Proceedings of the 2007 OTM confederated international conference on On the move to meaningful internet systems: CoopIS, DOA, ODBASE, GADA, and IS - Volume Part II, OTM'07, 2007, pp. 1567–1582.
 - [21] L. Chen, J. Crampton, On spatio-temporal constraints and inheritance in role-based access control, in: ASIACCS: ACM Symposium on Information, Computer and Communications Security, 2008, pp. 205–216.
 - [22] E. B. Arjmand Samuel, Arif Ghafoor, A framework for specification and verification of generalized spatio-temporal role based access control model, Tech. Rep. CERIAS Tech Report 2007-08.
 - [23] S. M. Chandran, J. B. D. Joshi, Lot-rbac: a location and time-based RBAC model, in: Proceedings of the 6th international conference on Web Information Systems Engineering, WISE'05, 2005, pp. 361–375.
 - [24] S. Aich, S. Mondal, S. Sural, A. K. Majumdar, Transactions on computational science iv, 2009, Ch. Role Based Access Control with Spatiotemporal Context for Mobile Applications, pp. 177–199.
 - [25] L. Yao, X. Kong, Z. Xu, A task-role based access control model with multi-constraints, in: Networked Computing and Advanced Information Management, 2008. NCM'08. Fourth International Conference on, Vol. 1, IEEE, 2008, pp. 137–143.
 - [26] W. Zhou, C. Meinel, Team and task based rbac access control model, in: Network Operations and Management Symposium, 2007. LANOMS 2007. Latin American, IEEE, 2007, pp. 84–94.

- [27] S. Oh, S. Park, Task–role-based access control model, *Information Systems* 28 (6) (2003) 533–562.
- [28] J. Joshi, E. Bertino, U. Latif, A. Ghafoor, A generalized temporal role-based access control model, *Knowledge and Data Engineering, IEEE Transactions on* 17 (1) (2005) 4 – 23.