




V _{IN(max)}	35V
V _{IN(min)}	5V
V _{OUT}	15V
I _{OUT(max)}	3A
F _{SW}	589 kHz
Efficiency	96.7%








➔ 15V-3A-Power Supply Analysis

LEGAL NOTICE
Copyright (C) 2026 SPACE COOKIES FRC TEAM 1868
Licensed under the Solderpad Hardware License v2.1 (the "License");
you may not use this work except in compliance with the License.
You may obtain a copy of the License at:
<https://solderpad.org/licenses/SHL-2.1/>
SPDX-License-Identifier: Apache-2.0 WITH SHL-2.1



1868 SPACE COOKIES

Sheet: /15V 3A Buck-Boost Power Supply/ File: buck-boost-power-supply.kicad_sch		
Title: NX J401 Adapter		
Size: B	Date: 2026-06-02	Rev: 6
KiCad E.D.A. 10.0.5		Id: 2/5




CANable 2.0 Schematic

LEGAL NOTICE
Copyright (C) 2026 SPACE COOKIES FRC TEAM 1868
Licensed under the Solderpad Hardware License v2.1 (the "License");
you may not use this work except in compliance with the License.
You may obtain a copy of the License at:
<https://solderpad.org/licenses/SHL-2.1/>
SPDX-License-Identifier: Apache-2.0 WITH SHL-2.1



1868 SPACE COOKIES

Sheet: /CANable2.0/ File: canable2.kicad_sch		
Title: NX J401 Adapter		
Size: B	Date: 2026-06-02	Rev: 6
KiCad E.D.A. 10.0.5		Id: 3/5



- H3

M3.7 MountingHole
- H4

M3.7 MountingHole

→ SPACE COOKIES LOGO



1868 SPACE COOKIES

LEGAL NOTICE
Copyright (C) 2026 SPACE COOKIES FRC TEAM 1868
Licensed under the Solderpad Hardware License v2.1 (the "License");
you may not use this work except in compliance with the License.
You may obtain a copy of the License at:
<https://solderpad.org/licenses/SHL-2.1/>
SPDX-License-Identifier: Apache-2.0 WITH SHL-2.1



Sheet: /NX-Button Interface/ File: NX-Button-Interface.kicad_sch		
Title: NX J401 Adapter		
Size: B	Date: 2026-06-02	Rev: 6
KiCad E.D.A. 10.0.5		Id: 4/5



open source
hardware



KiCad E.D.A. 10.0.5

d: 5/5