

WANTED

Academic Resource Bounty Platform

A student-driven marketplace for legitimate academic resources and authorised past materials.

PILOT	Three selected Malaysian universities
DELIVERY	10-week MVP and pilot programme
COMMERCIAL	RM1 minimum and RM50 maximum per contribution

A product initiative by AFES

Prepared for internal evaluation | September 2026 | Version 1.0

Executive Overview

WANTED converts a simple bounty idea into a controlled academic-resource marketplace that can be tested across three Malaysian universities within ten weeks.

Students often know exactly which revision resource they need, but the material is fragmented across private chats, personal drives and informal groups. WANTED lets students publish a specific request, contribute a small amount to a shared bounty, and reward a verified supplier when an eligible resource is approved.

The platform is designed for legitimate academic resources. Confidential, unreleased, unlawfully obtained or institution-restricted assessment materials are prohibited. Every upload must pass automated pre-screening and a Sheriff review before any reward or access is released.

Decisions already set for the MVP

Decision	MVP Position	Validation Status
Working brand	WANTED Academic Resource Bounty Platform	Set for proposal
Contribution range	RM1 minimum and RM50 maximum for each contribution	Set
Reward payout	Direct withdrawal to a supported bank account or e-wallet	Set
Successful bounty access	All contributors receive access after approval	Set
Archive option	Resource may become free after 48 hours; otherwise contributor-only	Set
Platform fee	10 percent of the funded bounty	Tentative - validate
Pilot	Three selected Malaysian universities	Institutions to select
Delivery target	Ten weeks from definition through launch decision	Set

Recommendation

Proceed with a closed, invitation-based pilot. Keep payment custody and payout execution with an appropriate licensed provider, require manual approval for every claim during the pilot, and treat the 10 percent platform fee as a pricing hypothesis until gateway costs, refund exposure and student willingness to pay are measured.

Problem and Proposed Solution

Current problem

- **Discovery is inefficient.** Students search across chats, seniors, clubs and personal folders with no reliable index.
- **Demand is invisible.** A student cannot easily show that several peers need the same authorised resource.
- **Supply has little incentive.** Students who hold useful original or authorised resources receive no structured recognition or reward.
- **Trust is weak.** Files may be mislabelled, duplicated, malicious, incomplete or restricted by an institution.
- **Informal sharing creates integrity risk.** A legitimate revision resource can be mixed with confidential or unlawfully obtained assessment material.

Proposed solution

WANTED creates a visible demand signal. A Commissioner starts a request and makes the first contribution. Other Backers can add RM1 to RM50 each. Hunters submit eligible material against the request. The platform screens the file, the Sheriff verifies the content and rights declaration, and the approved Hunter receives the bounty after the tentative platform fee.

Product value

Value	How WANTED delivers it	Evidence to test in pilot
Faster discovery	Structured metadata, search and a central Wanted Board	Median time from request to verified claim
Demand-led collection	Multiple students combine small contributions around one need	Average backers and funded value per bounty
Better trust	Eligibility rules, duplicate checks, file scanning and Sheriff approval	Approval rate, dispute rate and moderation accuracy
Growing archive	Approved resources can enter a searchable archive when sharing rights allow	Verified resources added and reused
Responsible participation	Upload acknowledgement, restricted-content controls and traceable decisions	Policy breach rate and response time

Target Users Roles and Terminology

Primary audience

The MVP targets students at three selected Malaysian higher education institutions. The pilot should favour campuses with active student communities, accessible testers, clear course structures and an internal contact who can support policy communication and feedback collection.

User roles

Role	Intent	Key actions	Main controls
Commissioner	Start a request for an eligible resource	Define metadata, accept policy, contribute first amount	Verified student account; duplicate-request check
Backer	Join demand for the same resource	Add RM1-RM50, follow status, receive access	Contribution and refund rules; no access before approval
Hunter	Supply an eligible resource and claim the bounty	Upload, declare rights, respond to review, withdraw reward	File scan, identity checks, strikes and payout review
Viewer	Explore active and completed demand	Search, filter, preview metadata, join a bounty	No file access unless entitlement is granted
Sheriff	Operate trust, safety and platform controls	Review claims, resolve reports, manage payouts and appeals	Role-based access, dual control and audit trail

Formal and interface terminology

Formal term	WANTED interface term	Usage guidance
Resource request	Wanted	Use on cards and discovery pages
Requester	Commissioner	Explain once during onboarding
Contributor	Backer	Use beside contribution amount
Supplier	Hunter	Use in discovery and profile views
Reward pool	Bounty	Show gross, fee estimate and net reward
Submission	Claim	Use with status labels
Administrator	Sheriff	Brand label; keep formal role in permissions
Verification	Inspection	May appear as a secondary label
Public repository	Archive	Avoid overly themed wording in core navigation
Withdrawal	Withdraw	Keep standard financial language

Bounty Lifecycle and Workflow

The workflow separates funding, content verification, entitlement and payout so that no file or reward is released before the required checks pass.




Figure 1 End-to-end bounty workflow

Academic Integrity and Content Policy

The marketplace may only be used for resources that the uploader is authorised to share. The policy is a product control, not a footer disclaimer.

Academic integrity notice

By submitting a resource, you confirm that you have the right to share it and that it is not confidential, unreleased, unlawfully obtained or restricted by an institution. Restricted material may be removed, rewards may be withheld or reversed where permitted, and accounts may be suspended.

Allowed content

- Authorised past assessment papers and materials that the institution permits students to share.
- Original practice questions, study notes, summaries and tutorial resources created by the uploader.
- Lecturer, faculty or institution-published resources where redistribution is expressly permitted.
- Openly licensed or public-domain resources with correct attribution and licence information.
- Marking guides or model answers only when sharing rights are clear and institutional rules allow them.

Restricted content

- Confidential, unreleased or current assessment material, including suspected leaks.
- Material obtained through unauthorised access, theft, coercion, deception or a breach of duty.
- Institution-restricted material, secure assessment-bank content or content marked not for distribution.
- Copyrighted material shared without a lawful basis or permission from the rights holder.
- Files containing personal data, student records, answer scripts, credentials, malware or harmful links.
- Mislabelled, manipulated, incomplete or deceptive files submitted to obtain a reward.

Policy enforcement

Users must accept the notice when creating a Wanted request and again when submitting a Claim. WANTED records the acknowledgement, file hash, account identity, review decision and reason code. Reports and takedown requests enter the Sheriff queue. Repeated or severe breaches can lead to content removal, forfeited eligibility for a reward, payout hold, account restriction or permanent suspension. An appeal route should be available for documented errors.

Claim Verification Flow

1. Secure intake. The Hunter uploads through a signed, time-limited upload session. The file is private and unavailable to users while the claim is under review.
2. Technical pre-screening. The platform validates file type, size, readability and integrity; scans for malware; calculates a file hash; and checks exact or near duplicates.
3. Metadata matching. The system compares institution, programme, course code, resource type, year or semester and language against the Wanted request.
4. Policy risk screening. Rules and classifiers flag terms, dates, markings or metadata associated with current, confidential, restricted or personally identifiable content.
5. Sheriff inspection. An authorised reviewer checks the file, rights declaration, risk signals, evidence of authenticity and any previous reports. High-risk material is rejected or escalated.
6. Decision and notification. The claim is approved, rejected or returned for more information with a standard reason code. The Hunter and Backers receive status updates without exposing restricted file content.
7. Post-approval monitoring. Approved resources remain reportable. A later takedown can revoke future access while preserving transaction and audit records according to retention policy.

Claim statuses

Status	Meaning	Permitted action
Draft	Hunter has not submitted the claim	Edit or delete
Submitted	File received in restricted storage	Automated checks only
Under review	Sheriff is inspecting the claim	Request information or decide
Approved	Eligible claim fulfils the Wanted request	Release access and initiate reward
Rejected	Claim fails quality, match or policy rules	Show reason and appeal option
Quarantined	Security or policy risk requires escalation	No access or payout
Removed	Previously approved resource is taken down	Revoke distribution; preserve audit evidence

Pilot operating principle

Every claim receives a human decision during the pilot. Automated screening supports prioritisation and consistency but does not independently approve a payout. The team should create a reviewer handbook with examples, escalation thresholds and target response times before Week 9.

Payment Reward and Access Model

Contribution and bounty rules

- The Commissioner starts a bounty with a contribution of RM1 to RM50.
- Each Backer may add RM1 to RM50 per contribution. The total bounty may exceed RM50 through multiple contributions.
- The selected payment arrangement holds the funded amount until approval, expiry or a refund event.
- The Wanted card shows the gross bounty; the Claim view shows the estimated fee and net reward.
- The 10 percent fee is a pilot hypothesis to test against gateway, refund and moderation costs.

Illustrative transaction

Participant	Contribution	Access after approval
Commissioner A	RM5	Yes
Backer B	RM3	Yes
Backer C	RM10	Yes
Total bounty	RM18	Three contributor entitlements
Tentative platform fee	RM1.80	10 percent - to validate
Net Hunter reward	RM16.20	Direct withdrawal

Direct withdrawal

After approval and any required anti-fraud hold, the platform initiates a payout to a supported bank account or e-wallet. The MVP will not operate a general-purpose wallet. A withdrawable balance may be shown for reconciliation, but it cannot be transferred or spent in the platform. Provider identity checks, minimum payout, fees and settlement timing remain subject to validation.

Access after a successful bounty

Stage	Who can access	Rule
Before approval	No Backer or Viewer	File remains in restricted review storage
Immediately after approval	Commissioner and all Backers	Entitlements are created from successful contributions
After 48 hours - private	Contributors only	Default where rights require limited access
After 48 hours - free	All eligible users	Only when rights and policy permit public access
After takedown	No new access	Access may be revoked; audit records remain

Core Product Modules

Module	Purpose	MVP capabilities
Wanted Board	Make demand visible	Search, filter, active bounty cards, progress, institution and course metadata
Create Bounty	Publish a valid resource request	Duplicate detection, metadata form, policy acknowledgement, first payment
Hunt	Help Hunters find eligible opportunities	Browse by institution and course, saved filters, bounty detail, submission eligibility
Claim and Verification	Receive and inspect a proposed resource	Secure upload, file checks, duplicate checks, review queue, reason codes, appeal
Reward and Withdrawal	Settle the approved bounty	Fee calculation, payout instruction, bank or e-wallet destination, transaction history
Archive	Preserve approved resources for later discovery	Metadata index, contributor-only entitlement, optional free release after 48 hours
Notifications	Keep participants informed	In-app and email events for funding, claim, review, access, payout and report outcomes
Profile and Reputation	Support trust and accountability	Institution verification, contribution history, approved claims, strikes and status

Wanted card content

Each active card should show the course code and title, institution, resource type, academic period, current bounty, number of Backers, request age, claim status and a clear Join Bounty or Submit Claim action. The card must never preview unverified file content.

Module boundaries

Identity, bounty funding, file processing, moderation, entitlements and payout should remain separate services or well-defined modules. A claim approval event can trigger entitlement creation and payout initiation, but failures must be recoverable independently. This separation limits the effect of a file-processing error or payment outage on the rest of the product.

System Architecture

The MVP should use modular service boundaries so that payments, unverified files and moderation decisions remain isolated while the team can still deliver within ten weeks.

EXPERIENCE	Responsive Web App Sheriff Console	Student journeys, administration, accessible forms and status views
▼		
APPLICATION	Identity Wanted and Bounty Claim Entitlement	Business rules, role checks, lifecycle states and release scheduling
▼		
TRUST AND FINANCE	Screening Moderation Ledger Payout Orchestrator	File risk, Sheriff decisions, consistent money states and idempotent payout
▼		
DATA AND INTEGRATION	Relational DB Private Object Storage Payment Provider Email	Structured records, quarantined files and external transaction delivery
▼		
PLATFORM	Audit Log Queue and Scheduler Monitoring Secrets	Traceability, asynchronous work, alerts, recovery and secure configuration

Figure 2 Proposed MVP system architecture

Key data and event flow

1. The web app sends authenticated commands to the application layer. Role and institution checks apply before any request, contribution, claim or review action.
2. A confirmed provider payment updates the internal ledger through a signed webhook. The Bounty service changes funded value only after the event is verified and processed once.
3. A Claim upload goes directly to private object storage using a time-limited token. The file remains quarantined while screening jobs add evidence to the review record.
4. Sheriff approval publishes a single decision event. The Entitlement service grants contributor access, and the Payout Orchestrator creates one provider instruction for the net reward.
5. The scheduler handles expiry and optional free release after 48 hours. Audit and monitoring receive every state change without storing unreviewed file content in analytics.

Architecture controls

Use a relational database as the source of truth for users, bounties, claims, entitlements and the payment ledger. Store files separately in encrypted private object storage. Queues should isolate file scanning, notifications, scheduled release and payout retries. External provider calls need signed webhooks, idempotency keys, timeouts and reconciliation jobs. The Sheriff Console should use stronger authentication and separate permissions from the student application.

Sheriff Administration Panel

Operational queues

Queue	Priority signals	Sheriff actions
Claim review	High bounty, policy flags, new Hunter, approaching service target	Preview safely, compare metadata, approve, reject or request information
Security quarantine	Malware result, unreadable file, suspicious archive or link	Block access, escalate, record evidence and close claim
User reports	Restricted content, rights complaint, wrong file or personal data	Temporarily restrict, investigate, remove or reinstate
Payout review	Account mismatch, unusual velocity, duplicate identity or chargeback risk	Hold, release, cancel or escalate payout
Appeals	Hunter or contributor disputes a decision	Assign a second reviewer and record final outcome
Bounty exceptions	Expired, duplicate, abandoned, payment failed or no eligible claim	Merge, cancel, extend or trigger refund rule

Dashboard and controls

- Daily queue volume, oldest pending item and target response-time breaches.
- Bounty funding, approved claims, gross payment value, tentative fees, payouts, refunds and disputes.
- Policy reports by institution, course, reason code, severity and repeat offender.
- Configurable limits for contribution value, accepted file types, file size, release option and pilot institutions.
- Role-based access with separate permissions for reviewer, finance operator and administrator.
- Immutable audit events for decision, reason, reviewer, timestamp, payout change and account action.

Dual-control actions

High-impact changes should require a second authorised person during the pilot. Examples include releasing a manually held payout, changing contribution limits, overriding a restricted-content decision, exporting user data and granting administrator access.

Functional Requirements

Requirements are grouped by the user outcome they support. Priority uses Must, Should and Could for MVP planning.

ID	Requirement	Priority	Acceptance evidence
FR-01	Register and sign in with verified email and institution profile	Must	User can complete verification and access the correct pilot institution
FR-02	Create a Wanted request with required academic metadata	Must	Incomplete or invalid requests cannot be published
FR-03	Detect likely duplicate requests before payment	Must	User can join an existing bounty instead of creating a duplicate
FR-04	Accept a contribution from RM1 to RM50	Must	Amounts outside the range are rejected; successful payment updates bounty
FR-05	Show funded value, Backer count and active status	Must	Wanted Board updates after confirmed contribution
FR-06	Allow a Hunter to submit one or more claims where policy permits	Must	Claim is stored privately and linked to the correct bounty
FR-07	Require a rights and integrity declaration before upload	Must	Submission is blocked until acknowledgement is recorded
FR-08	Scan files for malware, integrity and supported format	Must	Unsafe or unreadable files are quarantined
FR-09	Check hashes and metadata for duplicates	Must	Reviewer receives duplicate-match evidence
FR-10	Route every pilot claim to a Sheriff decision	Must	No payout or entitlement occurs without an approval event
FR-11	Record review reason codes and notes	Must	Decision audit includes reviewer, timestamp, reason and version
FR-12	Notify Hunter and Backers of material status changes	Should	Users receive in-app notification and configured email event

Functional Requirements Continued

ID	Requirement	Priority	Acceptance evidence
FR-13	Create access entitlements for all successful contributors	Must	Only eligible contributor accounts can open the approved resource
FR-14	Support contributor-only or free-after-48-hours access	Must	Scheduled release follows the recorded option and rights status
FR-15	Calculate a tentative 10 percent fee and net reward	Must	Displayed and ledger values match approved configuration
FR-16	Initiate direct withdrawal to a supported bank or e-wallet	Must	Payout status reconciles with provider response
FR-17	Prevent duplicate payout for the same approved claim	Must	Idempotent payout key blocks repeat instruction
FR-18	Provide transaction history to contributors and Hunters	Should	User can view amount, status, date and reference
FR-19	Allow reports against a request, resource or user	Must	Report enters Sheriff queue with category and evidence
FR-20	Allow Sheriff to remove access and suspend an account	Must	Action is permission-controlled and audited
FR-21	Support an appeal with additional evidence	Should	Appeal is assigned to a reviewer other than the first reviewer
FR-22	Expire, cancel, merge or extend a bounty	Must	Configured action updates status and participant notifications
FR-23	Apply a documented refund rule when a bounty is cancelled	Must	Refund status is visible and reconciled
FR-24	Export pilot analytics without exposing file content	Should	Authorised operator can export aggregated KPI data
FR-25	Search the Archive by institution, course and resource type	Should	Entitlement filters prevent unauthorised results
FR-26	Save common Hunter filters	Could	Hunter can save and reuse a search combination

Bounty exception rules to finalise

The product specification must define what happens when a bounty expires without an approved claim, when several eligible claims arrive close together, when a contribution is charged back, and when an approved resource is later removed. These rules affect user trust, accounting and payout reversals and should be approved before payment integration begins.

Non Functional Requirements

Area	MVP target	Validation method
Performance	Wanted Board and common detail pages load within 2.5 seconds at the 75th percentile on a typical 4G connection	Synthetic tests and real-user monitoring
Availability	99.5 percent monthly service availability during the pilot, excluding announced maintenance	Uptime monitoring and incident log
Scalability	Support at least 5,000 pilot accounts, 1,000 active bounties and 500 concurrent sessions without redesign	Load test agreed traffic profile
Accessibility	Meet WCAG 2.1 AA for primary flows, keyboard use, contrast and form errors	Automated scan plus manual keyboard and screen-reader checks
Mobile usability	All primary user and Sheriff triage flows function from 360 px width upward	Responsive test matrix
Reliability	Contribution, entitlement and payout operations are idempotent and recover after retry	Failure injection and reconciliation tests
Privacy	Collect only required identity, institution, transaction and moderation data	Data inventory, retention review and access audit
Auditability	Every moderation and financial state change records actor, time, previous state, new state and reason	Audit-log test cases
Maintainability	Modules expose documented interfaces and configuration rather than hard-coded pilot rules	Architecture review and code-quality checks
Observability	Track errors, queue age, payment state, scan failures and access failures with actionable alerts	Dashboard and alert simulation

Service targets

The numbers above are proposed pilot targets, not production service commitments. Week 8 testing should establish a baseline and identify which targets can be adopted for launch. Claim-review time is primarily an operating target: suggested median under 12 hours and 90th percentile under 24 hours during staffed pilot periods.

Security Privacy and Moderation

Security controls

- **Identity and access.** Use verified accounts, least-privilege roles, multi-factor authentication for Sheriff users and step-up verification for sensitive finance actions.
- **File isolation.** Store unreviewed files in a private quarantine area, use time-limited access links, block executable content and render previews in an isolated process.
- **Data protection.** Encrypt data in transit and at rest, separate secrets from application code, rotate keys and restrict production access.
- **Payment integrity.** Use provider tokens instead of storing bank credentials, sign and verify webhooks, reconcile every state change and use idempotency keys.
- **Fraud controls.** Monitor account velocity, repeated identities, coordinated funding, duplicate files, self-dealing and payout anomalies.
- **Audit and incident response.** Keep tamper-evident security and moderation logs, define severity levels and prepare a response playbook before pilot launch.

Moderation safeguards

- Block public discovery of unverified file content and limit previews to safe metadata.
- Prioritise claims containing current dates, confidentiality markings or institution restriction language.
- Use a second reviewer for borderline integrity decisions and all successful appeals.
- Publish plain-language rules, report options and decision explanations to participants.
- Rate-limit uploads, contribution attempts, reports and account creation to reduce abuse.
- Create institution-specific blocklists only where the institution provides authoritative restrictions.

Compliance validation

Before live payments, AFES should obtain legal and provider review covering personal-data obligations, user terms, rights and takedown procedures, refunds and chargebacks, payout identity requirements, taxation and whether the proposed funds flow triggers any payment-system or e-money obligations. The MVP should use a licensed payment and payout provider wherever available rather than hold or issue stored value.

MVP Scope and Three University Pilot

Included in MVP

Capability	Included boundary
Institutions	Three selected Malaysian universities; institution list configurable
Accounts	Email verification, institution profile and core role history
Marketplace	Wanted Board, create request, join bounty and bounty detail
Files	PDF and approved document/image formats within configured size limits
Verification	Automated pre-screening plus mandatory Sheriff decision
Payments	RM1-RM50 per contribution, tentative 10 percent fee, refund and payout ledger
Withdrawal	Direct payout to one or more supported bank or e-wallet rails
Access	Contributor entitlements and optional free release after 48 hours
Administration	Review queues, reports, users, configuration, payouts and analytics
Communications	Core in-app and email notifications

Excluded from MVP

- Public launch across all Malaysian institutions.
- General-purpose wallet, peer-to-peer balance transfer or cryptocurrency.
- Automatic approval of academic files without a Sheriff decision.
- Native mobile applications; the pilot uses a responsive web product.
- Secondary resale, paid access after completion or variable category pricing.
- Automated copyright judgement or guaranteed authenticity claims.

Pilot institution selection criteria

- An accessible student tester pool and a reliable campus contact.
- A mix of institution types or course structures that tests product portability.
- Clear academic-integrity guidance and a practical channel for escalation.
- Sufficient demand volume without making moderation unmanageable.
- Willingness to participate in surveys, interviews and controlled onboarding.

Pilot Plan and Success Measures

Pilot sequence

Stage	Participants	Activity	Exit condition
Internal alpha	AFES team and invited testers	Validate flows, policy wording, review tools and test payments	No unresolved critical defects
Campus seed	Small ambassador group at each university	Create legitimate requests and seed authorised resources	Minimum viable Wanted Board in each institution
Controlled pilot	Invitation-based student cohort	Run live demand, review, entitlement and payout flows	Two weeks of measurable use and resolved incidents
Launch review	AFES product, operations, finance and policy owners	Assess metrics, risks, costs and user feedback	Go, extend pilot, redesign or stop decision

Proposed pilot KPIs

Category	Metric	Initial target or question
Adoption	Verified pilot accounts and weekly active users	Target set after ambassador capacity is known
Demand	Wanted requests funded by at least two Backers	At least 30 percent
Fulfilment	Bounties with an approved claim	At least 25 percent within the pilot window
Speed	Median time from request to approved claim	Measure baseline; aim under seven days
Trust	Approved resources later removed for policy or rights reasons	Below 2 percent
Moderation	Claims decided within target service time	At least 90 percent within 24 staffed hours
Payments	Successful contributions and payouts without manual repair	At least 98 percent
Economics	Gateway, refund and moderation cost per completed bounty	Test whether 10 percent fee is viable
Satisfaction	Contributor and Hunter post-transaction rating	Average at least 4.0 out of 5
Integrity	Restricted-content attempts per 100 claims	Track trend and false-positive rate

Measurement principle

Success should be judged on trustworthy completed bounties, not upload volume alone. A high number of claims with low approval, frequent takedowns or slow payouts would indicate that growth is increasing operating risk rather than product value.

Key Risks and Mitigations

Risk	Likelihood	Impact	Primary mitigation
Restricted or leaked assessment material is submitted	High	Severe	Mandatory declaration, risk screening, human review, rapid takedown and sanctions
Copyright or institution rights complaint	Medium	High	Rights basis, takedown channel, limited previews and documented decisions
Payment or payout classification is misunderstood	Medium	Severe	Licensed provider, legal review and no general-purpose stored-value wallet
Fraud through self-dealing or duplicate claims	Medium	High	Identity checks, file hashing, velocity rules and payout holds
Low supply leaves bounties unfulfilled	High	Medium	Seed authorised resources, ambassador recruitment and expiry/refund rules
Moderation queue becomes too slow	Medium	High	Pilot caps, prioritisation, reviewer handbook and staffing dashboard
False rejection frustrates legitimate Hunters	Medium	Medium	Reason codes, evidence request and independent appeal
Data breach exposes personal or academic information	Low	Severe	Data minimisation, encryption, access controls, monitoring and incident response
10 percent fee is not commercially viable	Medium	Medium	Measure full transaction cost and test alternative pricing after pilot
One university dominates pilot results	Medium	Medium	Select varied institutions and report metrics by campus

Risk ownership

Each risk needs a named owner before Week 9. Product owns scope and user experience; Operations owns moderation capacity; Engineering owns security and reliability; Finance owns reconciliation and commercial analysis; and an authorised AFES lead owns legal and institution engagement. Final names can be assigned after the project team is confirmed.

Future Scope After Pilot

Near-term opportunities

- Expand to additional Malaysian higher education institutions using configurable institution and course taxonomies.
- Add institution-verified or lecturer-verified publisher accounts for authorised resources.
- Introduce reputation signals based on approved claims, accurate metadata and policy history.
- Improve matching between Wanted requests and existing Archive resources before new funding is accepted.
- Add Malay and English interface localisation, followed by institution-specific terminology where useful.
- Offer campus ambassador tools for onboarding, resource drives and policy education.

Capabilities that require stronger evidence

- Automated low-risk approval, only after a sufficiently large and accurately labelled review dataset exists.
- Paid post-bounty access or subscription plans, only after rights, pricing and fairness have been validated.
- More complex reward splitting for multiple Hunters, only if pilot behaviour shows a clear need.
- API or learning-management-system integration, only with institution approval and a defined security model.
- Advanced similarity detection and provenance tracking for documents across institutions.

Brand development

WANTED should retain a modern SaaS identity with restrained Western cues. The strongest cues are the Wanted card, Bounty amount, Claim status and Sheriff administration label. Payment, policy, accessibility and error messages should remain plain and familiar. AFES ownership can stay subtle in the footer and About page while governance and legal responsibility remain explicit in formal terms.

Ten Week Delivery Timeline

The schedule assumes one coordinated AFES team with product, design, engineering, operations and finance support. Payment-provider and legal validation start early because they can block the pilot.

WORKSTREAM	W1	W2	W3	W4	W5	W6	W7	W8	W9	W10
Product definition and policy	●									
UX UI and technical design	●	●								
Core platform and identity		●	●							
Wanted Board and bounty engine			●	●						
Upload verification and access				●	●					
Payment reward and withdrawal					●	●				
Sheriff panel and moderation						●	●			
QA security and pilot readiness							●	●		
Three university pilot									●	
Stabilisation and launch decision										●

Figure 3 MVP and pilot delivery plan

Milestones

Milestone	Target	Required evidence
Scope lock	End of Week 1	Approved rules, content policy, payment assumptions and pilot criteria
Build-ready design	End of Week 2	Validated prototype, architecture, data model and backlog
Core bounty flow complete	End of Week 4	Request, contribution, board and status flows pass integration tests
Trust and payment flow complete	End of Week 7	Review, access, payout, refund and Sheriff paths pass end-to-end tests
Pilot readiness	End of Week 8	Security checks, operating handbook, support channel and tester roster
Launch decision	End of Week 10	KPI review, risk review, cost analysis and prioritised fixes

Detailed Week Plan One to Five

Week	Focus and key tasks	Primary owners	Deliverable and exit gate
1	Confirm product position, user roles, contribution and access rules; draft terms, restricted-content policy, refund scenarios and payment-provider questions; define pilot institution criteria.	Product lead, AFES sponsor, Operations, Finance	Approved product brief, policy draft, decision log and provider shortlist
2	Design core journeys and responsive interface; define architecture, data model, security boundaries, audit events and analytics; test prototype with internal users.	Product design, Engineering, Security	Build-ready prototype, technical design, prioritised backlog and test plan
3	Build account verification, institution taxonomy, profiles, Wanted Board, search, request creation and duplicate suggestion; implement base audit logging.	Frontend, Backend, QA	Users can create, discover and manage a valid unpaid request in staging
4	Build contribution checkout, bounty ledger and status transitions; add Backer entitlements model, notifications and core fraud limits; integrate payment sandbox.	Backend, Frontend, Finance, QA	Confirmed contributions update one consistent bounty ledger without duplicates
5	Build secure file intake, quarantine, malware scan, file hash, duplicate detection, metadata comparison, safe preview and rights declaration.	Backend, Security, Operations, QA	A claim can move safely from upload to the review queue with all evidence

Dependencies to watch

Week 4 depends on a workable payment sandbox and a defined refund ledger. Week 5 depends on an agreed file-type policy and safe preview approach. Any delay in legal or provider validation should be visible in the decision log rather than hidden inside engineering work.

Detailed Week Plan Six to Ten

Week	Focus and key tasks	Primary owners	Deliverable and exit gate
6	Build Sheriff claim review, reason codes, report handling and appeal intake; implement approval event, contributor entitlement and free-after-48-hours scheduler.	Backend, Frontend, Operations, QA	Approved claims grant the correct access; rejected claims release nothing
7	Complete payout initiation, bank or e-wallet destination, reconciliation, provider webhooks, fee configuration, refund handling and finance queue; add dual-control actions.	Backend, Finance, Security, QA	End-to-end test contribution, approval, access, payout and refund paths reconcile
8	Run functional, security, performance, accessibility and mobile tests; prepare reviewer handbook, incident playbook, support scripts, pilot analytics and institution communications.	QA, Security, Operations, Product	No critical defects; documented pilot readiness sign-off
9	Onboard ambassadors and invitation cohort at three universities; seed approved content; operate live moderation and payment support; collect daily issues and user feedback.	Product, Operations, Campus contacts, Engineering	Controlled pilot produces trustworthy usage and operational data
10	Resolve high-impact defects; analyse adoption, fulfilment, integrity, service time, payment success and cost; review risks and decide whether to launch, extend or redesign.	AFES sponsor, Product, Engineering, Operations, Finance	Written MVP launch decision and prioritised next-release backlog

Suggested project cadence

Use a weekly decision review, twice-weekly build demonstration and a short daily operating check during Weeks 8 to 10. Engineering and Operations should review the same claim, payment and incident dashboards so that workflow failures are not treated as separate product and support problems.

Open Decisions and Immediate Next Steps

Decisions required before or during Week 1

Decision	Why it matters	Recommended starting position
Select three pilot universities	Defines taxonomy, outreach, policy contacts and tester volume	Choose varied institutions with accessible communities and clear escalation routes
Confirm payment and payout provider	Determines checkout, settlement, identity checks, fees and launch feasibility	Use one provider or coordinated providers that support Malaysian bank or e-wallet payout
Approve funds-flow model	Affects regulation, refunds, accounting and user disclosures	Provider-controlled collection and payout; no general-purpose wallet
Validate 10 percent fee	May not cover provider, refund and moderation cost	Keep configurable and measure full cost during pilot
Define expiry and refund rules	Unfulfilled bounties need predictable treatment	Use a clear expiry window with automated refund unless Backers approve extension
Choose free-after-48-hours authority	Affects rights and user expectation	Allow only where uploader rights and platform policy permit; otherwise contributor-only
Set reviewer staffing	Manual inspection is mandatory in the pilot	Publish staffed hours, service target and escalation rota
Approve retention schedule	Files, evidence, payment records and audit logs have different needs	Minimise retention and confirm with legal, provider and security review

Immediate next steps

1. Name the AFES sponsor and assign product, engineering, operations, finance and policy owners.
2. Select candidate pilot universities and identify one campus contact for each.
3. Run a payment-provider and legal feasibility workshop focused on funds flow, payout, refunds and identity checks.
4. Convert the functional requirements into a prioritised delivery backlog with test cases.
5. Prototype the Create Bounty, Claim and Sheriff review flows and test policy comprehension with students.
6. Approve the Week 1 gate before engineering commits to the Week 9 pilot date.

Proposal conclusion

WANTED is suitable for a controlled MVP if trust and payment controls are treated as core product work. The bounty mechanism can create a useful demand-led archive, but the launch decision should depend on verified fulfilment, safe moderation, reliable payouts and evidence that the fee model can support the operating cost.

Validation References and Notes

This proposal is a product and delivery document, not legal advice. AFES should validate the final terms, privacy notice, payout model and institutional policy with qualified advisers and selected providers before live transactions.

Regulatory reference points

- Personal Data Protection Act 2010 and Personal Data Protection Amendment Act 2024. Official materials:
<https://www.pdp.gov.my/>
- Bank Negara Malaysia Policy Document on Electronic Money, revised 31 January 2025:
<https://www.bnm.gov.my/-/pd-emony25>
- Bank Negara Malaysia payment-system approval and registration guidance:
<https://www.bnm.gov.my/application-for-approval-and-registration>

Terminology note

Western terminology is a brand layer only. Formal policy, finance, security and accessibility language should remain plain. The platform must never describe restricted or leaked material as a legitimate bounty target.

Source concept

This document develops the marketplace and bounty mechanics introduced in the original Project Proposal Bilik Kebal draft, while replacing its treatment of leaked papers with an explicit restricted-content policy and a review-first operating model.