
Sleep Study Signals - Subject AP03
Timestamp: 10:10:18 PM to 10:20:18 PM
Nasal Airflow
Amplitude
20
10
0
−10
−20
−30
Thoracic Movement
Amplitude
80
60
40
20
0
−20
SpO2 (%)
SpO2 Level
80
60
40
20
0
0
2
4
6
8
10
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 10:20:18 PM to 10:30:18 PM
Nasal Airflow
Amplitude
20
0
−20
−40
−60
Thoracic Movement
Amplitude
500
400
300
200
100
0
−100
−200
−300
SpO2 (%)
SpO2 Level
97
96
95
94
93
92
91
10
12
14
16
18
20
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 10:30:18 PM to 10:40:18 PM
Nasal Airflow
Amplitude
20
0
−20
−40
−60
−80
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
98
97
96
95
94
93
92
91
90
20
22
24
26
28
30
Time (Minutes from Start of Recording)

Sleep Study Signals - Subject AP03
Timestamp: 10:40:18 PM to 10:50:18 PM
Nasal Airflow
Amplitude
20
10
0
−10
−20
−30
−40
−50
−60
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
97
96
95
94
93
92
91
30
32
34
36
38
40
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 10:50:18 PM to 11:00:18 PM
Nasal Airflow
Amplitude
20
0
−20
−40
−60
−80
Thoracic Movement
Amplitude
500
400
300
200
100
0
−100
−200
−300
SpO2 (%)
SpO2 Level
98
97
96
95
94
93
92
91
40
42
44
46
48
50
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 11:00:18 PM to 11:10:18 PM
Nasal Airflow
Amplitude
20
0
−20
−40
−60
−80
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
98
97
96
95
94
93
92
91
90
50
52
54
56
58
60
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 11:10:18 PM to 11:20:18 PM
Nasal Airflow
Amplitude
20
10
0
−10
−20
−30
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
98
97
96
95
94
93
92
91
90
60
62
64
66
68
70
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 11:20:18 PM to 11:30:18 PM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 11:30:18 PM to 11:40:18 PM
Nasal Airflow
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 11:40:18 PM to 11:50:18 PM
Nasal Airflow
Amplitude
15
10
5
0
−5
−10
−15
−20
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
98
97
96
95
94
93
92
90
92
94
96
98
100
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 11:50:18 PM to 12:00:18 AM
Nasal Airflow
Amplitude
20
10
0
−10
−20
−30
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
125
120
115
110
105
100
95
90
100
102
104
106
108
110
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 12:00:18 AM to 12:10:18 AM
Nasal Airflow
Amplitude
20
10
0
−10
−20
−30
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
98
97
96
95
94
93
110
112
114
116
118
120
Time (Minutes from Start of Recording)

Sleep Study Signals - Subject AP03
Timestamp: 12:10:18 AM to 12:20:18 AM
Nasal Airflow
Amplitude
30
20
10
0
−10
−20
−30
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
98
97
96
95
94
93
120
122
124
126
128
130
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 12:20:18 AM to 12:30:18 AM
Nasal Airflow
Amplitude
10
5
0
−5
−10
−15
−20
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
98
97
96
95
94
93
92
130
132
134
136
138
140
Time (Minutes from Start of Recording)

Sleep Study Signals - Subject AP03
Timestamp: 12:30:18 AM to 12:40:18 AM
Nasal Airflow
Amplitude
20
10
0
−10
−20
−30
−40
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
100
99
98
97
96
95
94
93
140
142
144
146
148
150
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 12:40:18 AM to 12:50:18 AM
Nasal Airflow
Amplitude
20
10
0
−10
−20
−30
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
98
97
96
95
94
93
92
150
152
154
156
158
160
Time (Minutes from Start of Recording)

Sleep Study Signals - Subject AP03
Timestamp: 12:50:18 AM to 01:00:18 AM
Nasal Airflow
Amplitude
20
10
0
−10
−20
−30
−40
−50
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
125
120
115
110
105
100
95
160
162
164
166
168
170
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 01:00:18 AM to 01:10:18 AM
Nasal Airflow
Amplitude
20
10
0
−10
−20
−30
−40
−50
Thoracic Movement
Amplitude
300
200
100
0
−100
−200
−300
SpO2 (%)
SpO2 Level
98
97
96
95
94
93
170
172
174
176
178
180
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 01:10:18 AM to 01:20:18 AM
Nasal Airflow
Amplitude
40
20
0
−20
−40
−60
−80
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
99
98
97
96
95
94
93
92
91
180
182
184
186
188
190
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 01:20:18 AM to 01:30:18 AM
Nasal Airflow
Amplitude
40
20
0
−20
−40
Thoracic Movement
Amplitude
400
200
0
−200
SpO2 (%)
SpO2 Level
98
97
96
95
94
93
92
190
192
194
196
198
200
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 01:30:18 AM to 01:40:18 AM
Nasal Airflow
Amplitude
40
20
0
−20
−40
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
125
120
115
110
105
100
95
200
202
204
206
208
210
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 01:40:18 AM to 01:50:18 AM
Nasal Airflow
Hypopnea
Amplitude
10
5
0
−5
−10
−15
Thoracic Movement
Amplitude
100
50
0
−50
SpO2 (%)
SpO2 Level
98.0
97.5
97.0
96.5
96.0
95.5
95.0
94.5
94.0
210
212
214
216
218
220
Time (Minutes from Start of Recording)

Sleep Study Signals - Subject AP03
Timestamp: 01:50:18 AM to 02:00:18 AM
Nasal Airflow
Hypopnea
Obstructive Apnea
Amplitude
10
0
−10
−20
−30
−40
Thoracic Movement
Amplitude
400
300
200
100
0
−100
−200
−300
SpO2 (%)
SpO2 Level
100
80
60
40
20
0
220
222
224
226
228
230
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 02:00:18 AM to 02:10:18 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 02:10:18 AM to 02:20:18 AM
Nasal Airflow
Hypopnea
Amplitude
7.5
5.0
2.5
0.0
−2.5
−5.0
−7.5
−10.0
−12.5
Thoracic Movement
Amplitude
200
100
0
−100
SpO2 (%)
SpO2 Level
98.0
97.5
97.0
96.5
96.0
95.5
95.0
240
242
244
246
248
250
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 02:20:18 AM to 02:30:18 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 02:30:18 AM to 02:40:18 AM
Nasal Airflow
Hypopnea
Amplitude
5.0
2.5
0.0
−2.5
−5.0
−7.5
−10.0
−12.5
Thoracic Movement
Amplitude
100
50
0
−50
−100
SpO2 (%)
SpO2 Level
98.0
97.5
97.0
96.5
96.0
95.5
95.0
94.5
94.0
260
262
264
266
268
270
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 02:40:18 AM to 02:50:18 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)

Sleep Study Signals - Subject AP03
Timestamp: 02:50:18 AM to 03:00:18 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)

Sleep Study Signals - Subject AP03
Timestamp: 03:00:18 AM to 03:10:18 AM
Nasal Airflow
Hypopnea
Obstructive Apnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 03:10:18 AM to 03:20:18 AM
Nasal Airflow
Hypopnea
Amplitude
5
0
−5
−10
−15
Thoracic Movement
Amplitude
100
50
0
−50
−100
−150
−200
SpO2 (%)
SpO2 Level
125
120
115
110
105
100
95
300
302
304
306
308
310
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 03:20:18 AM to 03:30:18 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 03:30:18 AM to 03:40:18 AM
Nasal Airflow
Amplitude
20
10
0
−10
−20
−30
−40
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
98
97
96
95
94
93
320
322
324
326
328
330
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 03:40:18 AM to 03:50:18 AM
Nasal Airflow
Amplitude
20
0
−20
−40
−60
Thoracic Movement
Amplitude
400
300
200
100
0
−100
−200
−300
SpO2 (%)
SpO2 Level
99
98
97
96
95
94
93
330
332
334
336
338
340
Time (Minutes from Start of Recording)

Sleep Study Signals - Subject AP03
Timestamp: 03:50:18 AM to 04:00:18 AM
Nasal Airflow
Amplitude
20
10
0
−10
−20
−30
−40
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
98
97
96
95
94
93
340
342
344
346
348
350
Time (Minutes from Start of Recording)

Sleep Study Signals - Subject AP03
Timestamp: 04:00:18 AM to 04:10:18 AM
Nasal Airflow
Amplitude
60
40
20
0
−20
−40
−60
−80
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
99
98
97
96
95
94
93
92
91
350
352
354
356
358
360
Time (Minutes from Start of Recording)

Sleep Study Signals - Subject AP03
Timestamp: 04:10:18 AM to 04:20:18 AM
Nasal Airflow
Amplitude
60
40
20
0
−20
−40
−60
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
125
120
115
110
105
100
95
360
362
364
366
368
370
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 04:20:18 AM to 04:30:18 AM
Nasal Airflow
Amplitude
40
20
0
−20
−40
−60
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
99
98
97
96
95
94
93
370
372
374
376
378
380
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 04:30:18 AM to 04:40:18 AM
Nasal Airflow
Amplitude
20
10
0
−10
−20
−30
−40
−50
−60
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
98
97
96
95
94
93
380
382
384
386
388
390
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 04:40:18 AM to 04:50:18 AM
Nasal Airflow
Amplitude
15
10
5
0
−5
−10
−15
−20
−25
Thoracic Movement
Amplitude
300
200
100
0
−100
SpO2 (%)
SpO2 Level
125
120
115
110
105
100
95
390
392
394
396
398
400
Time (Minutes from Start of Recording)

Sleep Study Signals - Subject AP03
Timestamp: 04:50:18 AM to 05:00:18 AM
Nasal Airflow
Hypopnea
Amplitude
10
0
−10
−20
−30
Thoracic Movement
Amplitude
150
100
50
0
−50
−100
SpO2 (%)
SpO2 Level
98.0
97.5
97.0
96.5
96.0
95.5
95.0
94.5
94.0
400
402
404
406
408
410
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 05:00:18 AM to 05:10:18 AM
Nasal Airflow
Amplitude
5
0
−5
−10
−15
Thoracic Movement
Amplitude
100
75
50
25
0
−25
−50
−75
SpO2 (%)
SpO2 Level
98.0
97.5
97.0
96.5
96.0
95.5
95.0
410
412
414
416
418
420
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP03
Timestamp: 05:10:18 AM to 05:20:18 AM
Nasal Airflow
Amplitude
5
0
−5
−10
−15
Thoracic Movement
Amplitude
100
75
50
25
0
−25
−50
−75
SpO2 (%)
SpO2 Level
98.0
97.5
97.0
96.5
96.0
95.5
95.0
94.5
94.0
420
422
424
426
428
430
Time (Minutes from Start of Recording)