
Sleep Study Signals - Subject AP04
Timestamp: 09:25:35 PM to 09:35:35 PM
Nasal Airflow
Amplitude
100
50
0
−50
−100
Thoracic Movement
Amplitude
800
600
400
200
0
−200
−400
−600
SpO2 (%)
SpO2 Level
100
80
60
40
20
0
0
2
4
6
8
10
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 09:35:35 PM to 09:45:35 PM
Nasal Airflow
Amplitude
150
100
50
0
−50
−100
−150
Thoracic Movement
Amplitude
600
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
96
95
94
93
92
91
90
89
10
12
14
16
18
20
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 09:45:35 PM to 09:55:35 PM
Nasal Airflow
Amplitude
100
50
0
−50
−100
Thoracic Movement
Amplitude
400
200
0
−200
−400
−600
SpO2 (%)
SpO2 Level
98
97
96
95
94
93
92
91
90
20
22
24
26
28
30
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 09:55:35 PM to 10:05:35 PM
Nasal Airflow
Amplitude
75
50
25
0
−25
−50
−75
−100
Thoracic Movement
Amplitude
800
600
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
97
96
95
94
93
92
91
30
32
34
36
38
40
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 10:05:35 PM to 10:15:35 PM
Nasal Airflow
Amplitude
100
50
0
−50
−100
−150
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
96
95
94
93
92
91
90
89
88
40
42
44
46
48
50
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 10:15:35 PM to 10:25:35 PM
Nasal Airflow
Amplitude
150
100
50
0
−50
−100
−150
Thoracic Movement
Amplitude
150
100
50
0
−50
−100
−150
SpO2 (%)
SpO2 Level
94
93
92
91
90
89
88
50
52
54
56
58
60
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 10:25:35 PM to 10:35:35 PM
Nasal Airflow
Amplitude
150
100
50
0
−50
−100
−150
Thoracic Movement
Amplitude
1000
750
500
250
0
−250
−500
−750
−1000
SpO2 (%)
SpO2 Level
125
120
115
110
105
100
95
90
60
62
64
66
68
70
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 10:35:35 PM to 10:45:35 PM
Nasal Airflow
Amplitude
100
50
0
−50
−100
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
94
93
92
91
90
89
70
72
74
76
78
80
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 10:45:35 PM to 10:55:35 PM
Nasal Airflow
Amplitude
100
50
0
−50
−100
Thoracic Movement
Amplitude
150
100
50
0
−50
−100
−150
SpO2 (%)
SpO2 Level
93.0
92.5
92.0
91.5
91.0
90.5
90.0
89.5
89.0
80
82
84
86
88
90
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 10:55:35 PM to 11:05:35 PM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 11:05:35 PM to 11:15:35 PM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 11:15:35 PM to 11:25:35 PM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 11:25:35 PM to 11:35:35 PM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 11:35:35 PM to 11:45:35 PM
Nasal Airflow
Amplitude
100
50
0
−50
−100
Thoracic Movement
Amplitude
800
600
400
200
0
−200
−400
−600
SpO2 (%)
SpO2 Level
94
93
92
91
90
89
88
87
130
132
134
136
138
140
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 11:45:35 PM to 11:55:35 PM
Nasal Airflow
Obstructive Apnea
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 11:55:35 PM to 12:05:35 AM
Nasal Airflow
Hypopnea
Obstructive Apnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 12:05:35 AM to 12:15:35 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 12:15:35 AM to 12:25:35 AM
Nasal Airflow
Hypopnea
Amplitude
100
50
0
−50
−100
−150
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
96
94
92
90
88
170
172
174
176
178
180
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 12:25:35 AM to 12:35:35 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 12:35:35 AM to 12:45:35 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 12:45:35 AM to 12:55:35 AM
Nasal Airflow
Hypopnea
Obstructive Apnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 12:55:35 AM to 01:05:35 AM
Nasal Airflow
Hypopnea
Obstructive Apnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 01:05:35 AM to 01:15:35 AM
Nasal Airflow
Hypopnea
Obstructive Apnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 01:15:35 AM to 01:25:35 AM
Nasal Airflow
Hypopnea
Obstructive Apnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 01:25:35 AM to 01:35:35 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 01:35:35 AM to 01:45:35 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 01:45:35 AM to 01:55:35 AM
Nasal Airflow
Hypopnea
Amplitude
100
50
0
−50
−100
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
95
94
93
92
91
90
89
88
87
260
262
264
266
268
270
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 01:55:35 AM to 02:05:35 AM
Nasal Airflow
Hypopnea
Obstructive Apnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 02:05:35 AM to 02:15:35 AM
Nasal Airflow
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 02:15:35 AM to 02:25:35 AM
Nasal Airflow
Amplitude
80
60
40
20
0
−20
−40
−60
−80
Thoracic Movement
Amplitude
200
100
0
−100
SpO2 (%)
SpO2 Level
93
92
91
90
89
88
87
290
292
294
296
298
300
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 02:25:35 AM to 02:35:35 AM
Nasal Airflow
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 02:35:35 AM to 02:45:35 AM
Nasal Airflow
Obstructive Apnea
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 02:45:35 AM to 02:55:35 AM
Nasal Airflow
Amplitude
60
40
20
0
−20
−40
−60
−80
Thoracic Movement
Amplitude
60
40
20
0
−20
−40
SpO2 (%)
SpO2 Level
90.00
89.75
89.50
89.25
89.00
88.75
88.50
88.25
88.00
320
322
324
326
328
330
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 02:55:35 AM to 03:05:35 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 03:05:35 AM to 03:15:35 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 03:15:35 AM to 03:25:35 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 03:25:35 AM to 03:35:35 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 03:35:35 AM to 03:45:35 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 03:45:35 AM to 03:55:35 AM
Nasal Airflow
Hypopnea
Amplitude
100
50
0
−50
−100
Thoracic Movement
Amplitude
200
100
0
−100
−200
SpO2 (%)
SpO2 Level
95
94
93
92
91
90
89
380
382
384
386
388
390
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 03:55:35 AM to 04:05:35 AM
Nasal Airflow
Hypopnea
Amplitude
50
0
−50
−100
Thoracic Movement
Amplitude
300
200
100
0
−100
−200
SpO2 (%)
SpO2 Level
95
94
93
92
91
90
89
390
392
394
396
398
400
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 04:05:35 AM to 04:15:35 AM
Nasal Airflow
Amplitude
75
50
25
0
−25
−50
−75
−100
Thoracic Movement
Amplitude
100
75
50
25
0
−25
−50
−75
−100
SpO2 (%)
SpO2 Level
92.0
91.5
91.0
90.5
90.0
89.5
89.0
400
402
404
406
408
410
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 04:15:35 AM to 04:25:35 AM
Nasal Airflow
Hypopnea
Amplitude
100
50
0
−50
−100
Thoracic Movement
Amplitude
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
96
94
92
90
88
86
410
412
414
416
418
420
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 04:25:35 AM to 04:35:35 AM
Nasal Airflow
Hypopnea
Obstructive Apnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 04:35:35 AM to 04:45:35 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 04:45:35 AM to 04:55:35 AM
Nasal Airflow
Amplitude
75
50
25
0
−25
−50
−75
−100
Thoracic Movement
Amplitude
600
400
200
0
−200
−400
−600
−800
SpO2 (%)
SpO2 Level
96
95
94
93
92
91
90
89
88
440
442
444
446
448
450
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 04:55:35 AM to 05:05:35 AM
Nasal Airflow
Amplitude
60
40
20
0
−20
−40
−60
Thoracic Movement
Amplitude
800
600
400
200
0
−200
−400
SpO2 (%)
SpO2 Level
98
96
94
92
90
88
86
450
452
454
456
458
460
Time (Minutes from Start of Recording)

Sleep Study Signals - Subject AP04
Timestamp: 05:05:35 AM to 05:15:35 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 05:15:35 AM to 05:25:35 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)


Sleep Study Signals - Subject AP04
Timestamp: 05:25:35 AM to 05:35:35 AM
Nasal Airflow
Hypopnea
Amplitude
Thoracic Movement
Amplitude
SpO2 (%)
SpO2 Level
Time (Minutes from Start of Recording)