



Selection Process

Workshop Foundation


Apple Developer Academy | SENAC

adapted from https://www.hackingwithswift.com

Agenda







01 Introduction

02 Control

03 Collections

04 Functions

05 Challenge

Agenda







01 Introduction

02 Control

03 Collections

04 Functions

05 Challenge

If

Switch

Else

Default

Enum

Comparison

```swift
let firstName = "João"
let secondName = "Leonardo"

let firstAge = 40
let secondAge = 10

print(firstName == secondName)
print(firstName != secondName)
print(firstName < secondName)
print(firstName >= secondName)

print(firstAge == secondAge)
print(firstAge != secondAge)
print(firstAge < secondAge)
print(firstAge >= secondAge)
```

```
false
true
true
false

false
true
false
true
```

Condition

```
let score = 85

if score > 80 {
    print("Great job!")
}
```

Condition

```swift
let ourName = "Dave Lister"
let friendName = "Arnold Rimmer"

if ourName < friendName {
    print("It's \(ourName) vs \(friendName)")
}

if ourName > friendName {
    print("It's \(friendName) vs \(ourName)")
}
```

Condition

```
if username.isEmpty {
    username = "Anonymous"
}
```

Multiple Condition

```swift
let age = 16

if age >= 18 {
    print("You can vote in the next election.")
} else {
    print("Sorry, you're too young to vote.")
}
```

Multiple Condition

```
if temp > 20 && temp < 30 {
    print("It's a nice day.")
}
```

Multiple Condition

```swift
let userAge = 14
let hasParentalConsent = true

if userAge >= 18 || hasParentalConsent == true {
    print("You can buy the game")
}
```

Multiple Condition

```swift
enum TransportOption {
    case airplane, helicopter, bicycle, car, scooter
}

let transport = TransportOption.airplane

if transport == .airplane || transport == .helicopter {
    print("Let's fly!")
} else if transport == .bicycle {
    print("I hope there's a bike path…")
} else if transport == .car {
    print("Time to get stuck in traffic.")
} else {
    print("I'm going to hire a scooter now!")
}
```

Enum

```
enum Weekday {
    case monday
    case tuesday
    case wednesday
    case thursday
    case friday
}
```

OR

```
enum Weekday {
    case monday, tuesday, wednesday, thursday, friday
}
```

Using Enum

```
var day = Weekday.monday
day = Weekday.tuesday
day = Weekday.friday
```

OR

```
var day = Weekday.monday
day = .tuesday
day = .friday
```


Switch Statement

```swift
let place = "Metropolis"

switch place {
case "Gotham":
    print("You're Batman!")
case "Mega-City One":
    print("You're Judge Dredd!")
case "Wakanda":
    print("You're Black Panther!")
default:
    print("Who are you?")
}
```

Swift Arena

swiftarena.developeracademy.tech



Username: <user@senacsp.edu.br>

Password: <your_senac_id>