

Final Paper

Rebecca Kopacz
Colorado State University
rkopacz@rams.colostate.edu

Morgan VandeRiet
Colorado State University
mvanderi@rams.colostate.edu

Abstract—With advancements in technology in the recent decades, almost all aspects of life have obtained a virtual form, especially with the recent COVID19 pandemic. We have found a way to do almost all of our activities online, including learning. Music technology and education has taken a new shape as virtual instruments can oftentimes be more convenient and cost effective. This paper discusses the creation of a virtual piano that can be played with the Leap Motion device. It will discuss previous research in virtual instruments, the creation of the Leap Motion piano, a research study of the project, and potential future work.

Keywords—*Leap Motion, music technology, technological piano, Unity, virtual learning*

I. INTRODUCTION

The introduction of gesture based interaction and new input technologies have given rise to many new forms of Human-Computer interaction, including the debut of digital based musical instruments. Electronic music has become an increasingly popular development in the last few decades, though it is not new technology. One early example of electronic music is the Theremin invented in 1919. This instrument was also gesture based as it was played by moving one's hands between two metal antennas to control frequency (pitch) and amplitude (volume). Recent developments in digital musical instruments enjoy increasingly more user interfaces. Touch screen and Virtual Reality devices are just some of the many interfaces that have allowed for advancements in the music industry.

In the project, we adapted a program that allows a user to play a virtual piano that is animated on their monitor using the Leap Motion tool. This is an important project because it could be a tool used to teach music virtually, in addition to being a fun game for users.

Interactive tools provide better learning opportunities, and in the music industry there are not many of them available or even developed yet. Using this virtual piano could be a helpful tool to expand the music industry and make more resources available for teachers and students.

II. BACKGROUND

With more sophisticated gesture based technologies, the world of digital musical instruments is growing. Now, technologies can better emulate playing a real instrument without actually needing one. Devices like Microsoft's

Kinect, Nintendo's Wii, and Virtual Reality headsets have opened doors for an even wider range of possibilities. The Nintendo Wii remote's debut in 2006 allowed for many cost effective experiments including, the "Wiiolin" [9], a virtual violin that could be played by moving the Wii's sensor bar over the Wii remote. Another example is the ChromaChord, which uses an Oculus Rift headset and Leap Motion controller. This system allows a performer to play single notes and chords [15]. Developing virtual reality musical instruments such as the Wiiolin and the ChromaChord is a challenge, but they are extremely beneficial to the continuous growth of human computer interaction.

Others areas of technology in music have been studied including tempo, latency and precision with instruments. In 2011, as multi-touch surfaces became increasingly popular, Montag, Sullivan, Dickey and Leider, explored the effects of audio latency and how it provided a negative experience to any kind of musical technology using the interface. They then created a multi-touch table that uses a system output that simultaneously drives the audio display and the haptic display, resulting in no latency between audio and haptic feedback systems. Performance context and behavior were also studied in relation to the analysis of digital musical instruments and new interfaces to do so [11].

While many musical technologies have emerged, virtual teaching devices for music are still in the early stages of development. "[M]ost instrument implementations in VR are simple string or tapping based instruments," [14]. The more complicated an instrument is, the harder it is to develop it as a virtual reality musical instrument. Camera-based motion tracking is a common technology used with musical interfaces and human computer interaction. It utilizes cameras and infrared sensors to "see" a person's motion [2]. The use of wearable technology, such as data gloves, is another popular way of determining the gestures of humans. It is effective with the detection of joint angles and other orientations of the body [2].

One combined approach, of camera-based motion and wearable technology, is the Leap Motion tool. The Leap Motion "is a USB peripheral designed to create an invisible air space surrounding a computer screen that can be interacted with," [13]. Since its development in 2013, the Leap Motion has contributed a lot to musical interfaces and human computer interaction. Unlike the Xbox Kinect and other similar systems, the Leap Motion is capable of tracking

larger movements and more precise gestures. It is a groundbreaking device that is a widespread tool for any interface of musical expression.

The Leap Motion and other technological systems have contributed a lot to the development of virtual reality musical instruments, but they are also important to other human computer interaction activities. However, unlike other activities, “music seems to involve almost aloof the brain,” [6]. It can involve the whole body, not just the mind, which is vital to those suffering from Alzheimer’s and other diseases. Music helps people to engage their bodies and minds.

The piano is one musical instrument that has been created into a virtual reality musical instrument many times. Augmented reality has played an important part in the development of piano teaching techniques. “The application of augmented reality technology in teaching has great potential, which can optimize the presentation effect of teaching materials and promote the interaction between teachers and students in class,” [7].

III. METHODS

In our project, we adapted a piano model in Unity in order to be able to be played virtually using a Leap Motion device. We added sound effects in order to make the keys produce a sound when pressed. Also, we altered the physics of how the keys were pressed in order for it to seem more similar to a real piano. When a key on a piano is pressed, one can hold the note or play the note quickly, and those effects are challenging to recreate virtually.

Our experiment for this project allowed us to get feedback from our volunteers and get their opinions on the features and format. We asked for basic information, such as their gender, age, career background, etc., in addition to their music knowledge, because that could potentially affect the experiment. We asked them to rate on a scale of one to five how close the virtual piano is to a real piano, what features it is missing, and what should be taken out or changed in order to improve it.

IV. RESULTS AND DISCUSSION

V. LIMITATIONS AND DESIGN IMPLICATIONS

VI. CONCLUSION AND FUTURE WORK

Future research regarding virtual reality musical instruments could include the composition of music virtually. There are systems that are able to “compose music reflecting users’ feeling of music,” [17]. This could aim to produce music virtually through the use of systems such as the Leap Motion. Also, virtual reality musical instruments are the future of adaptive music technology. “Adaptive music technology refers to digital technologies allowing people who cannot

play traditional musical instruments to engage in musical activities, without external sources assisting in the music making,” [4]. Virtual reality musical instruments have played an important part in the development of human computer interaction and have the potential to contribute to adaptive music technology and other developments in the future.

ACKNOWLEDGEMENTS

The authors of this paper would like to thank Justin Kopacz for his contributions to the project. Kopacz is a Principal AI Software Engineer at Northrop Grumman and his efforts have greatly contributed to the making of the Leap Motion piano in Unity.

We would also like to thank our professor, Francisco Ortega, for our inspiration and providing us with the resources to complete this project.

REFERENCES

- [1] Bachmann, Daniel, Frank Weichert, and Gerhard Rinkenauer. “Review of Three-Dimensional Human-Computer Interaction with Focus on the Leap Motion Controller.” *Sensors* 18.7 (2018): 2194. Crossref. Web. <https://www.mdpi.com/1424-8220/18/7/2194>
- [2] Brown, Dom, et al. “Leimu: Gloveless Music Interaction Using a Wrist Mounted Leap Motion.” July 2016, www.researchgate.net/publication/310699028_Leimu_Gloveless_Music_Interaction_Using_a_Wrist_Mounted_Leap_Motion
- [3] F. Wijaya, Y. Tseng, W. Tsai, T. Pan and M. Hu, "VR Piano Learning Platform with Leap Motion and Pressure Sensors," 2020 IEEE Conference on Virtual Reality and 3D User Interfaces Abstracts and Workshops (VRW), Atlanta, GA, USA, 2020, pp. 584-585, doi: 10.1109/VRW50115.2020.00143. Retrieved from <https://ieeexplore.ieee.org/abstract/document/9090628>
- [4] Frid, Emma. (2018). Accessible Digital Musical Instruments - A Survey of Inclusive Instruments Presented at the NIME, SMC and ICMC Conferences. Retrieved from https://www.researchgate.net/profile/Emma-Frid-2/publication/n/327187266_Accessible_Digital_Musical_Instruments_-_A_Survey_of_Inclusive_Instruments_Presented_at_the_NIME_SMC_and_ICMC_Conferences/links/5b8688e292851c1e12392697/Accessible-Digital-Musical-Instruments-A-Survey-of-Inclusive-Instruments-Presented-at-the-NIME-SMC-and-ICMC-Conferences.pdf
- [5] Han, J & Gold, Nicolas. (2014). Lessons Learned in Exploring the Leap Motion™ Sensor for Gesture-based Instrument Design. Retrieved from <https://discovery.ucl.ac.uk/id/eprint/1436807/>

- [6] Holland, Simon; Wilkie, Katie; Mulholland, Paul and Seago, Allan (2013). Music interaction: understanding music and human-computer interaction. In: Holland, Simon; Wilkie, Katie; Mulholland, Paul and Seago, Allan eds. *Music and Human-Computer Interaction*. Cultural Computing. London: Springer, pp. 1-36.
- [7] Li. "Application of Augmented Reality Technology in Piano Teaching System Design." *Educational Sciences: Theory & Practice*, vol. 18, no. 5, Oct. 2018, pp. 1712–1721. EBSCOhost, doi:10.12738/estp.2018.5.070.
- [8] Liang, Hui, et al. "Barehanded Music: Real-time Hand Interaction for Virtual Piano." 08 November 2017, Proceedings of the 20th ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games. https://www.researchgate.net/publication/291831744_Barehanded_Music_Real-time_Hand_Interaction_for_Virtual_Piano
- [9] Miller, J. and Hammond, T. (2010). Wiiolin: a virtual instrument using the Wii remote. Proceedings of the 2010 Conference on New Interfaces for Musical Expression (NIME 2010), Sydney, Australia. Retrieved from https://www.researchgate.net/publication/228414838_Wiiolin_a_virtual_instrument_using_the_Wii_remote
- [10] Montag, M., Sullivan, S., Dickey, S. and Leider, C. (2011). A Low-Cost, Low-Latency Multi-Touch Table with Haptic Feedback for Musical Applications. Proceedings of the International Conference on New Interfaces for Musical Expression, (June), 8–13. Retrieved from https://www.nime.org/proceedings/2011/nime2011_008.pdf
- [11] Malloch, J., Birnbaum, D., Sinyor, E. and Wanderley, M. M. (2006). Towards a New Conceptual Framework for Digital Musical Instruments. Proceedings of the 9th International Conference on Digital Audio Effects (pp. 49–52). Retrieved from http://www.dafx.ca/proceedings/papers/p_049.pdf.
- [12] R. R. Hariadi and I. Kuswardayan, "Design and implementation of Virtual Indonesian Musical Instrument (VIMi) application using Leap Motion Controller," 2016 International Conference on Information & Communication Technology and Systems (ICTS), Surabaya, Indonesia, 2016, pp. 43-48, doi: 10.1109/ICTS.2016.7910270. Retrieved from <https://ieeexplore.ieee.org/abstract/document/7910270>
- [13] Ritter, Martin & Aska, Alyssa. (2014). Leap Motion As Expressive Gestural Interface. Retrieved from http://smc.afim-asso.org/smc-icmc-2014/papers/images/VOL_1/0659.pdf
- [14] Salz, Daniel, and Farhan Azam. *Playing a Virtual Piano with Dynamics*. 2019, stanford.edu/class/ee267/Spring2019/report_azam.pdf.
- [15] Serafin, Stefania, et al. "Virtual Reality Musical Instruments: State of the Art, Design Principles, and Future Directions." *Computer Music Journal*, vol. 40, no. 3, 2016, pp. 22–40., doi:10.1162/comj_a_00372.
- [16] Silva, E.S., Abreu, J., Almeida, J.H., Teichrieb, V., & Ramalho, G. (2013). A Preliminary Evaluation of the Leap Motion Sensor as Controller of New Digital Musical Instruments. Retrieved from http://compmus.ime.usp.br/sbcm/2013/pt/docs/art_tec_1.pdf
- [17] Unehara, Muneyuki, and Takehisa Onisawa. "Music Composition by Interaction between Human and Computer." *New Generation Computing*, vol. 23, no. 2, Apr. 2005, pp. 181–191. EBSCOhost, doi:10.1007/BF03037494.
- [18] Yan, Liu, et al. "Design of Piano Teaching System Based on Internet of Things Technology." *Journal of Intelligent & Fuzzy Systems*, vol. 37, no. 5, Nov. 2019, pp. 5905–5913. EBSCOhost, doi:10.3233/JIFS-179172. Retrieved from <https://web-b-ebSCOhost-com.ezproxy2.library.colostate.edu/ehost/detail/detail?vid=27&sid=ecfdc204-494e-40fc-b7d0-9aeba2d8b0df%40pdC-v-sessmgr03&bdata=JkF1dGhUeXBIPWNvb2tpZSxpcCxlcmwsY3BpZCZjdXN0aWQ9czQ2NDA3OTlmc2l0ZT1laG9zdC1saXZl#AN=139809124&db=aph>