

'WinFormsApp1.exe' (CoreCLR: DefaultDomain): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Private.CoreLib.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'D:\An III Sem II\II\Lab4\WinFormsApp1\WinFormsApp1\bin\Debug\net8.0-windows\WinFormsApp1.dll'. Symbols loaded. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Runtime.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'c:\program files\microsoft visual studio\2022\community\common7\ide\commonextensions\microsoft\hotreload\Microsoft.Extensions.DotNetDeltaApplier.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.IO.Pipes.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Linq.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Collections.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Console.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Threading.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Runtime.InteropServices.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Threading.Overlapped.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Security.AccessControl.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Security.Principal.Windows.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Security.Principal.Windows.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

---

\shared\Microsoft.NETCore.App\8.0.3\System.Security.Claims.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Runtime.Loader.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.WindowsDesktop.App\8.0.3\System.Windows.Forms.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Collections.Concurrent.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.ComponentModel.Primitives.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.WindowsDesktop.App\8.0.3\System.Windows.Forms.Primitives.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Drawing.Primitives.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Collections.Specialized.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Diagnostics.TraceSource.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.WindowsDesktop.App\8.0.3\System.Drawing.Common.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Net.Http.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\Microsoft.Win32.Primitives.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.ComponentModel.EventBasedAsync.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Threading.Thread.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. ↗

---

loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. [↗](#)

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.WindowsDesktop.App\8.0.3\Accessibility.dll'. Module was built without symbols. [↗](#)

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Numerics.Vectors.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. [↗](#)

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Memory.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. [↗](#)

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Net.Primitives.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. [↗](#)

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Diagnostics.Tracing.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. [↗](#)

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Diagnostics.DiagnosticSource.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. [↗](#)

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Net.Security.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. [↗](#)

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Security.Cryptography.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. [↗](#)

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.WindowsDesktop.App\8.0.3\Microsoft.Win32.SystemEvents.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. [↗](#)

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.ComponentModel.TypeConverter.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. [↗](#)

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Collections.NonGeneric.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. [↗](#)

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.ComponentModel.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. [↗](#)

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet\shared\Microsoft.NETCore.App\8.0.3\System.Text.Json.dll'. Skipped loading symbols. Module is optimized and the debugger option 'Just My Code' is enabled. [↗](#)

```

'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet
\shared\Microsoft.NETCore.App\8.0.3\System.Private.Uri.dll'. Skipped
loading symbols. Module is optimized and the debugger option 'Just My
Code' is enabled.
'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet
\shared\Microsoft.NETCore.App\8.0.3\System.Net.Sockets.dll'. Skipped
loading symbols. Module is optimized and the debugger option 'Just My
Code' is enabled.
'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet
\shared\Microsoft.NETCore.App\8.0.3\System.Net.NameResolution.dll'.
Skipped loading symbols. Module is optimized and the debugger option 'Just
My Code' is enabled.
'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet
\shared\Microsoft.NETCore.App\8.0.3\System.Threading.ThreadPool.dll'.
Skipped loading symbols. Module is optimized and the debugger option 'Just
My Code' is enabled.
'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet
\shared\Microsoft.NETCore.App\8.0.3\System.Runtime.Intrinsics.dll'.
Skipped loading symbols. Module is optimized and the debugger option 'Just
My Code' is enabled.
'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet
\shared\Microsoft.NETCore.App\8.0.3\System.Text.Encoding.Extensions.dll'.
Skipped loading symbols. Module is optimized and the debugger option 'Just
My Code' is enabled.
'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet
\shared\Microsoft.NETCore.App\8.0.3\System.Text.Encodings.Web.dll'.
Skipped loading symbols. Module is optimized and the debugger option 'Just
My Code' is enabled.
'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet
\shared\Microsoft.NETCore.App\8.0.3
\System.Reflection.Emit.Lightweight.dll'. Skipped loading symbols. Module
is optimized and the debugger option 'Just My Code' is enabled.
'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet
\shared\Microsoft.NETCore.App\8.0.3\System.Reflection.Primitives.dll'.
Skipped loading symbols. Module is optimized and the debugger option 'Just
My Code' is enabled.
'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet
\shared\Microsoft.NETCore.App\8.0.3
\System.Reflection.Emit.ILGeneration.dll'. Skipped loading symbols. Module
is optimized and the debugger option 'Just My Code' is enabled.
'WinFormsApp1.exe' (CoreCLR: clrhost): Loaded 'C:\Program Files\dotnet
\shared\Microsoft.NETCore.App\8.0.3\System.ObjectModel.dll'. Skipped
loading symbols. Module is optimized and the debugger option 'Just My
Code' is enabled.
The thread '[Thread Destroyed]' (27212) has exited with code 0 (0x0).
The thread '[Thread Destroyed]' (27200) has exited with code 0 (0x0).
The thread '[Thread Destroyed]' (12404) has exited with code 0 (0x0).
The thread '[Thread Destroyed]' (3132) has exited with code 0 (0x0).

```