Title of the report

Subtitle

Julien Vitay

2023-08-20

Abstract

This is the abstract of the report. It can span multiple lines.

Table of contents

Download the pdf version.

1 Introduction

1.1 First subsection

The Basal Ganglia (BG) are a set of nuclei located in the basal forebrain, receiving inputs mostly from the cerebral cortex and projecting to various motor centers, as well as back to the cortex through the thalamus, forming a closed-loop. It is involved in major functions such as reinforcement learning, habit formation, planning and motor control, but also in diseases such as Parkinson's disease or Tourette syndrome.

References: (Vitay, 2017)

See Figure 1 and Section 3.

$$\tau \frac{dx_j(t)}{dt} + x_j(t) = \sum_i w_{ij}^{in} r_i^{in}(t) + g \sum_{i \neq j} w_{ij}^{rec} r_i(t)$$

> **Nota Bene**
>
> Important information.



Figure 1: Afferent system to VTA. (Vitay, 2017)

```
for i in range(10):
    print(i)
```

1.2 Second subsection

https://www.youtube.com/embed/tPgf_btTFlc

2 Material and methods

3 Results

4 Discussion

References

Vitay, J. (2017). On the role of dopamine in motivated behavior: A neuro-computational approach. Available at: https://julien-vitay.net/publication/vitay2017/.