

Daily Quantity Report

		Report Date:	14/12/2023
Customer Name:	Abu Tubul	Troport 2 ato:	

	Stream 1	:							Non-receta	ble Totals at F	nd of hour_gas					
	Hourly gas tota	ls				Gross	Standard	Die Totals at L	ina or nour_gus		8					
Contract	Gross	Standard			200000000000000000000000000000000000000	Participation of the second		Volume	Volume	Mass	Energy	Energy				
Time	Volume	Volume	Mass	Energy	Energy	Pressure	Temp	m3	Sm3	t	GJ	MMBTU				
ALCOHOLOGIC	m3	Sm3	t	GJ GJ	MMBTU	Bar (g)	٥	42250327.09		2724954.46	138209649.90	130997455.739	33			
00:00		The same of the sa		British Land	0.000	83,36	21.12	42250327.09			138209649.90	130997455.739				
01:00	0.00	0.00	0.00	0.00	0.000		20.23		3365362193.32	2724954.46	138209649.90	130997455.739				
02:00	0.00	0.00	0.00	0.00	0.000	83.44	19.34		3365362193.32		138209649.90	130997455.739				
03:00	0.00	0.00	0.00	0.00	0.000	83.58	18.55		3365362193.32		138209649.90	130997455.739				
04:00	0.00	0.00	0.00	0.00	0.000	83.74	17.81		3365362193.32	2724954.46	138209649.90	130997455.739				
05:00	0.00	0.00	0.00	0.00	0.000	83.82	17.10		3365362193.32		138209649.90	130997455.739				
06:00	0.00	0.00	0.00	0.00	0.000	83.90 83.93	16.51		3365362193.32		138209649.90	130997455.739				
07:00	0.00	0.00	0.00	0.00	0.000		16.87		3365362193.32		138209649.90	130997455.739				
08:00	0.00	0.00	0.00	0.00	0.000	83.93	19.63		3365362193.32		138209649.90	130997455.739	į			
09:00	0.00	0.00	0.00	0.00	0.000	84.03	23.10		3365362193.32		138209649.90	130997455.739				
10:00	0.00	0.00	0.00	0.00	0.000	84.11 84.27	26.98		3365362193.32		138209649.90	130997455.739	ĺ			
11:00	0.00	0.00	0.00	0.00	0.000	84.41	30.91		3365362193.32		138209649.90	130997455.739	130997455.739			
12:00	0.00	0.00	0.00	0.00	0.000	84.49	34.85		3365362193.32		138209649.90	130997455.739	130997455.739			
13:00	0.00	0.00	0.00	0.00	0.000	84.47	37.66		3365362193.32		138209649.90	130997455.739	l			
14:00	0.00	0.00	0.00	0.00	0.000	84.43	38.89		3365362193.32		138209649.90	130997455.739	1			
15:00	0.00	0.00	0.00	0.00	0.000	84.49	38.80		3365362193.32		138209649.90	130997455.739				
16:00	0.00	0.00	0.00	0.00	0.000	84.49	36.57		3365362193.32		138209649.90	130997455.739)			
17:00	0.00	0.00	0.00	0.00	0.000	84.09	32.91		3365362193.32		138209649.90	130997455.739)			
18:00	0.00	0.00	0.00	0.00	0.000	83.63	29.66		3365362193.32		138209649.90	130997455.739				
19:00	0.00	0.00	0.00	0.00	0.000	83.19	27.02		3365362193.32		138209649.90	130997455.739)			
20:00		0.00	0.00	0.00	0.000	83.19	25.05		3365362193.32		138209649.90	130997455.739				
21:00		0.00	0.00	0.00	0.000	82.95	23.39		3365362193.32	2724954.46	138209649.90	130997455.739				
22:00	0.00	0.00	0.00	0.00	0.000	82.79	23,39	100733000000000000000000000000000000000	3365362193.32		138209649.90	130997455.739				
23:00		0.00	0.00	0.00	0.000	82.72 82.74	20.66		3365362193.32		138209649.90	130997455.739)			
24:00		0.00	0.00	0.00	0.000	02.74	20,00	0.0		0.0		0.0	J			
Total	0.00	0.00	0.00	0.00	0.000	DE ALIESTON			0.0	0.0	310	The state of the state of	ń			
Average	0.00	0.00	0.00	0.00	0.000	83.79	25.65					3 7 0 7	i			
Peak @						The Part of the Pa		District Concession of the last			A DESCRIPTION OF THE PARTY OF T		-			

Printed on:	15/12/2023	
Time:	00:00:30	



Daily Quantity Report

Customer Name: Abu Tubul Report Date: 14/12/2023

	Stream 2	2:											
	Hourly gas tota	ils								ble Totals at E	nd of hour_gas		
Contract	Gross	Standard						Gross	Standard	2000			E
Time	Volume	Volume	Mass	Energy	Energy	Pressure	Temp	Volume	Volume	Mass	Energy	Energy	Alarm
	m3	Sm3	t	GJ	MMBTU	Bar (g)	°C	m3	Sm3	t	GJ 8216714.37	MMBTU 7787941.564	Transactive and
00:00						PALL BOTH OF A			199376404.37	162035.89	8217488.48	7788675.279	
01:00	194.11	18651.04	15.29	775.48	735.013	83.41	30.34		199395023.44	162051.15	8218133.96	7789287.076	
02:00	162.69	15626.47	12.78	648.20	614.375	83.48	29.87		199410584.93	162063.88		7789875.262	
03:00	154.96	14940.54	12.22	619.79	587.447	83.60	29.67		199425544.39	162076.11	8218754.53 8219420.16	7790506.158	
04:00	166.09	16040.47	13.10	664.80	630.109	83.74	29.88		199441604.28	162089.23	8219420.16	7791213.220	
05:00	186.31	17973.44	14.68	744.68	705.820	83.84	30.18		199459610.42	162103.93		7791950.593	
06:00	194.51	18769.08	15.31	777.21	736.653	83.92	30.15		199478396.19	162119.26	8220944.12	7792701.766	
07:00	198.24	19140.17	15.60	792.08	750.747	83.95	30.14		199497548.76	162134.87	8221736.65	7793447.860	
08:00	197.93	19057.57	15.55	788.72	747.562	83.97	31.28		199516569.79	162150.38	8222523.82	7793447.860	
09:00	190.34	18212.37	14.87	755.12	715.716	84.02	32.54		199534806.50	162165.28	8223280.01		
10:00	202.36	19217.24	15.67	795.36	753.856	84.13	33.52		199553990.31	162180.92	8224073.93	7794917.080	. ,
11:00	175.62	16623.76	13.56	688.09	652.183	84.29	34.47		199570610.45	162194.48	8224761.87	7795569.121	, ,
12:00	184.80	17426.73	14.21	720.88	683.262	84.43	35.15		199588059.68	162208.70	8225483.68	7796253.265	, ,
13:00	179.70	16923.74	13.79	699.55	663.045	84.52	35.54		199604931.54	162222.45	8226181.07	7796914.263	, ,
14:00	177.91	16746.52	13.65	692.38	656.250	84.54	35.47		199621699.09	162236.12	8226874.31	7797571.328	, ,
15:00	186.65	17597.05	14.34	727.29	689.338	84.47	34.90		199639321.77	162250.48	8227602.68	7798261.689	,
16:00	189.87	17996.60	14.70	745.58	706.673	84.52	33.99		199657343.18	162265.20	8228349.33	7798969.377	
17:00	200.30	19079.67	15.58	790.16	748.927	84.35	32.97		199676444.53	162280.81	8229140.45	7799719.214	,
18:00	211.12	20250.79	16.61	842.27	798.318	84.14	31.89		199696706.60	162297.42	8229983.17	7800517.958	,
19:00	224.57	21529.96	17.61	894.55	847.870	83.67	31.44		199718262.09	162315.05	8230878.80	7801366.852	
20:00	212,54	20290.84	16.60	843.11	799.114	83.23	31.04		199738517.75	162331.63	8231720.43	7802164.563	
21:00	196,58	18721.65	15.33	778.21	737.601	82.99	30.76		199757175.44	162346.90	8232495.99	7802899.652	
22:00	175.05	16671.88	13.66	693.50	657.311	82.81	30.43		199773909.08	162360.61	8233192.06	7803559.399	
23:00	170.17	16185.90	13.24	671.81	636.753	82.75	29.91		199789997.54	162373.77	8233859.79	7804192.285	
24:00	154.93	14768.67	12.07	611.82	579.893	82.76	29.49	2234293.09	199804748.59	162385.83	8234470.88	7804771.486	
Total		428442.15	350.02	17760.64	16,833.836			4486.4	428344.2	349.9	17756.5	16829.9	
Average	186.97	17851.76	14.58	740.03	701.410	83.81	31.88	10000	100				100
Peak @	18:26:40						1000	100				19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	230

Printed on:	15/12/2023
Time:	00:00:30



Daily Quality Report

 Customer Name:
 Abu Tubul
 Report Date:
 14/12/2023
 Printed on
 15/12/2023 00:00

Customer		1.0	- 0	no olitic																
	Strear Hourly gas		s Com	positio)II					Carbon		Water	Molec. Weight	Relative Density	Standard Density	Line Density	GHV	Wobbe Index	Base Compr.	Line Compr
Time	Methane	Ethane	Propane	i-Butane	n-Butane	i-Pentane	n-Pentane	Hexane +	Nitrogen	Dioxide	Oxygen	water	Weight	Demonty						
00:00										4.0700	0.0000	0.0000	19.3013	0.6680	0.8183	0.8163	41.5142	50.7942	0.9972	0.79
01:00	84.6063	6.5351	2.9157	0.6608	0.8303	0.1721	0.1586	0.0748	2.9698	1.0708	0.0000	0.0000	19.2418	0.6659	0.8157	0.8138	41.3995	50.7326	0.9973	0.7
02:00	84.8112	6.5074	2.8186	0.6316	0.7950	0.1722	0.1540	0.0770	2.9479	1.0793	0.0000	0.0000	19.2565	0.6664	0.8164	0.8144	41.4243	50.7435	0.9973	0.79
03:00	84.7468	6.5262	2.8355	0.6352	0.7997	0.1749	0.1596	0.0758	2.9712	1.0692 1.0750	0.0000	0.0000	19.2699	0.6669	0.8169	0.8150	41.4865	50.8018	0.9973	0.7
04:00	84.7654	6.4972	2.8836	0.6419	0.8066	0.1818	0.1636	0.0735		1.0550	0.0000	0.0000	19.2171	0.6650	0.8147	0.8127	41.3563	50.7125	0.9973	0.7
05:00	84.9213	6.4416	2.7767	0.6247	0.7868	0.1758	0.1631	0.0759		1.0530	0.0000	0.0000	19.3101	0.6683	0.8187	0.8167	41.5474	50.8232	0.9972	0.7
06:00	84.5509	6.5926	2.9259	0.6596	0.8282	0.1776	0.1574	0.0767	2.9719 2.9793	1.0331	0.0000	0.0000	19.2216	0.6652	0.8149	0.8129	41.3683	50.7212	0.9973	0.7
07:00	84.9131	6.4263	2.7906	0.6393	0.7894	0.1708	0.1584	0.0791	(1)	1.0473	0.0000	0.0000	19.1770	0.6637	0.8130	0.8110	41.2809	50.6733	0.9973	0.7
08:00	85.0701	6.3776	2.7129	0.6189	0.7862	0.1690	0.1525	0.0790		1.0605	0.0000	0.0000	19.2541	0.6663	0.8163	0.8143	41.4546	50.7837	0.9973	0.8
09:00	84.7940	6.5043		0.6428	0.8014	0.1765	0.1601	0.0730 0.0786		1.0756	0.0000	0.0000	19.1786	0.6637	0.8130	0.8111	41.2841	50.6750	0.9973 0.9973	0.6
10:00	85.0430	6.4634	2.7133	0.5986	0.7491	0.1762	0.1634	0.0765			0.0000	0.0000	19.1918	0.6642	0.8136		41.3039	50.6818	0.9973	0.8
11:00	84.9619	6.5325	2.6961	0.6057	0.7646		0.1618 0.1601	0.0787	2.9602	1.0802	0.0000	0.0000	19.2008	0.6645		0.8121	41.3081	50.6751 50.6343	0.9973	0.8
12:00	84.9134	6.5550	2.6944	0.6051	0.7726	0.1746	0.1601	0.0791			0.0000	0.0000	19.1775	0.6637	0.8130	0.8111	41.2497	50.6343	0.9973	9353376
13:00	84.9753	6.5429	2.6789	0.5811	0.7408	0.1763	0.1623	0.0731			0.0000	0.0000	19.1789	0.6637	0.8131	0.8111	41.2560	50.6544	0.9973	025000
14:00	85.0113	6.4978		0.5987		0.1719 0.1737	0.1023	0.0845			0.0000	0.0000	19.1883	0.6640			41.2778 41.3904	50.0344	0.9973	0.05000
15:00	84.9735	6.5295		0.6005			0.1657	0.0794			0.0000	0.0000	19.2489				41.5807	50.8317	0.9972	3
16:00	84.7629	6.5425	2.7758	0.6280		0.1804	0.1603				0.0000	0.0000	19.3344				41.5056		0.9972	2000
17:00	84.4659	6.6563				377 1332		0.0771			0.0000	0.0000	19.2715				1 2		0.9972	1 557
18:00	84.8072	6.5122		0.6451		VI (1889)				1.1160		0.0000	19.2890				41.4906		0.9972	3323
19:00	84.7039			0.6423	38/70		0.1680		80	1.1244		0.0000	19.2715						0.9972	
20:00	84.7253	6.6541	2.8117				0.1666					0.0000	19.2677						0.9972	
21:00	84.7461	6.6473						12.15				0.0000	19.2944						0.9973	0.
22:00	84.6243			3.00					2.947				19.2630		TO 1 CONTRACTOR 120				0.9973	
23:00 24:00	84.7329 84.6692						0.1619	0.079					-						0.9973	0.8
Average			_	0.6280	0.7937	0.1769	0.1618	0.078	2.9330	1.0800	0.0000	0.0000	13.2440	0.0000	0.010					



Daily Quality Report

 Customer Name:
 Abu Tubul
 Report Date:
 14/12/2023
 Printed on
 15/12/2023 00:00

	Stream 2 Gas Composition Hourly gas quality Molec Polative Standard Line														Wobbe	Base	Line			
Contract Time	Methane	Ethane	Propane	i-Butane	n-Butane	i-Pentane	n-Pentane	Hexane +	Nitrogen	Carbon Dioxide	Oxygen	Water	Molec. Weight	Relative Density	Standard Density	Line Density	GHV	Index	Compr.	Compr.
00:00	15 10 10 10	CN FRE	1000000	1000			100 100 100	A 100 E. S.			0.0000	0.0000	10 2012	0.6680	0.8183	0.8163	41.5142	50,7942	0.9972	0.822
01:00	84,6063	6.5351	2.9157	0.6608	0.8303	0.1721	0.1586	0.0711	2.9698	1.0708	0.0000	0.0000	19.3013	0.6659	0.8157	0.8138	41.3995	50.7326	0.9973	0.822
02:00	84.8112	6.5074	2.8186	0.6316	0.7950	0.1722	0.1540	0.0733	2.9479	1.0793	0.0000	0.0000	19.2418 19.2565	0.6664	0.8164	0.8144	41.4243	50.7435	0.9973	0.821
03:00	84.7468	6.5262	2.8355	0.6352	0.7997	0.1749	0.1596	0.0717	2.9712	1.0692	0.0000	0.0000	19.2699	0.6669	0.8169	0.8150	41.4865	50.8018	0.9973	0.821
04:00	84.7654	6.4972	2.8836	0.6419	0.8066	0.1818	0.1636	0.0700	2.9056	1.0750	0.0000	0.0000	19.2171	0.6650	0.8147	0.8127	41.3563	50.7125	0.9973	0.823
05:00	84.9213	6.4416	2.7767	0.6247	0.7868	0.1758	0.1631	0.0722	2.9734	1.0550	0.0000	0.0000	19.3101	0.6683	0.8187	0.8167	41.5474	50.8232	0.9972	0.820
06:00	84.5509	6.5926	2.9259	0.6596	0.8282	0.1776	0.1574	0.0748	2.9719	1.0531	0.0000	0.0000	19.2216	0.6652	0.8149	0.8129	41.3683	50.7212	0.9973	0.823
07:00	84.9131	6.4263	2.7906	0.6393	0.7894	0.1708	0.1584	0.0758	2.9793	1.0479	0.0000	0.0000	19.1770	0.6637	0.8130	0.8110	41.2809	50.6733	0.9973	0.826
08:00	85.0701	6.3776	2.7129	0.6189	0.7862	0.1690	0.1525	0.0756	2.9910	1.0372 1.0605	0.0000	0.0000	19.2541	0.6663	0.8163	0.8143	41.4546	50.7837	0.9973	0.827
09:00	84.7940	6.5043	2.8542	0.6428	0.8014	0.1765	0.1601	0.0704	2.9276	1.0756	0.0000	0.0000	19.1786	0.6637	0.8130	0.8111	41.2841	50.6750	0.9973	0.831
10:00	85.0430	6.4634	2.7133	0.5986	0.7491	0.1762	0.1634	0.0752	2.9334 2.9430	1.0750	0.0000	0.0000	19.1918	0.6642	0.8136	0.8117	41.3039	50.6818	0.9973	0.833
11:00	84.9619	6.5325	2.6961	0.6057	0.7646	0.1756	0.1618	0.0728 0.0756	2.9602	1.0802	0.0000	0.0000	19.2008	0.6645	0.8140	0.8121	41.3081	50.6751	0.9973	0.834
12:00	84.9134	6.5550	2.6944	0.6051	0.7726	0.1746	0.1601	0.0750	2.9693	1.0864	0.0000	0.0000	19.1775	0.6637	0.8130	0.8111	41.2497	50.6343	0.9973	0.835
13:00	84.9753	6.5429	2.6789	0.5811	0.7408	0.1763	0.1643	0.0788	2.9655	1.0850	0.0000	0.0000	19.1789	0.6637	0.8131	0.8111	41.2560	50.6401	0.9973	
14:00	85.0113	6.4978	2.6636	0.5987	0.7547	0.1719	0.1623	0.0788	2.9472	1.0942	0.0000	0.0000	19.1883	0.6640	0.8135	0.8115	41.2778	50.6544	0.9973	
15:00	84.9735	6.5295	2.6764	0.6005	0.7564	0.1737	0.1587 0.1657	0.0003	2.9929	1.0745	0.0000	0.0000	19.2489	0.6662	0.8160	0.8141	41.3904	50.7121	0.9973	0.830
16:00	84.7629	6.5425	2.7758	0.6280	0.7920	0.1804 0.1781	0.1603	0.0771	2.9456	1.0873	0.0000	0.0000	19.3344	0.6691	0.8197	0.8177	41.5807	50.8317	0.9972	0.826
17:00	84.4659	6.6563	2.9117	0.6685	0.8403	0.1781	0.1691	0.0771	2.8643	1.0853	0.0000	0.0000	19.2715	0.6669	0.8170	0.8150	41.5056	50.8230	0.9972	0.82
18:00	84.8072	6.5122	2.8155	0.6451	0.8293 0.8359	0.1806	0.1617	0.0768	2.8077	1.1160	0.0000	0.0000	19.2890	0.6676	0.8178	0.8158	41.5476	50.8511	0.9972	0.824
19:00	84.7039	6.6409	2.8245	0.6423	0.8359	0.1831	0.1617	0.0774	2.8298	1.1244	0.0000	0.0000	19.2715	0.6669	0.8170	0.8150	41.4906	50.8046	0.9972	0.824
20:00	84.7253	6.6541	2.8117	0.6266	0.7903	0.1791	0.1666	0.0775		1.1208	0.0000	0.0000	19.2677	0.6668	0.8169	0.8149	41.4998	50.8209	0.9972	
21:00	84.7461	6.6473	2.8362	0.6184 0.6374	0.7696	0.1791	0.1638			1.1097	0.0000	0.0000	19.2944	0.6677	0.8180	0.8160	41.5270	50.8188	0.9972	0.82
22:00	84.6243	6.6598	2.8634	0.6319		0.1804	0.1674			1.0884	0.0000	0.0000	19.2630	0.6666			41.4340		0.9973	
23:00	84.7329 84.6692	6.5650 6.5974	2.8029 2.8254			0.1747	0.1619			1.0815	0.0000	0.0000	19.2698	0.6669	all and a second		THE RESERVE OF THE PERSON NAMED IN	Annual Control of the	0.9973	
24:00 Average						0.1769	0.1618		2.9330	1.0806	0.0000	0.0000	19.2448	0.6660	0.8159	0.8139	41.4136	50.7458	0.9973	0.826