

Daily Quantity Report

Custome	er Name:			Abu Tub	oul			Report	Date:	10	/12/2023					
	Stream 1	:				the state of the s										
	Hourly gas total	s						Non-resetable Totals at End of hour_gas								
Contract	Gross	Standard						Gross	Standard	Mana	Energy	Energy	Alarm			
Time	Volume	Volume	Mass	Energy	Energy	Pressure	Temp	Volume	Volume Sm3	Mass	GI	MMBTU	Ā			
	m3	Sm3	t	GJ	MMBTU	Bar (g)	°C	m3 42250327.09		2724054 46	138209649.90	130997455.739	9700			
00:00					0.000	04.20	21.85	42250327.09			138209649.90	130997455.739				
01:00	0.00	0.00	0.00	0.00	0.000	84.30	20.94	42250327.09			138209649.90	130997455.739				
02:00	0.00	0.00	0.00	0.00	0.000	84.38	20.94				138209649.90	130997455.739				
03:00	0.00	0.00	0.00	0.00	0.000	84.34	19.18				138209649.90	130997455.739				
04:00	0.00	0.00	0.00	0.00	0.000	84.43	18.46	New York Control of the Control of t	3365362193.32		138209649.90	130997455.739				
05:00	0.00	0.00	0.00	0.00	0.000	84.56	17.77		3365362193.32		138209649.90	130997455.739				
06:00	0.00	0.00	0.00	0.00	0.000	84.67	17.77		3365362193.32		138209649.90	130997455.739				
07:00	0.00	0.00	0.00	0.00	0.000	84.88	17.70		3365362193.32		138209649.90	130997455.739				
08:00	0.00	0.00	0.00	0.00	0.000	84.98	20.48		3365362193.32		138209649.90	130997455.739				
09:00	0.00	0.00	0.00	0.00	0.000	85.12	24.08		3365362193.32		138209649.90	130997455.739				
10:00	0.00	0.00	0.00	0.00	0.000	85.35 85.55	27.69	The state of the s	3365362193.32		138209649.90	130997455.739				
11:00	0.00	0.00	0.00	0.00	0.000		31.38		3365362193.32		138209649.90	130997455.739				
12:00	0.00	0.00	0.00	0.00	0.000	85.74	34.88		3365362193.32		138209649.90	130997455.739				
13:00	0.00	0.00	0.00	0.00	0.000	85.85	37.52		3365362193.32		138209649.90	130997455.739				
14:00	0.00	0.00	0.00	0.00	0.000	85.85	39.29		3365362193.32		138209649.90	130997455,739				
15:00	0.00	0.00	0.00	0.00	0.000	85.96	39.29		3365362193.32		138209649.90	130997455.739				
16:00	0.00	0.00	0.00	0.00	0.000	85.99	37.13		3365362193.32		138209649.90	130997455.739				
17:00		0.00	0.00	0.00	0.000	85.95	33.45		3365362193.32		138209649.90	130997455.739				
18:00		0.00	0.00	0.00	0.000	85.36 84.79	29.96		3365362193.32		138209649.90	130997455.739				
19:00		0.00	0.00	0.00	0.000	84.22	27.01		3365362193.32		138209649.90	130997455.739				
20:00		0.00	0.00	0.00		83.89	24.64		3365362193.32		138209649.90	130997455.739				
21:00		0.00	0.00	0.00	0.000	83.65	22.90	100000000000000000000000000000000000000	3365362193.32		138209649.90	130997455.739				
22:00		0.00	0.00	0.00	0.000	83.61	21.42		3365362193.32		138209649.90	130997455.739	(
23:00		0.00	0.00	0.00	0.000	83.91	20.16		3365362193.32		138209649.90	130997455.739				
24:00	0.00	0.00	0.00			33.91	20.10	0.0		0.0	to the same of the	0.0				
Tota	0.00	0.00	0.00	0.00	0.000		D. M. CO. L.		0.0	0.0	3.0	The state of the s				
Average	0.00	0.00	0.00	0.00	0.000	84.89	26.01	DE TENER		San						
Peak @	- 0	2.61	-	*		DE STATE OF THE PARTY OF THE PA	- F 10000	Environ.		Control of the		THE PERSON NAMED IN	1 AL			

Page: 1 / 2

Printed on:	11/12/2023	
Time:	00:00:30	

Printed 12/11/2023 12:00 AM Page 1 of 2



Daily Quantity Report

Customer Name:	Abu Tubul	Report Date:	10/12/2023
Stream 2:			

	Stream 2	2:											
	Hourly gas tota	ls								ble Totals at E	nd of hour_gas		-
Contract	Gross	Standard						Gross	Standard		Enounce	Energy	Alarm
Time	Volume	Volume	Mass	Energy	Energy	Pressure	Temp	Volume	Volume	Mass	Energy G3	MMBTU	¥
	m3	Sm3	t	GJ	MMBTU	Bar (g)	°C	m3	Sm3 197782107.00	160736.95	8150830.18	7725495.409	
00:00	San						20.45		197801038.72	160752.34	8151610.50	7726235.009	4
01:00	196.52	18993.96	15.44	782.85	741.999	84.32	30.45		197818466.14	160766.52	8152330.01	7726916.973	
02:00	180.51	17479.53	14.22	721.67	684.011	84.39	30.39		197835860.37	160780.66	8153047.62	7727597.136	
03:00	179.34	17345.21	14.10	715.57	678.229	84.36	30.73			160794.95	8153772.45	7728284.142	
04:00	182.68	17651.11	14.35	727.96	689.973	84.45	30.19		197853435.92	160807.22	8154395.10	7728874.300	
05:00	155.16	15089.46	12.27	622.07	589.609	84.59	29.89		197868539.71	160807.22	8154987.05	7729435.361	
06:00	147.98	14422.44	11.74	595.56	564.482	84.69	29.85		197882873.41	160827.44	8155420.46	7729846.154	
07:00	107.25	10512.24	8.56	434.00	411.353	84.90	29.36		197893372.52	160827.44	8155897.83	7730298.614	
08:00	117.40	11518.54	9.39	476.56	451.692	85.00	30.44		197904909.66	160846.86	8156405.45	7730779.744	
09:00	126.91	12348.05	10.06	510.05	483.434	85.12	31.92		197917199.33	160855.12	8156824.55	7731176.975	
10:00	104.33	10084.03	8.21	416.41	394.680	85.36	33.40		197927349.00		8157328.78	7731654.892	
11:00	126.87	12195.63	9.94	503.81	477.520	85.57	34.74		197939554.98	160865.07	8157921.55	7732216.730	
12:00	149.47	14317.19	11.66	591.24	560.387	85.76	35.36		197953908.64	160876.76	8158554.02	7732816.196	
13:00	159.56	15276.45	12.45	631.15	598.215	85.88	35.55		197969217.44	160889.24		7733455.858	
14:00	170.24	16304.87	13.26	672.56	637.464	85.93	35.38		197985579.48	160902.55	8159228.90	7734169.887	
15:00	190.24	18264.58	14.86	753.54	714.218	85.97	35.09		198003838.11	160917.40	8159982.24	7734851.519	
16:00	181.58	17488.52	14.22	721.21	683.575	86.02	34.31		198021278.08	160931.58	8160701.40	7735592.579	
17:00	195.15	18896.30	15.35	779.24	738.577	85.92	33.26		198040237.51	160946.99	8161483.26	7736457.130	
18:00		22008.33	17.90	907.82	860.447	85.37	32.36		198062349.25	160964.96	8162395.41	7737291.911	
19:00		21412.10	17.39	882.92	836.847	84.82	31.67		198083709.65	160982.32	8163276.15		
20:00	(4)	21865.08	17.76	901.20	854.173	84.25	31.26		198105581.26	161000.08	8164177.55	7738146.273	
21:00		18486.35	15.02	761.89	722.132	83.92	30.47		198123950.94	161015.00	8164934.66	7738863.875	
22:00		16741.56	13.61	690.97	654.913	83.66	30.14		198140675.99	161028.61	8165624.98	7739518.172	
23:00		14344.26	11.69	592.90	561.961	83.64	29.41		198154961.41	161040.24	8166215.49	7740077.867	
24:00		10928.22	8.90	451.81	428.233	83.95	28.42	2217392.38	198165864.71	161049.13	8166666.28	7740505.134	-
Tota		383974.01	312.35	15844.96	15,018.122	Be Auto		3972.2	383757.7	312.2	15836.1	15009.7	
Average	165.60	15998.92	13.01	660.21	625.755	84.91	31.84			14-11-13-1			
Peak @	17:46:35						The second		West States				100

Page: 2 / 2

Printed on:	11/12/2023	
Time:	00:00:30	

Printed 12/11/2023 12:00 AM Page 2 of 2



Daily Quality Report

 Customer Name:
 Abu Tubul
 Report Date:
 10/12/2023
 Printed on
 11/12/2023 00:00

	Stream	n 1 Ga	s Com	positio	on															
	Hourly gas		Control of the Contro												C1	Line		Wobbe	Base	Line
Contract Time	Methane	Ethane	Propane	i-Butane	n-Butane	i-Pentane	n-Pentane	Hexane +	Nitrogen	Carbon Dioxide	Oxygen	Water	Molec. Weight	Relative Density	Standard Density	Density	GHV	Index	Compr.	Compr.
00:00	COLUMN TO				H-122		Se velezati		1/20 (CONT)	1 0600	0.0000	0.0000	19.1920	0.6642	0.8136	0.8117	41.2828	50.6557	0.9973	0.801
01:00	85.0209	6.3903	2.7264	0.5967	0.7642	0.1844	0.1673	0.0832	2.9978	1.0629	0.0000	0.0000	19.1920	0.6634	0.8137	0.8107	41.2370	50.6291	0.9973	0.799
02:00	85.1216	6.3410	2.6619	0.5941	0.7708	0.1848	0.1702	0.0832	3.0130	1.0536	0.0000	0.0000	19.1097	0.6642	0.8136	0.8117	41.3016	50.6790	0.9973	0.796
03:00	85.0827	6.3456	2.7060	0.6035	0.7909	0.1845	0.1656	0.0864	2.9651	1.0638	0.0000	0.0000	19.1918	0.6637	0.8131	0.8112	41.2789	50.6671	0.9973	0.793
04:00	85.1340	6.2875	2.7327	0.6009	0.7761	0.1828	0.1638	0.0851	2.9764	1.0547	0.0000	0.0000	19.1733	0.6635	0.8128	0.8109	41.2418	50.6302	0.9973	0.791
05:00	85.1020	6.3481	2.6933	0.5928	0.7627	0.1820	0.1655	0.0838	2.9980	1.0661	0.0000	0.0000	19.2454	0.6660	0.8159	0.8139	41.4035	50.7327	0.9973	0.787
06:00	84.9363	6.3521	2.7250	0.6410	0.8524	0.1956	0.1700	0.0806	2.9803	1.0605 1.0627	0.0000	0.0000	19.1810	0.6638	0.8131	0.8112	41.2552	50.6364	0.9973	0.7872
07:00	85.0585	6.3942	2.6693	0.5919	0.7683	0.1898	0.1731	0.0798	3.0068	1.0658	0.0000	0.0000	19.2312	0.6655	0.8153	0.8133	41.3698	50.7103	0.9973	0.786
08:00	84.9045	6.4309	2.7497	0.6193	0.7990	0.1930	0.1754	0.0756 0.0777	2.9809 3.0010	1.0614	0.0000	0.0000	19.2195	0.6651	0.8148	0.8128	41.3378	50.6865	0.9973	0.795
09:00	84.9644	6.3730	2.7261	0.6218	0.8090	0.1880	0.1718	0.0777	3.0122	1.0580	0.0000	0.0000	19.1898	0.6641	0.8135	0.8116	41.2740	50.6479	0.9973	0.8059
10:00	85.0284	6.3790	2.7006	0.6068	0.7834		0.1691 0.1678	0.0760		1.0515	0.0000	0.0000	19.1908	0.6641	0.8136	0.8116	41.2591	50.6283	0.9973	0.815
11:00	85.0155	6.3643	2.6887	0.6081	0.7903		0.1670	0.0768	3.0430	1.0540	0.0000	0.0000	19.2117	0.6649	0.8144	0.8125	41.3029	50.6543	0.9973	0.823
12:00	84.9199	6.4196	2.7298	0.6111	0.7882	0.1847 0.1866	0.1670	0.0708	3.0564	1.0481	0.0000	0.0000	19.1865	0.6640	0.8134	0.8115	41.2493	50.6219	0.9973	0.832
13:00	85.0142	6.3877	2.6721	0.6035	0.7794	0.1847	0.1691	0.0800	3.0295	1.0482	0.0000	0.0000	19.1421	0.6624	0.8115	0.8096	41.1759	50.5908	0.9973	0.839
14:00	85.2039	6.3135	2.6292	0.5822 0.6089	0.7541 0.7827	0.1879	0.1705	0.0792	3.0041	1.0513	0.0000	0.0000	19.1885	0.6641	0.8135	0.8115	41.2825	50.6600	0.9973	0.842
15:00	85.0864	6.3089	2.7142	0.5903	0.7627		0.1705	0.0779	3.0428	1.0437	0.0000	0.0000	19.1363	0.6622	0.8112	0.8093	41.1600	50.5790	0.9973	0.842
16:00	85.2465	6.2565	2.6221	0.5903	0.7718		0.1637	0.0812	2.9688	1.0638	0.0000	0.0000	19.1775	0.6637	0.8130	0.8111	41.2707	50.6601	0.9973	0.837
17:00	85.0907	6.3747	2.7015 2.7242	0.5970	0.7710		0.1662	0.0819		1.0641	0.0000	0.0000	19.2047	0.6646		0.8122	41.3307	50.6975	0.9973	0.829
18:00	85.0191	6.3872 6.3864	2.7242	0.5119	0.7585		0.1646	0.0827	2.9744	1.0659	0.0000	0.0000	19.1651	0.6632	0.8125	0.8105	41.2402	50.6391	0.9973	0.822
19:00	85.1180	6.2818		0.5748	0.7457		0.1604	0.0833	3.0039	1.0562	0.0000	0.0000	19.1032	0.6611	0.8098	0.8079	41.1056	50.5561	0.9973	0.818
20:00	85.3490	6.3369		0.5746	0.7371	0.1787	0.1625	0.0842	2.9963	1.0595	0.0000	0.0000	19.1362	0.6622		0.8093	41.1742	50.5965	0.9973	0.811
21:00	85.2134 85.1171	6.4098		0.5879	0.7546		0.1641	0.0839		1.0662	0.0000	0.0000	19.1592	0.6630	0.8122	0.8103	41.2197	50.6219	0.9973	0.806
22:00	84.9703	6.4222		0.6168	0.7880		0.1635	1	9.0000000000000000000000000000000000000	1.0673	0.0000	0.0000	19.2100	0.6648		0.8124	41.3359	50.6968	0.9973 0.9973	0.800 0.795
23:00 24:00		6.3933		0.6322			0.1613			1.0618	0.0000	0.0000	19.2364	0.6657		0.8136		50.7352		
Average					S 278 2513	US 100 COURS	0.1669	0.0808	2.9989	1.0588	0.0000	0.0000	19.1842	0.6639	0.8133	0.8114	41.2702	50.6505	0.9973	0.810

Printed 12/11/2023 12:00 AM Page 1 of 2



Drinted 12/11/2023 12:00 AM

Daily Quality Report

 Customer Name:
 Abu Tubul
 Report Date:
 10/12/2023
 Printed on
 11/12/2023 00:00

	Stream 2 Gas Composition Hourly gas quality Molec. Relative Standard Line															Wobbe	Base	Line		
Contract Time	Methane	Ethane	Propane	i-Butane	n-Butane	i-Pentane	n-Pentane	Hexane +	Nitrogen	Carbon Dioxide	Oxygen	Water	Weight	Density	Density	Density	GHV	Index	Compr.	Compr.
00:00		market Arth	Park Table		1500 V -	7759				r raion l	10590	0.0000	19.1920	0.6642	0.8136	0.8117	41.2828	50.6557	0.9973	0.824
01:00	85.0209	6.3903	2.7264	0.5967	0.7642	0.1844	0.1673	0.0798	2.9978	1.0629	0.0000	0.0000	19.1920	0.6634	0.8127	0.8107	41.2370	50.6291	0.9973	0.824
02:00	85.1216	6.3410	2.6619	0.5941	0.7708	0.1848	0.1702	0.0797	3.0130	1.0536	0.0000	0.0000000000000000000000000000000000000	19.1037	0.6642	0.8136	0.8117	41.3016	50.6790	0.9973	0.824
03:00	85.0827	6.3456	2.7060	0.6035	0.7909	0.1845	0.1656	0.0836	2.9651	1.0638	0.0000	0.0000	19.1798	0.6637	0.8131	0.8112	41.2789	50.6671	0.9973	0.823
04:00	85.1340	6.2875	2.7327	0.6009	0.7761	0.1828	0.1638	0.0818	2.9764	1.0547	0.0000	0.0000	19.1733	0.6635	0.8128	0.8109	41.2418	50.6302	0.9973	0.822
05:00	85.1020	6.3481	2.6933	0.5928	0.7627	0.1820	0.1655	0.0812	2.9980	1.0661	0.0000	0.0000	19.2454	0.6660	0.8159	0.8139	41.4035	50.7327	0.9973	0.820
06:00	84.9363	6.3521	2.7250	0.6410	0.8524	0.1956	0.1700	0.0792	2.9803	1.0605 1.0627	0.0000	0.0000	19.1810	0.6638	0.8131	0.8112	41.2552	50.6364	0.9973	0.820
07:00	85.0585	6.3942	2.6693	0.5919	0.7683	0.1898	0.1731	0.0769	3.0068	1.0627	0.0000	0.0000	19.2312	0.6655	0.8153	0.8133	41.3698	50.7103	0.9973	0.821
08:00	84.9045	6.4309	2.7497	0.6193	0.7990	0.1930	0.1754	0.0740	2.9809	1.0614	0.0000	0.0000	19.2195	0.6651	0.8148	0.8128	41.3378	50.6865	0.9973	0.825
09:00	84.9644	6.3730	2.7261	0.6218	0.8090	0.1880	0.1718	0.0763	3.0010 3.0122	1.0580	0.0000	0.0000	19.1898	0.6641	0.8135	0.8116	41.2740	50.6479	0.9973	0.829
10:00	85.0284	6.3790	2.7006	0.6068	0.7834	0.1801	0.1691	0.0756 0.0746	3.0492	1.0515	0.0000	0.0000	19.1908	0.6641	0.8136	0.8116	41.2591	50.6283	0.9973	0.832
11:00	85.0155	6.3643	2.6887	0.6081	0.7903	0.1827	0.1678	0.0746	3.0432	1.0540	0.0000	0.0000	19.2117	0.6649	0.8144	0.8125	41.3029	50.6543	0.9973	0.833
12:00	84.9199	6.4196	2.7298	0.6111	0.7882	0.1847	0.1670 0.1681	0.0756	3.0564	1.0481	0.0000	0.0000	19.1865	0.6640	0.8134	0.8115	41.2493	50.6219	0.9973	0.834
13:00	85.0142	6.3877	2.6721	0.6035	0.7794	0.1866	0.1691	0.0730		1.0482	0.0000	0.0000	19.1421	0.6624	0.8115	0.8096	41.1759	50.5908	0.9973	0.832
14:00	85.2039	6.3135	2.6292	0.5822	0.7541	0.1847 0.1879	0.1705		3.0041	1.0513	0.0000	0.0000	19.1885	0.6641	0.8135	0.8115	41.2825	50.6600	0.9973	0.83
15:00	85.0864	6.3089	2.7142	0.6089	0.7827	0.1879	0.17655		3.0428	1.0437	0.0000	0.0000	19.1363	0.6622	0.8112	0.8093	41.1600	50.5790 50.6601	0.9973	0.828
16:00	85.2465	6.2565	2.6221	0.5903	0.7673 0.7718	0.1817			2000 0000000000000000000000000000000000	1.0638	0.0000	0.0000	19.1775	0.6637	0.8130	0.8111	41.2707	50.6975	0.9973	0.82
17:00	85.0907	6.3747	2.7015	0.5976	0.7718	0.1852	0.1662	T / T / T / T / T / T / T / T / T / T /		1.0641	0.0000	0.0000	19.2047	0.6646		0.8122	41.3307 41.2402	50.6391	0.9973	0.82
18:00	85.0191	6.3872	2.7242				0.1646			1.0659	0.0000	0.0000	19.1651	0.6632	0.8125	0.8105 0.8079	41.1056	50.5561	0.9973	0.82
19:00	85.1180	6.3864		51 500		0.1726				1.0562	0.0000	0.0000	19.1032		0.8098	0.8079	41.1742	50.5965	0.9973	0.82
20:00	85.3490	6.2818		0.5746		0.1787	0.1625		2.9963		0.0000	0.0000	19.1362		0.8112	0.8103	41.2197	50.6219	0.9973	0.82
21:00	85.2134	6.3369		0.5879	0.7546	NEW SECTION OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE PERSON NA	0.1641		2.9878		0.0000	0.0000	19.1592			0.8103	41.3359	50.6968	0.9973	1000
22:00	85.1171						31 0	0.0768			0.0000	0.0000	19.2100				41.3958		0.9973	
23:00									2.9622		0.0000	0.0000	19.2364			(400-100-00)	41.2702		0.9973	0.82
24:00	85.0678							0.0779	2.9989	1.0588	0.0000	0.0000	19.1842	0.6639	0.8133	0.0114	71.2/02	50.0505	0.007.0	

Page 2