

## **Daily Quantity Report**

Custome	er Name:			Abu Tu	ıbul			Report	Date:	02/12/2023					
	Stream 1	:			Non-resetable Totals at End of hour_gas										
	Hourly gas tota	ls					s								
Contract	Gross	Standard						Gross	Standard				-		
Time	Volume	Volume	Mass	Energy	Energy	Pressure	Temp	Volume	Volume	Mass	Energy	Energy	Alarm		
	m3	Sm3	t	GJ	MMBTU	Bar (g)	°C	m3	Sm3	t	GJ	ммвти	₹		
00:00			5 2 8 J CH S	DE STEEL					3365362193.32	2724954.46	138209649.90	130997455.739	ME		
01:00	0.00	0.00	0.00	0.00	0.000	87.71	22.02		3365362193.32	2724954.46	138209649.90	130997455.739			
02:00	0.00	0.00	0.00	0.00	0.000	87.55	21.44		3365362193.32	2724954.46	138209649.90	130997455.739			
03:00	0.00	0.00	0.00	0.00	0.000	87.44	20.98		3365362193.32	2724954.46	138209649.90	130997455.739			
04:00	0.00	0.00	0.00	0.00	0.000	87.42	20.50	42250327.09	3365362193.32	2724954.46	138209649.90	130997455.739			
05:00	0.00	0.00	0.00	0.00	0.000	87.45	19.97		3365362193.32	2724954.46	138209649.90	130997455.739			
06:00	0.00	0.00	0.00	0.00	0.000	87.52	19.46	42250327.09	3365362193.32	2724954.46	138209649.90	130997455.739			
07:00	0.00	0.00	0.00	0.00	0.000	87.65	19.01		3365362193.32	2724954.46	138209649.90	130997455.739			
08:00	0.00	0.00	0.00	0.00	0.000	87.76	19.45		3365362193.32	2724954.46	138209649.90	130997455.739			
09:00	0.00	0.00	0.00	0.00	0.000	87.92	22.41	42250327.09	3365362193.32	2724954.46	138209649.90	130997455.739			
10:00	0.00	0.00	0.00	0.00	0.000	88.02	26.04		3365362193.32	2724954.46	138209649.90	130997455.739			
11:00	0.00	0.00	0.00	0.00	0.000	88.05	30.18	42250327.09	3365362193.32	2724954.46	138209649.90	130997455.739			
12:00	0.00	0.00	0.00	0.00	0.000	88.07	34.14	42250327.09	3365362193.32	2724954.46	138209649.90	130997455.739			
13:00	0.00	0.00	0.00	0.00	0.000	88.13	37.58	42250327.09	3365362193.32	2724954.46	138209649.90	130997455.739			
14:00	0.00	0.00	0.00	0.00	0.000	88.18	40.35	42250327.09	3365362193.32	2724954.46	138209649.90	130997455.739			
15:00	0.00	0.00	0.00	0.00	0.000	88.27	39.93		3365362193.32	2724954.46	138209649.90	130997455.739			
16:00	0.00	0.00	0.00	0.00	0.000	88.21	40.24	42250327.09	3365362193.32	2724954.46	138209649.90	130997455,739			
17:00	0.00	0.00	0.00	0.00	0.000	88.12	36.86		3365362193.32	2724954.46	138209649.90	130997455.739			
18:00	0.00	0.00	0.00	0.00	0.000	87.96	34.12	42250327.09	3365362193.32	2724954.46	138209649.90	130997455.739			
19:00	0.00	0.00	0.00	0.00	0.000	87.65	31.85	42250327.09	3365362193.32	2724954.46	138209649.90	130997455.739			
20:00	0.00	0.00	0.00	0.00	0.000	87.45	30.04	42250327.09	3365362193.32	2724954.46	138209649.90	130997455.739			
21:00	0.00	0.00	0.00	0.00	0.000	87.28	28.42	42250327.09	3365362193.32	2724954.46	138209649.90	130997455.739			
22:00	0.00	0.00	0.00	0.00	0.000	87.13	27.20		3365362193.32	2724954.46	138209649.90	130997455.739			
23:00	0.00	0.00	0.00	0.00	0.000	86.99	25.95		3365362193.32		138209649.90	130997455.739			
24:00	0.00	0.00	0.00	0.00	0.000	86.83	24.78	42250327.09	3365362193.32	2724954.46	138209649.90	130997455.739			
Total	0.00	0.00	0.00	0.00	0.000			0.0	0.0	0.0	0.0	0.0	1		
Average	0.00	0.00	0.00	0.00	0.000	87.70	28.04	EN BU	Day Service	THE REAL PROPERTY.			1000		
Peak @							11/40	BANTE BANT			STATE STATE		1		

Page: 1 / 2

Printed on:	03/12/2023
Time:	00:00:30

Printed 12/3/2023 12:00 AM Page 1 of 2



## **Daily Quantity Report**

Custom	er Name:			Abu 1	Tubul		j	Report	Date:	02/12/2023					
	Stream 2	2:													
	Hourly gas tot	als				Non-resetable Totals at End of hour_gas									
Contract	Gross	Standard						Gross	Standard				Ε		
Time	Volume	Volume	Mass	Energy	Energy	Pressure	Temp	Volume	Volume	Mass	Energy	Energy	Alarm		
	m3	Sm3	t	GJ	MMBTU	Bar (g)	°C	m3	Sm3	t	GJ	MMBTU	_		
00:00							THE REAL PROPERTY.		194702230.86	158236.03	8023937.21	7605224.095			
01:00	176.13	17816.84	14.51	736.11	697.698	87.74	31.10		194720096.76	158250.58	8024675.37	7605923.735			
02:00	195.00	19662.48	16.03	813.45	771.002	87.57	31.46		194739744.42	158266.59	8025488.20	7606694.149			
03:00	179.61	18031.75	14.69	745.24	706.351	87.45	31.53		194757733.36	158281.25	8026231.66	7607398.813			
04:00	168.26	16882.55	13.75	697.96	661.538	87.45	31.34		194774582.78	158294.98	8026928.28	7608059.082			
05:00	155.70	15679.58	12.79	649.05	615.181	87.48	30.73		194790257.38	158307.76	8027577.13	7608674.073			
06:00	158.70	16028.58	13.07	663.29	628.678	87.55	30.76		194806319.87	158320.86	8028241.78	7609304.039			
07:00	157.56	15930.60	12.99	658.70	624.327	87.68	30.72		194822220.96	158333.82	8028899.28	7609927.229			
08:00	173.79	17499.15	14.24	722.75	685.035	87.80	32.26		194839775.63	158348.11	8029624.26	7610614.377			
09:00	182.72	18243.98	14.83	752.25	712.995	87.95	33.42		194858023.56	158362.94	8030376.66	7611327.515			
10:00	187.47	18625.76	15.14	768.33	728.236	88.06	34.70		194876673.81	158378.10	8031146.00	7612056.708			
11:00	182.74	18022.28	14.64	742.78	704.020	88.08	35.89		194894702.53	158392.75	8031889.02	7612760.955			
12:00	189.19	18537.62	15.03	762.70	722.900	88.08	36.40		194913223.48	158407.76	8032651.04	7613483.211			
13:00	193.31	18931.09	15.37	780.09	739.383	88.16	36.60		194932150.21	158423.13	8033430.96	7614222.432			
14:00	191.45	18754.32	15.22	772.67	732.350	88.24	36.44		194950946.26	158438.38	8034205.36	7614956.422			
15:00	210.01	20653.93	16.74	849.54	805.208	88.26	35.33	2184731.88	194971626.44	158455.15	8035055.95	7615762.625			
16:00	209.14	20655.45	16.76	850.38	806.005	88.22	35.09		194992233.57	158471.87	8035904.39	7616566.791			
17:00	190.76	18934.63	15.37	779.92	739.221	88.18	33.85	2185130.99	195011143.09	158487.22	8036683.23	7617304.989			
18:00	200.65	19988.96	16.21	822.18	779.276	88.00	33.21	2185332.27	195031194.13	158503.47	8037507.96	7618086.682			
19:00	218.70	21787.56	17.68	896.97	850.163	87.69	32.91	2185550.90	195052975.80	158521.15	8038404.79	7618936.713			
20:00	197.22	19643.75	15.97	810.63	768.329	87.50	32.67	2185747.79	195072585.37	158537.09	8039213.93	7619703.629			
21:00	181.05	18019.87	14.66	743.35	704.560	87.33	32.20	2185928.19	195090540.87	158551.70	8039954.69	7620405.734			
22:00	166.78	16623.71	13.52	685.90	650.108	87.18	31.67	2186094.85	195107153.21	158565.21	8040640.07	7621055.349			
23:00	166.43	16583.73	13.49	683.98	648.288	87.02	31.56		195123739.28	158578.70	8041324.24	7621703.817			
24:00	157.49	15698.90	12.80	649.15	615.275	86.86	31.41	2186418.55	195139413.55	158591.48	8041972.33	7622318.088			
Total	4389.86	437237.07	355.50	18037.37	17,096.126		MA GENT	4389.4	437182.7	355.5	18035.1	17094.0			
Average	182.91	18218.21	14.81	751.56	712.339	87.73	33.05				P. C. T.		Tes		
Peak @	18:17:40							The second	The second second	S ISSUED	NEW PROPERTY.	A CHARLEST OF STREET	4		

Page: 2 / 2

Printed on:	03/12/2023	
Time:	00:00:30	

Printed 12/3/2023 12:00 AM Page 2 of 2



## **Daily Quality Report**

 Customer Name:
 Abu Tubul
 Report Date:
 02/12/2023
 Printed on
 03/12/2023 00:00

	Stream	m 1 Ga	s Com	positi	on															
	Hourly gas																			
Contract Time	Methane	Ethane	Propane	i-Butane	n-Butane	i-Pentane	n-Pentane	Hexane +	Nitrogen	Carbon Dioxide	Oxygen	Water	Molec. Weight	Relative Density	Standard Density	Line Density	GHV	Wobbe Index	Base Compr.	Line Compr.
00:00																				
01:00	84.8569	6,4926	2.8267	0.6151	0.7656	0.1733	0.1628	0.0838	2.9515	1.0664	0.0000	0.0000	19.2296	0.6655	0.8152	0.8133	41,3848	50.7307	0.9973	0.7942
02:00	84.9085	6.4714	2.7578	0.6109	0.7812	0.1756	0.1625	0.0862	2.9735	1.0669	0.0000	0.0000	19.2178	0.6651	0.8132	0.8133	41.3465	50.6996	0.9973	0.7933
03:00	84.8889	6.5262	2.7687	0.6054	0.7538	0.1794	0.1623	0.0884	2.9412	1.0793	0.0000	0.0000	19.2184	0.6651	0.8147	0.8128	41.3563	50.7107	0.9973	0.7920
04:00	84.7226	6.5440	2.8672	0.6253	0.7822	0.1742	0.1627	0.0834	2.9584	1.0745	0.0000	0.0000	19.2628	0.6666	0.8166	0.8147	41.4402	50.7545	0.9973	0.7893
05:00	84.8062	6.5234	2.8177	0.6283	0.7956	0.1747	0.1593	0.0836	2.9302	1.0753	0.0000	0.0000	19.2484	0.6661	0.8160	0.8141	41.4275	50.7581	0.9973	0.7879
06:00	84.9402	6.4649	2.7493	0.6111	0.7697	0.1789	0.1639	0.0830		1.0760	0.0000	0.0000	19.2108	0.6648	0.8144	0.8125	41.3337	50.6931	0.9973	0.7876
07:00	84.8945	6.4608	2.7803	0.6132	0.7773	0.1777	0.1644	0.0846	2.9750	1.0666	0.0000	0.0000	19.2232	0.6653	0.8149	0.8130	41.3569	50.7051	0.9973	0.7856
08:00	85.1631	6.3454	2.6746	0.5944	0.7464	0.1755	0.1644	0.0852	2.9933	1.0520	0.0000	0.0000	19.1538	0.6628	0.8120	0.8101	41.2186	50.6277	0.9973	0.7889
09:00	85.1515	6.3204	2.6871	0.6046	0.7568	0.1716	0.1551	0.0850	3.0215	1.0407	0.0000	0.0000	19.1551	0.6629	0.8120	0.8101	41.2144	50.6207	0.9973	0.7975
10:00	85.1248	6.3650	2.6774	0.5884	0.7345	0.1776	0.1630	0.0826	3.0341	1.0472	0.0000	0.0000	19.1518	0.6628	0.8119	0.8100	41.1938	50.5999	0.9973	0.8077
11:00	85.2348	6.2821	2.6693	0.5781	0.7286	0.1711	0.1557	0.0830	3.0613	1.0306	0.0000	0.0000	19.1222	0.6617	0.8106	0.8087	41.1326	50.5641	0.9973	0.8194
12:00	85.3125	6.3231	2.6422	0.5675	0.7186	0.1738	0.1603	0.0840	2.9633	1.0493	0.0000	0.0000	19.1099	0.6613	0.8101	0.8082	41.1511	50.6031	0.9973	0.8289
13:00	85.2361	6.3712	2.6579	0.5661	0.7287	0.1727	0.1603	0.0828	2.9502	1.0685	0.0000	0.0000	19.1272	0.6619	0.8108	0.8089	41.1762	50.6110	0.9973	0.8363
14:00	85.1861	6.3570	2.6879	0.5752	0.7323	0.1773	0.1623	0.0826	2.9744	1.0592	0.0000	0.0000	19.1429	0.6625	0.8115	0.8096	41.2017	50.6214	0.9973	0.8420
15:00	85.1829	6.4208	2.6428	0.5637	0.7105	0.1718	0.1632	0.0848	2.9837	1.0704	0.0000	0.0000	19.1282	0.6620	0.8109	0.8090	41.1558	50.5846	0.9973	0.8414
16:00	85.0630	6.4381	2.7426	0.5842	0.7162	0.1724	0.1622	0.0854	2.9652	1.0653	0.0000	0.0000	19.1663	0.6633	0.8125	0.8106	41.2492	50.6486	0.9973	0.8412
17:00	85.1968	6.3993	2.6523	0.5691	0.7103	0.1681	0.1568	0.0857	2.9841	1.0723	0.0000	0.0000	19.1255	0.6619	0.8108	0.8089	41.1483	50.5790	0.9973	0.8349
18:00	85.2372	6.3575	2.6387	0.5706	0.7202	0.1717	0.1585	0.0858	2.9906	1.0637	0.0000	0.0000	19.1222	0.6617	0.8106	0.8087	41.1456	50.5800	0.9973	
19:00 20:00	84.8845	6.5072	2.7997	0.6005	0.7519	0.1744	0.1602	0.0831	2.9575	1.0755	0.0000	0.0000	19.2142	0.6649	0.8146	0.8126	41.3413	50.6979	0.9973	0.8214
21:00	85.1574 85.0269	6.3071 6.4140	2.6898 2.7117	0.5829 0.5994	0.7355 0.7539	0.1775 0.1760	0.1641 0.1647	0.0844	3.0344 2.9857	1.0614 1.0767	0.0000	0.0000	19.1511 19.1856	0.6627 0.6639	0.8119 0.8133	0.8100 0.8114	41.1787 41.2644	50.5823 50.6417	0.9973	0.8192
22:00	85.1350	6.3041	2.6716	0.5952	0.7539	0.1783	0.1652	0.0853 0.0865	3.0238	1.0707	0.0000	0.0000	19.1667	0.6633	0.8133	0.8114	41.2079	50.5975	0.9973	0.8142 0.8120
23:00	84.8094	6.4661	2.8472	0.6271	0.7859	0.1783	0.1655	0.0865	2.9404	1.0864	0.0000	0.0000	19.2567	0.6664	0.8123	0.8144	41.4275	50.7471	0.9973	0.8060
24:00	84.9666	6.4416	2.7298	0.6076	0.7788	0.1790	0.1656	0.0845	2.9482	1.0926	0.0000	0.0000	19.2100	0.6648	0.8144	0.8124	41.3223	50.6802	0.9973	
Average	85.0453	6.4126	2.7246	0.5952	0.7499	0.1751	0.1619	0.0846	2.9791	1.0662	0.0000	0.0000	19.1792	0.6637	0.8131	0.8111	41.2656	50.6516	0.9973	130000000000000000000000000000000000000

Printed 12/3/2023 12:00 AM Page 1 of 2



## **Daily Quality Report**

 Customer Name:
 Abu Tubul
 Report Date:
 02/12/2023
 Printed on
 03/12/2023 00:00

	Stream	m 2 Ga	s Com	positi	on															
	Hourly gas	quality																		
Contract Time	Mathana	Fabrus	Duamana	i Butana	Butana	: Doubour	Dantana		A114	Carbon	0	Makau	Molec.	Relative	Standard	Line	CIIV	Wobbe	Base	Line
Time	Methane	Ethane	Propane	i-Butane	n-Butane	i-Pentane	n-Pentane	Hexane +	Nitrogen	Dioxide	Oxygen	Water	Weight	Density	Density	Density	GHV	Index	Compr.	Compr.
00:00	Section 2	THE RESIDENT				10000	15V 1924	STATE OF STREET	(Definite)	THE STATE OF THE PARTY OF THE P	Transfer of	X 12 30	19000	1600000		CONTRACTOR OF THE	1-3000	Charles of	d orthograph	N 52 57
01:00	84.8569	6.4926	2.8267	0.6151	0.7656	0.1733	0.1628	0.0808	2.9515	1.0664	0.0000	0.0000	19.2296	0.6655	0.8152	0.8133	41.3848	50.7307	0.9973	0.8189
02:00	84.9085	6.4714	2.7578	0.6109	0.7812	0.1756	0.1625	0.0823	2.9735	1.0669	0.0000	0.0000	19.2178	0.6651	0.8147	0.8128	41.3465	50.6996	0.9973	0.8205
03:00	84.8889	6.5262	2.7687	0.6054	0.7538	0.1794	0.1633	0.0852	2.9412	1.0793	0.0000	0.0000	19.2184	0.6651	0.8147	0.8128	41.3563	50.7107	0.9973	0.8207
04:00	84.7226	6.5440	2.8672	0.6253	0.7822	0.1742	0.1627	0.0832	2.9584	1.0745	0.0000	0.0000	19.2628	0.6666	0.8166	0.8147	41.4402	50.7545	0.9973	0.8191
05:00	84.8062	6.5234	2.8177	0.6283	0.7956	0.1747	0.1593	0.0822	2.9302	1.0753	0.0000	0.0000	19.2484	0.6661	0.8160	0.8141	41.4275	50.7581	0.9973	0.8178
06:00	84.9402	6.4649	2.7493	0.6111	0.7697	0.1789	0.1639	0.0805	2.9576	1.0760	0.0000	0.0000	19.2108	0.6648	0.8144	0.8125	41.3337	50.6931	0.9973	0.8189
07:00	84.8945	6.4608	2.7803	0.6132	0.7773	0.1777	0.1644	0.0813	2.9750	1.0666	0.0000	0.0000	19.2232	0.6653	0.8149	0.8130	41.3569	50.7051	0.9973	0.8184
08:00	85.1631	6.3454	2.6746	0.5944	0.7464	0.1755	0.1644	0.0820	2.9933	1.0520	0.0000	0.0000	19.1538	0.6628	0.8120	0.8101	41.2186	50.6277	0.9973	0.8238
09:00	85.1515	6.3204	2.6871	0.6046	0.7568	0.1716	0.1551	0.0836	3.0215	1.0407	0.0000	0.0000	19.1551	0.6629	0.8120	0.8101	41.2144	50.6207	0.9973	0.8265
10:00	85.1248	6.3650	2.6774	0.5884	0.7345	0.1776	0.1630	0.0808	3.0341	1.0472	0.0000	0.0000	19.1518	0.6628	0.8119	0.8100	41.1938	50.5999	0.9973	0.8295
11:00	85.2348	6.2821	2.6693	0.5781	0.7286	0.1711	0.1557	0.0816	3.0613	1.0306	0.0000	0.0000	19.1222	0.6617	0.8106	0.8087	41.1326	50.5641	0.9973	0.8331
12:00	85.3125	6.3231	2.6422	0.5675	0.7186	0.1738	0.1603	0.0827	2.9633	1.0493	0.0000	0.0000	19.1099	0.6613	0.8101	0.8082	41.1511	50.6031	0.9973	0.8341
13:00	85.2361	6.3712	2.6579	0.5661	0.7287	0.1727	0.1603	0.0814	2.9502	1.0685	0.0000	0.0000	19.1272	0.6619	0.8108	0.8089	41.1762	50.6110	0.9973	0.8340
14:00	85.1861	6.3570	2.6879	0.5752	0.7323	0.1773	0.1623	0.0816	2.9744	1.0592	0.0000	0.0000	19.1429	0.6625	0.8115	0.8096	41.2017	50.6214	0.9973	0.8333
15:00	85.1829	6.4208	2.6428	0.5637	0.7105	0.1718	0.1632	0.0824	2.9837	1.0704	0.0000	0.0000	19.1282	0.6620	0.8109	0.8090	41.1558	50.5846	0.9973	0.8311
16:00	85.0630	6.4381	2.7426	0.5842	0.7162	0.1724	0.1622	0.0829	2.9652	1.0653	0.0000	0.0000	19.1663	0.6633	0.8125	0.8106	41.2492	50.6486	0.9973	0.8295
17:00	85.1968	6.3993	2.6523	0.5691	0.7103	0.1681	0.1568	0.0830	2.9841	1.0723	0.0000	0.0000	19.1255	0.6619	0.8108	0.8089	41.1483	50.5790	0.9973	0.8278
18:00	85.2372	6.3575	2.6387	0.5706	0.7202	0.1717	0.1585	0.0836	2.9906	1.0637	0.0000	0.0000	19.1222	0.6617	0.8106	0.8087	41.1456	50.5800	0.9973	0.8266
19:00	84.8845	6.5072	2.7997	0.6005	0.7519	0.1744	0.1602	0.0819	2.9575	1.0755	0.0000	0.0000	19.2142	0.6649	0.8146	0.8126	41.3413	50.6979	0.9973	0.8239
20:00	85.1574	6.3071	2.6898	0.5829	0.7355	0.1775	0.1641	0.0822	3.0344	1.0614	0.0000	0.0000	19.1511	0.6627	0.8119	0.8100	41.1787	50.5823	0.9973	0.8256
21:00	85.0269	6.4140	2.7117	0.5994	0.7539	0.1760	0.1647	0.0826	2.9857	1.0767	0.0000	0.0000	19.1856	0.6639	0.8133	0.8114	41.2644	50.6417	0.9973	0.8237
22:00 23:00	85.1350 84.8094	6.3041 6.4661	2.6716	0.5952	0.7641	0.1783	0.1652	0.0836	3.0238	1.0707	0.0000	0.0000	19.1667	0.6633	0.8125	0.8106 0.8144	41.2079 41.4275	50.5975 50.7471	0.9973	0.8233
24:00	84.8094	6.4416	2.8472 2.7298	0.6271 0.6076	0.7859 0.7788	0.1797 0.1790	0.1655 0.1656	0.0831 0.0807	2.9404 2.9482	1.0864 1.0926	0.0000	0.0000	19.2567 19.2100	0.6664 0.6648	0.8164 0.8144	0.8144	41.42/5	50.7471	0.9973 0.9973	0.8206 0.8217
		6.4126	2.7246	0.5952	~												41.2656		0.9973	
Average	85.0453	0.4120	2.7240	0.5952	0.7499	0.1751	0.1619	0.0823	2.9791	1.0662	0.0000	0.0000	19.1792	0.6637	0.8131	0.8111	41.2050	20.0210	0.99/3	0.8251

Printed 12/3/2023 12:00 AM Page 2 of 2