

Daily Quantity Report

				Abu Tu	Dui				Repor	t Date:	1	8/12/2023	_			
	Stream 1							-				07 127 2023	=			
Contract	Hourly gas tota Gross	s Standard				Non-resetable Totals at End of hour_gas										
Time	Volume	Volume						Gross	Standard	able Totals at	End of hour_ga:	5	_			
F2-F4	m3	Sm3	Mass	Energy	Energy	Pressure	Temp	Volume	Volume	Mass	Energy		ı			
00:00		SIL SUPERIOR OF THE SUPERIOR O	THE RESERVE TO SERVE THE PARTY OF THE PARTY	GJ	MMBTU	Bar (g)	°C		Sm3	t	GI	Energy MMBTU	ı			
01:00	0.00	0.00	0.00	0.00	0.000	77.04		42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099	H			
02:00	0.00	0.00	0.00	0.00	0.000	77.31	20.78	42250656.91	3365394297.05		138210975.43	130998712.099	A			
03:00	0.00	0.00	0.00	0.00	0.000	77.44	20.00	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
04:00	0.00	0.00	0.00	0.00	0.000	77.57	19.22	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
05:00	0.00	0.00	0.00	0.00	0.000	78.24	18.50	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
06:00	0.00	0.00	0.00	0.00		78.92	17.86	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
07:00	0.00	0.00	0.00	0.00	0.000	79.51	17.33	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
08:00	0.00	0.00	0.00	0.00	0.000	80.09	16.91	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
09:00	0.00	0.00	0.00	0.00	0.000	80.80	17.36	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
10:00	0.00	0.00	0.00	0.00	0.000	81.72	20.42	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
11:00	0.00	0.00	0.00	0.00	0.000	82.50	23.96	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
12:00	0.00	0.00	0.00	0.00	0.000	82.78	27.42	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
13:00	0.00	0.00	0.00	0.00	0.000	83.13	30.79	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
14:00	0.00	0.00	0.00	0.00	0.000	83.38	33.77	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
15:00	0.00	0.00	0.00	0.00	0.000	83.58	36.09	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
16:00	0.00	0.00	0.00	0.00	0.000	83.72	37.24	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
17:00	0.00	0.00	0.00	0.00	0.000	83.93	36.76	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
18:00	0.00	0.00	0.00	0.00	0.000	84.06	34.27	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
19:00	0.00	0.00	0.00	0.00	0.000	83.65	30.06	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
20:00	0.00	0.00	0.00	0.00	0.000	83.39	27.26	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
21:00	0.00	0.00	0.00	0.00	0.000	82.92	25.25	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
22:00	0.00	0.00	0.00	0.00	0.000	82.55	23.80	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
23:00	0.00	0.00	0.00	0.00	0.000	82.26	22.47	42250656.91	3365394297.05	2724980.62	138210975 43	130998712.099				
24:00	0.00	0.00	0.00	0.00	0.000	81.96	21.37	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
Total	0.00	0.00	0.00	0.00	0.000	81.82	20.41	42250656.91	3365394297.05	2724980.62	138210975.43	130998712.099				
Average	0.00	0.00	0.00	0.00	0.000	04 55		0.0	0.0	0.0	0.0	0.0	Ī			
Peak @	-		0.00	0.00	0.000	81.55	24.97			TE STANKE	ATT OF THE		ĺ			

Page: 1 / 2

Printed on:	19/12/2023	
Time:	00:00:30	

Printed 12/19/2023 12:00 AM



Daily Quantity Report

Customer Name:				Abu	Tubul			1	Repor	t Date:	1:	8/12/2023	
	Stream	2:						<u> </u>				0/12/2023	
C1	Hourly gas to												
Contract Time	Gross							Gross	Non-reset	able Totals at	End of hour_gas	3	
iiiie	Volume m3		Mass	Energy		Pressure	Temp	Volume	Standard Volume	Mass	_	20	E
00:00	Della medi la se	Sm3	t	G.	MMBTU	Bar (g)	•c	m3	Sm3	141055	Energy GJ	Energy	Alarm
01:00	158.37	13929.17	11.33	574.70	E44 740			2247284.53	201033523.51	163386.78	8285238.93	7852890.307	
02:00	165.03		11.87	602.59	Table State Control	77.35	29.08	2247441.79	201047357.28	163398.03	8285809.67	7853431.264	
03:00	165.71	14668.75	11.94	605.85	5, 1,1 15	77.46	29.07	2247606.87	201061950.00	163409.91	8286412.46	7854002.599	
04:00	98.01	8785.70	7.15	362.85	0, 11200	77.59	28.57	2247771.15	201076494.36	163421.75	8287013.20	7854571.990	
05:00	89.69		6.65	337.27		78.26	27.16	2247869.03	201085271.79	163428.89	8287375.68	7854915.555	
06:00	77.43	7164.68	5.84	296.36	0.01010	78.94	26.55	2247958.28	201093405.76	163435.51	8287711.44	7855233.794	
07:00	98.86	9222.54	7.51	380.88		79.54	25.99	2248035.88	201100588.23	163441.37	8288008.52	7855515.371	
08:00	81.79	7663.39	6.24	316,59	002.000	80.11	26.82	2248135.02	201109837.36	163448.89	8288390.48	7855877,400	
09:00	92.12	8639.50	7.03	356.35		80.83	27.61	2248216.48	201117470.95	163455.12	8288705.87	7856176.332	
10:00	99.33	9308.30	7.56	383.52	337.755 363.507	81.72	29.66	2248308.98	201126145.74	163462.17	8289063.65	7856515.442	
11:00	169.15	15788.51	12.86	651.89		82.54	31.44	2248409.52	201135568.04	163469.82	8289451.87	7856883.403	
12:00	138.66	12881.66	10.50	532.26	617.872 504.485	82.82	33.50	2248578.26	201151315.42	163482.65	8290102.07	7857499,674	
13:00	140.91	13082.92	10.65	540.52		83.15	34.60	2248715.93	201164104.57	163493.07	8290630.52	7858000.548	
14:00	149.06	13899.50	11.35	575.97	512.314	83.39	34.98	2248858.14	201177308.61	163503.83	8291176.06	7858517.620	
15:00	166.71	15614.63	12.72	646.36	545.914 612.631	83.66	34.89	2249007.60	201191247.17	163515.20	8291753.65	7859065.069	
16:00	150.01	14136.65	11.53	585.50	554.947	83.79	34.34	2249174.10	201206842.83	163527.91	8292399.23	7859676.961	
17:00	152.66	14488.84	11.80	599.42	568.140	83.97	33.51	2249324.32	201221002.41	163539.46	8292985.70	7860232,827	
18:00	188.88	18070.32	14.74	748.30	709,251	84.07	32.27	2249476.48	201235446.87	163551.22	8293583.28	7860799.224	
19:00	184.77	17660.34	14.41	731.90	693.707	83.67	31.26	2249666.89	201253663.98	163566.08	8294337.65	7861514.228	
20:00	194.61	18596.26	15.19	771.68	731.411	83.42	30.53	2249850.47	201271210.37	163580.39	8295064.84	7862203.471	
21:00	202.42	19166.16	15.63	793.22	751.411	82.94	30.69	2250047.13	201289999.69	163595.75	8295844.52	7862942,465	
22:00	187.02	17699.71	14.43	731.48	693.309	82.57	29.98	2250247.60	201308980.07	163611.22	8296630.03	7863686,985	
23:00	195.75	18432.43	15.01	761.28	721.554	82.27	29.92	2250435.27	201326740.22	163625.70	8297364.05	7864382,702	
24:00	178.57	16786.25	13.66	692.59	656,449	81.98 81.85	29.81	2250630.88	201345155.67	163640.70	8298124.51	7865103.479	
Total	3525.52	328445.54	267.60	13579.33	12,870.720	81.85	29.50		201361918.28	163654.34	8298816.12	7865758.998	
Average	146.90	13685.23	11.15	565.81	536.280	04.50		3524.7	328394.8	267.6	13577.2	12868.7	
Peak @	20:00:35		22123	303.81	530.280	81.58	30.49			CANCELLO !			10

Page: 2 / 2

Printed on:	19/12/2023	
Time:	00:00:30	

Printed 12/19/2023 12:00 AM



Daily Quality Report

 Customer Name:
 Abu Tubul
 Report Date:
 18/12/2023
 Printed on
 19/12/2023 00:00

	Chusa																			
			is Com	positi	on															
	Hourly gas	s quality																		
Contract Time	Methane	Ethane	Propane	i-Butane	n-Butane	i-Pentane	n-Pentane	Hexane +	Nitrogen	Carbon Dioxide	Oxygen	Water	Molec. Weight	Relative Density	Standard Density	Line Density	GHV	Wobbe Index	Base Compr.	Line Compr.
00:00	THE REAL PROPERTY.	THE PERSON						DESCRIPTION OF									2000	20000000000	15.000.00A • 7100	
01:00	85.0518	6.4360	2.7184	0.6016	0.7550	0.1713	0.1566	0.0812	2.9527	1.0718	0.0000	0.0000	40 4750						Un bite	
02:00	85.0727	6.4312	2.6808	0.5943	0.7594	0.1748	0.1598	0.0812	2.9800	1.0630	0.0000	0.0000	19.1752	0.6636	0.8129	0.8110	41.2687	50.6607	0.9973	0.812
03:00	84.8367	6.4873	2.8012	0.6230	0.7945	0.1743	0.1591	0.0789	2.9818	1.0530	0.0000	0.0000	19.1666	0.6633	0.8125	0.8106	41.2427	50.6402	0.9973	0.810
04:00	85.0551	6.4344	2.7003	0.5914	0.7594	0.1706	0.1549	0.0703	2.9892	1.0588	0.0000	0.0000	19.2329	0.6656	0.8154	0.8134	41.3794	50.7198	0.9973	0.806
05:00	84.7841	6.4750	2.8469	0.6376	0.8054	0.1737	0.1550	0.0813	2.9786	1.0566		0.0000	19.1675	0.6633	0.8126	0.8106	41.2428	50.6391	0.9973	0.804
06:00	84.9687	6.4333	2.7720	0.6084	0.7705	0.1735	0.1562	0.0814	2.9730	1.0600	0.0000	0.0000	19.2537	0.6663	0.8162	0.8143	41.4252	50.7483	0.9973	0.799
07:00	85.0003	6.4433	2.7035	0.5965	0.7537	0.1704	0.1553	0.0833	3.0309	1.0601	0.0000	0.0000	19.1990	0.6644	0.8139	0.8120	41.3155	50.6864	0.9973	0.797
08:00	84.7806	6.4575	2.8227	0.6347	0.8063	0.1727	0.1556	0.0812	3.0370	1.0465	0.0000	0.0000	19.1750	0.6636	0.8129	0.8110	41.2308	50.6145	0.9973	0.796
09:00	84.9737	6.4225	2.7255	0.6063	0.7631	0.1716	0.1558	0.0824	3.0484	1.0444	0.0000	0.0000	19.2472	0.6661	0.8160	0.8140	41.3858	50.7087	0.9973	0.794
10:00	85.0679	6.3432	2.7010	0.6091	0.7666	0.1758	0.1602	0.0822	3.0432	1.0453	0.0000	0.0000	19.1866	0.6640	0.8134	0.8115	41.2581	50.6326	0.9973	0.802
11:00	84.8757	6.4747	2.7657	0.6148	0.7511	0.1672	0.1551	0.0820	3.0577	1.0508	0.0000	0.0000	19.1753	0.6636	0.8129	0.8110	41.2374	50.6222	0.9973	0.8113
12:00	84.9300	6.4954	2.7238	0.6071	0.7725	0.1697	0.1551	0.0782	2.9979	1.0642	0.0000	0.0000	19.2030 19.1957	0.6646	0.8141	0.8121	41.2796	50.6372	0.9973	0.819
13:00	84.8101	6.5735	2.7905	0.6126	0.7706	0.1714	0.1568	0.0802	2.9431	1.0846	0.0000	0.0000		0.6643	0.8138	0.8118	41.2894	50.6588	0.9973	0.8267
14:00	84.9550	6.4984	2.7924	0.6142	0.7786	0.1701	0.1569	0.0802	2.8574	1.0920	0.0000	0.0000	19.2297 19.2138	0.6655	0.8152	0.8133	41.3732	50.7165	0.9973	0.8323
15:00	84.9754	6.5156	2.7663	0.6141	0.7712	0.1731	0.1586	0.0798	2.8446	1.0960	0.0000	0.0000	19.2138	0.6649	0.8145	0.8126	41.3872	50.7545	0.9973	0.8373
16:00	84.9002	6.5064	2.7918	0.6390	0.8093	0.1740	0.1607	0.0795	2.8386	1.0950	0.0000	0.0000	19.2409	0.6647	0.8143	0.8124	41.3794	50.7528	0.9973	0.8397
17:00	84.8536	6.5197	2.8251	0.6340	0.7943	0.1723	0.1559	0.0810	2.8641	1.0945	0.0000	0.0000	19.2441	0.6659	0.8157	0.8138	41.4508	50.7964	0.9973	0.8375
18:00	84.9017	6.5386	2.7821	0.6273	0.7861	0.1724	0.1586	0.0801	2.8491	1.0989	0.0000	0.0000	19.2285		0.8158	0.8139	41.4418	50.7813	0.9973	0.8317
19:00	84.7756	6.6447	2.7801	0.6291	0.8123	0.1708	0.1562	0.0798	2.8378	1.1088	0.0000	0.0000	19.2534	0.6655	0.8152	0.8132	41.4156	50.7699	0.9973	0.8226
20:00	84.8496	6.5623	2.8130	0.6175	0.7910	0.1754	0.1565	0.0788	2.8551	1.0965	0.0000	0.0000	19.2374	0.6658	0.8162 0.8156	0.8143	41.4638	50.7959	0.9973	0.8153
21:00	84.7077	6.5941	2.8025	0.6389	0.8018	0.1756	0.1591	0.0786	2.9572	1.0798	0.0000	0.0000	19.2619	0.6666	0.8156	0.8136	41.4323	50.7785	0.9973	0.8114
22:00	84.5673	6.5984	2.8761	0.6481	0.8307	0.1745	0.1543	0.0786	2.9942	1.0711	0.0000	0.0000	19.2992	0.6679	0.8182	0.8146	41.4340	50.7482	0.9973	0.8080
23:00	85.0428	6.4180	2.6627	0.5975	0.7571	0.1722	0.1573	0.0821	3.0452	1.0616	0.0000	0.0000	19.1659	0.6633	0.8182	0.8162	41.4945	50.7730	0.9972	0.8041
24:00	85.0240	6.4481	2.6897	0.5795	0.7412	0.1719	0.1570	0.0821	3.0416	1.0609	0.0000	0.0000	19.1627	0.6632	0.8125	0.8106 0.8104	41.2019 41.1987	50.5913	0.9973	0.8056
Average	84.9067	6.4896	2.7639	0.6157	0.7792	0.1725	0.1569	0.0807	2.9583	1.0717	0.0000	0.0000		0.6649	0.8145		41.1987	50.5915	0.9973 0.9973	0.8032



Daily Quality Report

Custome	r Name:				Abu Tub	ul			7	Panar	t Date:		0/45/55		7					
	I								4	Kepoi	t Date:	1	8/12/20	23	j	Print	ed on	19/1	2/2023	00:00
	Stream	m 2 Ga	is Com	positi	on															
Contract	Hourly ga	s quality																		
Time	Methane	Ethane	Propane	i-Butane	n-Butane	i-Pentane	n-Pentane	Hexane +	Nitrogen	Carbon Dioxide	Oxygen	Water	Molec. Weight	Relative Density	Standard Density	Line Density	CIIV	Wobbe	Base	Line
00:00			Service Services	THE REAL PROPERTY.	Table of								g.i.c	Density	Delisity	Density	GHV	Index	Compr.	Compr.
01:00	85.0518	6.4360	2.7184	0.6016	0.7550	0.1713	0.1566	0.0793	2.0527					HODO B			D-100	CAN COLOR		
02:00	85.0727	6.4312	2.6808	0.5943	0.7594	0.1748	0.1598	0.0793	2.9527 2.9800	1.0718	0.0000	0.0000		0.6636	0.8129	0.8110	41.2687	50.6607	0.9973	0.833
03:00	84.8367	6.4873	2.8012	0.6230	0.7945	0.1743	0.1591	0.0783	2.9800	1.0630	0.0000	0.0000	19.1666	0.6633	0.8125	0.8106	41.2427	50.6402	0.9973	0.833
04:00	85.0551	6.4344	2.7003	0.5914	0.7594	0.1706	0.1549	0.0800	2.9892	1.0591 1.0588	0.0000	0.0000	19.2329	0.6656	0.8154	0.8134	41.3794	50.7198	0.9973	0.830
05:00 06:00	84.7841	6.4750	2.8469	0.6376	0.8054	0.1737	0.1550	0.0808	2.9786	1.0571	0.0000	0.0000	19.1675	0.6633	0.8126	0.8106	41.2428	50.6391	0.9973	0.8272
07:00	84.9687 85.0003	6.4333	2.7720	0.6084	0.7705	0.1735	0.1562	0.0789	2.9730	1.0600	0.0000	0.0000	19.2537 19.1990	0.6663	0.8162	0.8143	41.4252	50.7483	0.9973	0.8222
08:00	84.7806	6.4433 6.4575	2.7035	0.5965	0.7537	0.1704	0.1553	0.0805	3.0309	1.0601	0.0000	0.0000	19.1750	0.6644	0.8139	0.8120	41.3155	50.6864	0.9973	0.821
09:00	84.9737	6.4225	2.8227 2.7255	0.6347	0.8063	0.1727	0.1556	0.0804	3.0370	1.0465	0.0000	0.0000	19.1750	0.6636	0.8129	0.8110	41.2308	50.6145	0.9973	0.8230
10:00	85.0679	6.3432	2.7010	0.6063 0.6091	0.7631	0.1716	0.1558	0.0816	3.0484	1.0444	0.0000	0.0000	19.1866	0.6640	0.8160 0.8134	0.8140	41.3858	50.7087	0.9973	0.8218
11:00	84.8757	6.4747	2.7657	0.6148	0.7666 0.7511	0.1758	0.1602	0.0823	3.0432	1.0453	0.0000	0.0000	19.1753	0.6636	0.8129	0.8115 0.8110	41.2581	50.6326	0.9973	0.8268
12:00	84.9300	6.4954	2.7238	0.6071	0.7511	0.1672 0.1697	0.1551	0.0817	3.0577	1.0508	0.0000	0.0000	19.2030	0.6646	0.8141	0.8111	41.2374 41.2796	50.6222	0.9973	0.8300
13:00	84.8101	6.5735	2.7905	0.6126	0.7725	0.1697	0.1551	0.0781	2.9979	1.0642	0.0000	0.0000	19.1957	0.6643	0.8138	0.8118	41.2894	50.6372 50.6588	0.9973	0.8336
14:00	84.9550	6.4984	2.7924	0.6142	0.7786	0.1714	0.1568 0.1569	0.0801	2.9431	1.0846	0.0000	0.0000	19.2297	0.6655	0.8152	0.8133	41.3732	50.7165	0.9973 0.9973	0.8356
15:00	84.9754	6.5156	2.7663	0.6141	0.7712	0.1731	0.1586	0.0795 0.0794	2.8574 2.8446	1.0920	0.0000	0.0000	19.2138	0.6649	0.8145	0.8126	41.3872	50.7545	0.9973	0.8351 0.8344
16:00	84.9002	6.5064	2.7918	0.6390	0.8093	0.1740	0.1607	0.0794	2.8386	1.0960 1.0950	0.0000	0.0000	19.2079	0.6647	0.8143	0.8124	41.3794	50.7528	0.9973	0.8331
17:00	84.8536	6.5197	2.8251	0.6340	0.7943	0.1723	0.1559	0.0806	2.8641	1.0950	0.0000	0.0000	19.2409	0.6659	0.8157	0.8138	41.4508	50.7964	0.9973	0.8301
18:00 19:00	84.9017 84.7756	6.5386	2.7821	0.6273	0.7861	0.1724	0.1586	0.0797	2.8491	1.0943	0.0000	0.0000	19.2441	0.6660	0.8158	0.8139	41.4418	50.7813	0.9973	0.8270
20:00	84.7756	6.6447 6.5623	2.7801	0.6291	0.8123	0.1708	0.1562	0.0789	2.8378	1.1088	0.0000	0.0000	19.2285 19.2534	0.6655	0.8152	0.8132	41.4156	50.7699	0.9973	0.8256
21:00	84.7077	6.5941	2.8130	0.6175	0.7910	0.1754	0.1565	0.0774	2.8551	1.0965	0.0000	0.0000	19.2334	0.6663	0.8162	0.8143	41.4638	50.7959	0.9973	0.8235
22:00	84.5673	6.5984	2.8025 2.8761	0.6389	0.8018	0.1756	0.1591	0.0778	2.9572	1.0798	0.0000	0.0000	19.2619	0.6658	0.8156	0.8136	41.4323	50.7785	0.9973	0.8252
23:00	85.0428	6.4180	2.6627	0.6481 0.5975	0.8307	0.1745	0.1543	0.0794	2.9942	1.0711	0.0000	0.0000	19.2992	0.6679	0.8166 0.8182	0.8146	41.4340	50.7482	0.9973	0.8239
24:00	85.0240	6.4481	2.6897	0.5795	0.7571 0.7412	0.1722	0.1573	0.0802	3.0452	1.0616	0.0000	0.0000	19.1659	0.6633	0.8182	0.8162 0.8106	41.4945	50.7730	0.9972	0.8235
Average	84.9067	6.4896	2.7639	0.6157	0.7412	0.1719	0.1570	0.0806	3.0416	1.0609	0.0000	0.0000	19.1627	0.6632	0.8123		41.2019 41.1987	50.5913 50.5915	0.9973	0.8273
				0.013/	0.7792	0.1725	0.1569	0.0797	2.9583	1.0717	0.0000	0.0000	19.2135	0.6649	0.8145			50.5915	0.9973	0.8268

0.0797 2.9583 1.0717 0.0000 0.0000 19.2135 0.6649 0.8145 0.8126 41.3429 50.7008 0.9973 0.8280