

Lists in HTML :-

(1) Unordered list :

No priority or order.

$$\varepsilon_X : \bullet \rightarrow A$$

- B

- $\mathcal{C}$

 $\langle \mu_l \rangle$

$\langle li \rangle$ Bread

 $\langle 1 | i \rangle$

$\langle li \rangle$ Butter

 $\langle 1 | i \rangle$

$\langle \lambda_i \rangle$ Jam

 $\langle 1 | i \rangle$

list item
tag

 $\langle 1\mu l \rangle$

(2) Ordered List :

priority present

 $\langle 01 \rangle$ $\langle li \rangle$ $a b c$ $\langle Li \rangle$

< li > def

 $\langle 1i \rangle$

$\langle Li \rangle$ ghi

 $\langle 1/l_i \rangle$ $\langle 101 \rangle$

HTML Attributes

↳ used to add more info. to the tag.

Ex:- `<html lang = "en" >` $\rightarrow$ english language

< ol type = "a " >

a.
b.

* We can use both " " or ' ' results are same

c.
d.
e.

Anchor Element

used to add links to your page.





Image Element

used to add image to your page



Br tag :

used to add next(line breaks) to your paragraph or page.

* `<b>` Bold `</b>`
`<i>` Italic `</i>`
`<u>` Underline `</u>`

Comments : → extra info

<!-- This is a HTML comment -->

Shortcut: cmd + /

Note HTML is not case sensitive.