

Syntax.	1
Child: >	1
Sibling: +	1
Climb-up: ^	1
Grouping: ()	1
Multiplication: *	2
Naming and numbering: \$	2
ID and CLASS attributes	2
Custom attributes	2
Text: {}	2
Implicit tag names	2
HTML	3
Form, Input, Button	4
CSS	7
Visual Formatting	7
Margin & Padding	9
Box Sizing	9
Font	9
Text	11
Background	13
Color	14
Generated content	14
Outline	15
Tables	15
Border	15
Lists	18
Print	18
Others	18
Animation	19
Flex	20
Transform, Transition	21
XSL	22
HTML DOCTYPES	23

SYNTAX
Child: >
nav>ul>li <pre><nav> </nav></pre>
Sibling: +
div+p+bq <pre><div></div> <p></p> <blockquote></blockquote></pre>
Climb-up: ^
div+div>p>span+em^bq <pre><div></div> <div> <p></p> <blockquote></blockquote> </div></pre> <pre>div+div>p>span+em^bq <div></div> <div> <p></p> </div> <blockquote></blockquote></pre>
Grouping: ()
div>(header>ul>li*2>a)+footer>p <pre><div> <header> </header> <footer> <p></p> </footer> </div></pre> (div>dl>(dt+dd)*3)+footer>p <pre><div> <dl> <dt></dt> <dd></dd> <dt></dt> <dd></dd> <dt></dt> <dd></dd> </dl> </div> <footer> <p></p> </footer></pre>

Multiplication: *

ul>li*5

```
<ul>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
</ul>
```

Naming and numbering: \$

ul>li.sample\$*5

```
<ul>
  <li class="sample1"></li>
  <li class="sample2"></li>
  <li class="sample3"></li>
  <li class="sample4"></li>
  <li class="sample5"></li>
</ul>
```

h\$[title=topic\$]{Headline \$}*3

```
<h1 title="topic1">Headline 1</h1>
<h2 title="topic2">Headline 2</h2>
<h3 title="topic3">Headline 3</h3>
```

ul>li.item\$\$*5

```
<ul>
  <li class="item001"></li>
  <li class="item002"></li>
  <li class="item003"></li>
  <li class="item004"></li>
  <li class="item005"></li>
</ul>
```

ul>li.item\$@-*5

```
<ul>
  <li class="item5"></li>
  <li class="item4"></li>
  <li class="item3"></li>
  <li class="item2"></li>
  <li class="item1"></li>
</ul>
```

ul>li.item\$@3*5

```
<ul>
  <li class="item3"></li>
  <li class="item4"></li>
  <li class="item5"></li>
  <li class="item6"></li>
  <li class="item7"></li>
</ul>
```

ID and CLASS attributes

#header

```
<div id="header"></div>
```

.title

```
<div class="title"></div>
```

form#search.wide

```
<form id="search" class="wide"></form>
```

p.class1.class2.class3

```
<p class="class1 class2 class3"></p>
```

Custom attributes

p[title="Hello world"]

```
<p title="Hello world"></p>
```

td[rowspan=2 colspan=3 title]

```
<td rowspan="2" colspan="3"
title=""></td>
```

[a='value1' b="value2"]

```
<div a="value1" b="value2"></div>
```

Text: {}

a{Click me}

```
<a href="">Click me</a>
```

p>{Click }+a{here}+{ to continue}

```
<p>Click <a href="">here</a> to
continue</p>
```

Implicit tag names

.class

```
<div class="class"></div>
```

em>.class

```
<em><span class="class"></span></em>
```

ul>.class

```
<ul>
  <li class="class"></li>
</ul>
```

table>.row>.col

```
<table>
  <tr class="row">
    <td class="col"></td>
  </tr>
</table>
```

HTML

All unknown abbreviations will be transformed to tag, e.g. foo → <foo></foo>.

a

```
<a href=""></a>
```

a:link

```
<a href="http://"></a>
```

a:mail

```
<a href="mailto:"></a>
```

abbr

```
<abbr title=""></abbr>
```

acronym, acr

```
<acronym title=""></acronym>
```

base

```
<base href="" />
```

basefont

```
<basefont />
```

br

```
<br />
```

frame

```
<frame />
```

hr

```
<hr />
```

bdo

```
<bdo dir=""></bdo>
```

bdo:r

```
<bdo dir="rtl"></bdo>
```

bdo:l

```
<bdo dir="ltr"></bdo>
```

col

```
<col />
```

link

```
<link rel="stylesheet" href="" />
```

link:css

```
<link rel="stylesheet"
href="style.css" />
```

link:print

```
<link rel="stylesheet"
href="print.css" media="print" />
```

link:favicon

```
<link rel="shortcut icon"
type="image/x-icon" href="favicon.
ico" />
```

link:touch

```
<link rel="apple-touch-icon"
href="favicon.png" />
```

link:rss

```
<link rel="alternate"
type="application/rss+xml"
title="RSS" href="rss.xml" />
```

link:atom

```
<link rel="alternate"
type="application/atom+xml"
title="Atom" href="atom.xml" />
```

link:import, link:im

```
<link rel="import"
href="component.html" />
```

meta

```
<meta />
```

meta:utf

```
<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8"
/>
```

meta:win

```
<meta http-equiv="Content-
Type" content="text/
html; charset=windows-1251" />
```

meta:vp

```
<meta name="viewport"
content="width=device-width, user-
scalable=no, initial-scale=1.0,
maximum-scale=1.0, minimum-
scale=1.0" />
```

meta:compat

```
<meta http-equiv="X-UA-Compatible"
content="IE=7" />
```

style

```
<style></style>
```

script

```
<script></script>
```

script:src

```
<script src=""></script>
```

img

```
<img src="" alt="" />
```

img:srcset, img:s

```
<img srcset="" src="" alt="" />
```

img:sizes, img:z

```
<img sizes="" srcset="" src=""
alt="" />
```

picture

```
<picture></picture>
```

source, src

```
<source />
```

source:src, src:sc

```
<source src="" type="" />
```

```

source:srcset, src:s
  <source srcset="" />
source:media, src:m
  <source media="(min-width: )"
  srcset="" />
source:type, src:t
  <source srcset="" type="image/" />
source:sizes, src:z
  <source sizes="" srcset="" />
source:media:type, src:mt
  <source media="(min-width: )"
  srcset="" type="image/" />
source:media:sizes, src:mz
  <source media="(min-width: )"
  sizes="" srcset="" />
source:sizes:type, src:zt
  <source sizes="" srcset=""
  type="image/" />
iframe
  <iframe src="" frameborder="0"></
  iframe>
embed
  <embed src="" type="" />
object
  <object data="" type=""></object>
param
  <param name="" value="" />
map
  <map name=""></map>
area
  <area shape="" coords="" href=""
  alt="" />
area:d
  <area shape="default" href=""
  alt="" />
area:c
  <area shape="circle" coords=""
  href="" alt="" />
area:r
  <area shape="rect" coords=""
  href="" alt="" />
area:p
  <area shape="poly" coords=""
  href="" alt="" />

```

Form, Input, Button

```

form
  <form action=""></form>
form:get
  <form action="" method="get"></
  form>
form:post
  <form action="" method="post"></
  form>
label
  <label for=""></label>
input
  <input type="text" />
inp
  <input type="text" name="" id=""
  />
input:hidden, input:h
  <input type="hidden" name="" />
input:text, input:t
  <input type="text" name="" id=""
  />
input:search
  <input type="search" name="" id=""
  />
input:email
  <input type="email" name="" id=""
  />
input:url
  <input type="url" name="" id="" />
input:password, input:p
  <input type="password" name=""
  id="" />
input:datetime
  <input type="datetime" name=""
  id="" />
input:date
  <input type="date" name="" id=""
  />
input:datetime-local
  <input type="datetime-local"
  name="" id="" />
input:month
  <input type="month" name="" id=""
  />
input:week
  <input type="week" name="" id=""
  />
input:time
  <input type="time" name="" id=""
  />

```

input:tel

```
<input type="tel" name="" id="" />
```

input:number

```
<input type="number" name="" id="" />
```

input:color

```
<input type="color" name="" id="" />
```

input:checkbox, input:c

```
<input type="checkbox" name="" id="" />
```

input:radio, input:r

```
<input type="radio" name="" id="" />
```

input:range

```
<input type="range" name="" id="" />
```

input:file, input:f

```
<input type="file" name="" id="" />
```

input:submit, input:s

```
<input type="submit" value="" />
```

input:image, input:i

```
<input type="image" src="" alt="" />
```

input:button, input:b

```
<input type="button" value="" />
```

isindex

```
<isindex />
```

input:reset

```
<input type="reset" value="" />
```

select

```
<select name="" id=""></select>
```

select:disabled, select:d

```
<select name="" id="" disabled="disabled"></select>
```

option, opt

```
<option value=""></option>
```

textarea

```
<textarea name="" id="" cols="30" rows="10"></textarea>
```

marquee

```
<marquee behavior="" direction=""></marquee>
```

menu:context, menu:c

```
<menu type="context"></menu>
```

menu:toolbar, menu:t

```
<menu type="toolbar"></menu>
```

video

```
<video src=""></video>
```

audio

```
<audio src=""></audio>
```

html:xml

```
<html xmlns="http://www.w3.org/1999/xhtml"></html>
```

keygen

```
<keygen />
```

command

```
<command />
```

button:submit, button:s, btn:s

```
<button type="submit"></button>
```

button:reset, button:r, btn:r

```
<button type="reset"></button>
```

button:disabled, button:d, btn:d

```
<button disabled="disabled"></button>
```

fieldset:disabled,**fieldset:d, fset:d, fst:d**

```
<fieldset disabled="disabled"></fieldset>
```

bq

```
<blockquote></blockquote>
```

fig

```
<figure></figure>
```

figcaption

```
<figcaption></figcaption>
```

pic

```
<picture></picture>
```

ifr

```
<iframe src="" frameborder="0"></iframe>
```

emb

```
<embed src="" type="" />
```

obj

```
<object data="" type=""></object>
```

cap

```
<caption></caption>
```

colg

```
<colgroup></colgroup>
```

fst, fset

```
<fieldset></fieldset>
```

btn

```
<button></button>
```

optg

```
<optgroup></optgroup>
```

tarea

```
<textarea name="" id="" cols="30" rows="10"></textarea>
```

```

leg
  <legend></legend>
sect
  <section></section>
art
  <article></article>
hdr
  <header></header>
ftr
  <footer></footer>
adr
  <address></address>
dlg
  <dialog></dialog>
str
  <strong></strong>
prog
  <progress></progress>
mn
  <main></main>
tem
  <template></template>
datag
  <datagrid></datagrid>
datal
  <datalist></datalist>
kg
  <keygen />
out
  <output></output>
det
  <details></details>
cmd
  <command />
ri:dpr, ri:d
  <img srcset="" src="" alt="" />
ri:viewport, ri:v
  <img sizes="" srcset="" src=""
  alt="" />
ri:art, ri:a
  <picture>
    <source media="(min-width: )"
    srcset="" />
    <img src="" alt="" />
  </picture>

```

```

ri:type, ri:t
  <picture>
    <source srcset="" type="image/"
    />
    <img src="" alt="" />
  </picture>
ol+
  <ol>
    <li></li>
  </ol>
ul+
  <ul>
    <li></li>
  </ul>
dl+
  <dl>
    <dt></dt>
    <dd></dd>
  </dl>
map+
  <map name=""
    <area shape="" coords=""
    href="" alt="" />
  </map>
table+
  <table>
    <tr>
      <td></td>
    </tr>
  </table>
colgroup+, colg+
  <colgroup>
    <col />
  </colgroup>
tr+
  <tr>
    <td></td>
  </tr>
select+
  <select name="" id=""
    <option value=""></option>
  </select>
optgroup+, optg+
  <optgroup>
    <option value=""></option>
  </optgroup>
pic+
  <picture>
    <source srcset="" />
    <img src="" alt="" />
  </picture>

```

CSS

CSS module uses fuzzy search to find unknown abbreviations, e.g. `ov:h == ov-h == ovh == oh`.

If abbreviation wasn't found, it is transformed into property name: `foo-bar` → `foo-bar: |`;

You can prefix abbreviations with hyphen to produce vendor-prefixed properties: `-foo`

Visual Formatting

pos

`position: relative;`

pos:s

`position: static;`

pos:a

`position: absolute;`

pos:r

`position: relative;`

pos:f

`position: fixed;`

t

`top;;`

t:a

`top: auto;`

r

`right;;`

r:a

`right: auto;`

b

`bottom;;`

b:a

`bottom: auto;`

l

`left;;`

l:a

`left: auto;`

z

`z-index;;`

z:a

`z-index: auto;`

fl

`float: left;`

fl:n

`float: none;`

fl:l

`float: left;`

fl:r

`float: right;`

cl

`clear: both;`

cl:n

`clear: none;`

cl:l

`clear: left;`

cl:r

`clear: right;`

cl:b

`clear: both;`

d

`display: block;`

d:n

`display: none;`

d:b

`display: block;`

d:f

`display: flex;`

d:if

`display: inline-flex;`

d:i

`display: inline;`

d:ib

`display: inline-block;`

d:li

`display: list-item;`

d:ri

`display: run-in;`

d:cp

`display: compact;`

d:tb

`display: table;`

d:itb

`display: inline-table;`

d:tbc

`display: table-caption;`

d:tbcl

`display: table-column;`

d:tbclg

`display: table-column-group;`

d:tbhg

`display: table-header-group;`

d:tbfg

display:table-footer-group;

d:tbr

display:table-row;

d:tbrg

display:table-row-group;

d:tbc

display:table-cell;

d:rb

display:ruby;

d:rbb

display:ruby-base;

d:rbbg

display:ruby-base-group;

d:rbt

display:ruby-text;

d:rbtg

display:ruby-text-group;

v

visibility:hidden;

v:v

visibility:visible;

v:h

visibility:hidden;

v:c

visibility:collapse;

ov

overflow:hidden;

ov:v

overflow:visible;

ov:h

overflow:hidden;

ov:s

overflow:scroll;

ov:a

overflow:auto;

ovx

overflow-x:hidden;

ovx:v

overflow-x:visible;

ovx:h

overflow-x:hidden;

ovx:s

overflow-x:scroll;

ovx:a

overflow-x:auto;

ovy

overflow-y:hidden;

ovy:v

overflow-y:visible;

ovy:h

overflow-y:hidden;

ovy:s

overflow-y:scroll;

ovy:a

overflow-y:auto;

ovs

overflow-style:scrollbar;

ovs:a

overflow-style:auto;

ovs:s

overflow-style:scrollbar;

ovs:p

overflow-style:panner;

ovs:m

overflow-style:move;

ovs:mq

overflow-style:marquee;

zoo, zm

zoom:1;

cp

clip::;

cp:a

clip:auto;

cp:r

clip:rect(top right bottom left);

rsz

resize::;

rsz:n

resize:none;

rsz:b

resize:both;

rsz:h

resize:horizontal;

rsz:v

resize:vertical;

cur

cursor:\${pointer};

cur:a

```
cursor:auto;
```

cur:d

```
cursor:default;
```

cur:c

```
cursor:crosshair;
```

cur:ha

```
cursor:hand;
```

cur:he

```
cursor:help;
```

cur:m

```
cursor:move;
```

cur:p

```
cursor:pointer;
```

cur:t

```
cursor:text;
```

Margin & Padding**m**

```
margin::;
```

m:a

```
margin:auto;
```

mt

```
margin-top::;
```

mt:a

```
margin-top:auto;
```

mr

```
margin-right::;
```

mr:a

```
margin-right:auto;
```

mb

```
margin-bottom::;
```

mb:a

```
margin-bottom:auto;
```

ml

```
margin-left::;
```

ml:a

```
margin-left:auto;
```

p

```
padding::;
```

pt

```
padding-top::;
```

pr

```
padding-right::;
```

pb

```
padding-bottom::;
```

pl

```
padding-left::;
```

Box Sizing**bxz**

```
box-sizing:border-box;
```

bxz:cb

```
box-sizing:content-box;
```

bxz:bb

```
box-sizing:border-box;
```

bxsh

```
box-shadow:inset hoff voff blur  
color;
```

bxsh:r

```
box-shadow:inset hoff voff blur  
spread rgb(0, 0, 0);
```

bxsh:ra

```
box-shadow:inset h v blur spread  
rgba(0, 0, 0, .5);
```

bxsh:n

```
box-shadow:none;
```

w

```
width::;
```

w:a

```
width:auto;
```

h

```
height::;
```

h:a

```
height:auto;
```

maw

```
max-width::;
```

maw:n

```
max-width:none;
```

mah

```
max-height::;
```

mah:n

```
max-height:none;
```

miw

```
min-width::;
```

mih

```
min-height::;
```

Font**f**

```
font::;
```

f+
font:1em Arial,sans-serif;

fw
font-weight;;

fw:n
font-weight:normal;

fw:b
font-weight:bold;

fw:br
font-weight:bolder;

fw:lr
font-weight:lighter;

fs, fs:i
font-style:italic;

fs:n
font-style:normal;

fs:o
font-style:oblique;

fv
font-variant;;

fv:n
font-variant:normal;

fv:sc
font-variant:small-caps;

fz
font-size;;

fza
font-size-adjust;;

fza:n
font-size-adjust:none;

ff
font-family;;

ff:s
font-family:serif;

ff:ss
font-family:sans-serif;

ff:c
font-family:cursive;

ff:f
font-family:fantasy;

ff:m
font-family:monospace;

ff:a
font-family: Arial, „Helvetica
Neue“, Helvetica, sans-serif;

ff:t
font-family: „Times New Roman“,
Times, Baskerville, Georgia, serif;

ff:v
font-family: Verdana, Geneva,
sans-serif;

fef
font-effect;;

fef:n
font-effect:none;

fef:eg
font-effect:engrave;

fef:eb
font-effect:emboss;

fef:o
font-effect:outline;

fem
font-emphasize;;

femp
font-emphasize-position;;

femp:b
font-emphasize-position:before;

femp:a
font-emphasize-position:after;

fems
font-emphasize-style;;

fems:n
font-emphasize-style:none;

fems:ac
font-emphasize-style:accent;

fems:dt
font-emphasize-style:dot;

fems:c
font-emphasize-style:circle;

fems:ds
font-emphasize-style:disc;

fsm
font-smooth;;

fsm:a
font-smooth:auto;

fsm:n
font-smooth:never;

fsm:aw
font-smooth:always;

fst
font-stretch;;

fst:n
font-stretch:normal;

fst:uc
font-stretch:ultra-condensed;

fst:ec
font-stretch:extra-condensed;

fst:c
font-stretch:condensed;

fst:sc
font-stretch:semi-condensed;

fst:se
font-stretch:semi-expanded;

fst:e
font-stretch:expanded;

fst:ee
font-stretch:extra-expanded;

fst:ue
font-stretch:ultra-expanded;

Text

va
vertical-align:top;

va:sup
vertical-align:super;

va:t
vertical-align:top;

va:tt
vertical-align:text-top;

va:m
vertical-align:middle;

va:bl
vertical-align:baseline;

va:b
vertical-align:bottom;

va:tb
vertical-align:text-bottom;

va:sub
vertical-align:sub;

ta, ta:l
text-align:left;

ta:c
text-align:center;

ta:r
text-align:right;

ta:j
text-align:justify;

ta-lst
text-align-last;;

tal:a
text-align-last:auto;

tal:l
text-align-last:left;

tal:c
text-align-last:center;

tal:r
text-align-last:right;

td, td:n
text-decoration:none;

td:u
text-decoration:underline;

td:o
text-decoration:overline;

td:l
text-decoration:line-through;

te
text-emphasis;;

te:n
text-emphasis:none;

te:ac
text-emphasis:accent;

te:dt
text-emphasis:dot;

te:c
text-emphasis:circle;

te:ds
text-emphasis:disc;

te:b
text-emphasis:before;

te:a
text-emphasis:after;

th
text-height;;

th:a
text-height:auto;

th:f
text-height:font-size;

th:t	text-height:text-size;	tw	text-wrap;;
th:m	text-height:max-size;	tw:n	text-wrap:normal;
ti	text-indent;;	tw:no	text-wrap:none;
ti:-	text-indent:-9999px;	tw:u	text-wrap:unrestricted;
tj	text-justify;;	tw:s	text-wrap:suppress;
tj:a	text-justify:auto;	tsh	text-shadow:hoff voff blur #000;
tj:iw	text-justify:inter-word;	tsh:r	text-shadow:h v blur rgb(0, 0, 0);
tj:ii	text-justify:inter-ideograph;	tsh:ra	text-shadow:h v blur rgba(0, 0, 0, .5);
tj:ic	text-justify:inter-cluster;	tsh+	text-shadow:0 0 0 #000;
tj:d	text-justify:distribute;	tsh:n	text-shadow:none;
tj:k	text-justify:kashida;	lh	line-height;;
tj:t	text-justify:tibetan;	lts	letter-spacing;;
to	text-outline;;	lts-n	letter-spacing:normal;
to+	text-outline:0 0 #000;	whs	white-space;;
to:n	text-outline:none;	whs:n	white-space:normal;
tr	text-replace;;	whs:p	white-space:pre;
tr:n	text-replace:none;	whs:nw	white-space:nowrap;
tt	text-transform:uppercase;	whs:pw	white-space:pre-wrap;
tt:n	text-transform:none;	whs:pl	white-space:pre-line;
tt:c	text-transform:capitalize;	whsc	white-space-collapse;;
tt:u	text-transform:uppercase;	whsc:n	white-space-collapse:normal;
tt:l	text-transform:lowercase;	whsc:k	white-space-collapse:keep-all;

whsc:l
white-space-collapse:loose;

whsc:bs
white-space-collapse:break-strict;

whsc:ba
white-space-collapse:break-all;

wob
word-break::

wob:n
word-break:normal;

wob:k
word-break:keep-all;

wob:ba
word-break:break-all;

wos
word-spacing::

wow
word-wrap::

wow:nm
word-wrap:normal;

wow:n
word-wrap:none;

wow:u
word-wrap:unrestricted;

wow:s
word-wrap:suppress;

wow:b
word-wrap:break-word;

Background

bg
background:#000;

bg+
background:#fff url() 0 0
no-repeat;

bg:n
background:none;

bgc
background-color:#fff;

bgc:t
background-color:transparent;

bgi
background-image:url();

bgi:n
background-image:none;

bgr
background-repeat::

bgr:n
background-repeat:no-repeat;

bgr:x
background-repeat:repeat-x;

bgr:y
background-repeat:repeat-y;

bgr:sp
background-repeat:space;

bgr:rd
background-repeat:round;

bga
background-attachment::

bga:f
background-attachment:fixed;

bga:s
background-attachment:scroll;

bgp
background-position:0 0;

bgpx
background-position-x::

bgpy
background-position-y::

gbk
background-break::

gbk:bb
background-break:bounding-box;

bgbk:eb

background-break:each-box;

bgbk:c

background-break:continuous;

bgc p

background-clip:padding-box;

bgc p:bb

background-clip:border-box;

bgc p:pb

background-clip:padding-box;

bgc p:cb

background-clip:content-box;

bgc p:nc

background-clip:no-clip;

bgo

background-origin;;

bgo:pb

background-origin:padding-box;

bgo:bb

background-origin:border-box;

bgo:cb

background-origin:content-box;

bgsz

background-size;;

bgsz:a

background-size:auto;

bgsz:ct

background-size:contain;

bgsz:cv

background-size:cover;

Color**c**

color:#000;

c:r

color:rgb(0, 0, 0);

c:ra

color:rgba(0, 0, 0, .5);

op

opacity;;

Generated content**cnt**

content:'';

cnt:n, ct:n

content:normal;

cnt:oq, ct:oq

content:open-quote;

cnt:noq, ct:noq

content:no-open-quote;

cnt:cq, ct:cq

content:close-quote;

cnt:ncq, ct:ncq

content:no-close-quote;

cnt:a, ct:a

content:attr();

cnt:c, ct:c

content:counter();

cnt:cs, ct:cs

content:counters();

ct

content;;

q

quotes;;

q:n

quotes:none;

q:ruquotes:'\00AB' ,\00BB' ,\201E'
,\201C';**q:en**quotes:'\201C' ,\201D' ,\2018'
,\2019';**coi**

counter-increment;;

cor

counter-reset;;

Outline

ol
outline;;

ol:n
outline:none;

olo
outline-offset;;

olw
outline-width;;

olw:tn
outline-width:thin;

olw:m
outline-width:medium;

olw:tc
outline-width:thick;

ols
outline-style;;

ols:n
outline-style:none;

ols:dt
outline-style:dotted;

ols:ds
outline-style:dashed;

ols:s
outline-style:solid;

ols:db
outline-style:double;

ols:g
outline-style:groove;

ols:r
outline-style:ridge;

ols:i
outline-style:inset;

ols:o
outline-style:outset;

olc
outline-color:#000;

olc:i
outline-color:invert;

Tables

tbl
table-layout;;

tbl:a
table-layout:auto;

tbl:f
table-layout:fixed;

cps
caption-side;;

cps:t
caption-side:top;

cps:b
caption-side:bottom;

ec
empty-cells;;

ec:s
empty-cells:show;

ec:h
empty-cells:hide;

Border

bd
border;;

bd+
border:1px solid #000;

bd:n
border:none;

bdbk
border-break:close;

bdbk:c
border-break:close;

bdcl
border-collapse;;

bdcl:c
border-collapse:collapse;

bdcl:s
border-collapse:separate;

bdc
border-color:#000;

bdc:t
border-color:transparent;

bdi
border-image:url();

bdi:n
border-image:none;

bdti	bdbli:c
border-top-image:url();	border-bottom-left-image:continue;
bdti:n	bdf
border-top-image:none;	border-fit:repeat;
bdri	bdf:c
border-right-image:url();	border-fit:clip;
bdri:n	bdf:r
border-right-image:none;	border-fit:repeat;
bdbi	bdf:sc
border-bottom-image:url();	border-fit:scale;
bdbi:n	bdf:st
border-bottom-image:none;	border-fit:stretch;
bdli	bdf:ow
border-left-image:url();	border-fit:overwrite;
bdli:n	bdf:of
border-left-image:none;	border-fit:overflow;
bdci	bdf:sp
border-corner-image:url();	border-fit:space;
bdci:n	bdlen
border-corner-image:none;	border-length;;
bdci:c	bdlen:a
border-corner-image:continue;	border-length:auto;
bdtli	bdsp
border-top-left-image:url();	border-spacing;;
bdtli:n	bds
border-top-left-image:none;	border-style;;
bdtli:c	bds:n
border-top-left-image:continue;	border-style:none;
bdtri	bds:h
border-top-right-image:url();	border-style:hidden;
bdtri:n	bds:dt
border-top-right-image:none;	border-style:dotted;
bdtri:c	bds:ds
border-top-right-image:continue;	border-style:dashed;
bdbri	bds:s
border-bottom-right-image:url();	border-style:solid;
bdbri:n	bds:db
border-bottom-right-image:none;	border-style:double;
bdbri:c	bds:dt ds
border-bottom-right-image:continue;	border-style:dot-dash;
bdbli	bds:dt dt ds
border-bottom-left-image:url();	border-style:dot-dot-dash;
bdbli:n	bds:w
border-bottom-left-image:none;	border-style:wave;

bds:g
border-style:groove;
bds:r
border-style:ridge;
bds:i
border-style:inset;
bds:o
border-style:outset;
bdw
border-width;;
bd_t, bt
border-top;;
bd_t+
border-top:1px solid #000;
bd_t:n
border-top:none;
bd_tw
border-top-width;;
bd_ts
border-top-style;;
bd_ts:n
border-top-style:none;
bd_tc
border-top-color:#000;
bd_tc:t
border-top-color:transparent;
bdr, br
border-right;;
bdr+
border-right:1px solid #000;
bdr:n
border-right:none;
bdrw
border-right-width;;
bdr_st
border-right-style;;
bdr_st:n
border-right-style:none;
bdr_c
border-right-color:#000;
bdr_c:t
border-right-color:transparent;
bdb, bb
border-bottom;;

bdb+
border-bottom:1px solid #000;
bdb:n
border-bottom:none;
bdbw
border-bottom-width;;
bdb_s
border-bottom-style;;
bdb_s:n
border-bottom-style:none;
bdb_c
border-bottom-color:#000;
bdb_c:t
border-bottom-color:transparent;
bd_l, bl
border-left;;
bd_l+
border-left:1px solid #000;
bd_l:n
border-left:none;
bd_lw
border-left-width;;
bd_ls
border-left-style;;
bd_ls:n
border-left-style:none;
bd_lc
border-left-color:#000;
bd_lc:t
border-left-color:transparent;
bdr_s
border-radius;;
bd_tr_s
border-top-right-radius;;
bd_tl_s
border-top-left-radius;;
bdb_rr_s
border-bottom-right-radius;;
bdb_ll_s
border-bottom-left-radius;;

Lists

lis
list-style;;

lis:n
list-style:none;

lisp
list-style-position;;

lisp:i
list-style-position:inside;

lisp:o
list-style-position:outside;

list
list-style-type;;

list:n
list-style-type:none;

list:d
list-style-type:disc;

list:c
list-style-type:circle;

list:s
list-style-type:square;

list:dc
list-style-type:decimal;

list:dclz
list-style-type:decimal-leading-zero;

list:lr
list-style-type:lower-roman;

list:ur
list-style-type:upper-roman;

lisi
list-style-image;;

lisi:n
list-style-image:none;

Print

pgbb
page-break-before;;

pgbb:au
page-break-before:auto;

pgbb:al
page-break-before:always;

pgbb:l
page-break-before:left;

pgbb:r
page-break-before:right;

pgbi
page-break-inside;;

pgbi:au
page-break-inside:auto;

pgbi:av
page-break-inside:avoid;

pgba
page-break-after;;

pgba:au
page-break-after:auto;

pgba:al
page-break-after:always;

pgba:l
page-break-after:left;

pgba:r
page-break-after:right;

orp
orphans;;

wid
widows;;

Others

!
!important

@f
@font-face {
 font-family;;
 src:url();
}

@f+
@font-face {
 font-family: ,FontName';
 src: url(,FileName.eot');
 src: url(,FileName.eot?#iefix');
 format(,embedded-opentype'),
 url(,FileName.woff')
 format(,woff'),
 url(,FileName.ttf')
 format(,truetype'),
 url(,FileName.svg#FontName') format(,svg');
 font-style: normal;
 font-weight: normal;
}

Animation

anim

animation::;

anim-

animation:name duration timing-function delay iteration-count direction fill-mode;

animdel

animation-delay:time;

animdir

animation-direction:normal;

animdir:a

animation-direction:alternate;

animdir:ar

animation-direction:alternate-reverse;

animdir:n

animation-direction:normal;

animdir:r

animation-direction:reverse;

animdur

animation-duration:0s;

animfm

animation-fill-mode:both;

animfm:b

animation-fill-mode:backwards;

animfm:bt, animfm:bh

animation-fill-mode:both;

animfm:f

animation-fill-mode:forwards;

animic

animation-iteration-count:1;

animic:i

animation-iteration-count:infinite;

animn

animation-name:none;

animps

animation-play-state:running;

animps:p

animation-play-state:paused;

animps:r

animation-play-state:running;

animtf

animation-timing-function:linear;

@i, @import

@import url();

@kf

```
@-webkit-keyframes identifier {
  from { }
  to { }
}
@-o-keyframes identifier {
  from { }
  to { }
}
@-moz-keyframes identifier {
  from { }
  to { }
}
@keyframes identifier {
  from { }
  to { }
}
```

@m, @media

@media screen { }

ac

align-content::;

ac:c

align-content:center;

ac:fe

align-content:flex-end;

ac:fs

align-content:flex-start;

ac:s

align-content:stretch;

ac:sa

align-content:space-around;

ac:sb

align-content:space-between;

ai

align-items::;

ai:b

align-items:baseline;

ai:c

align-items:center;

ai:fe

align-items:flex-end;

ai:fs

align-items:flex-start;

ai:s

align-items:stretch;

animtf:cb

animation-timing-function:cubic-bezier(0.1, 0.7, 1.0, 0.1);

animtf:e

animation-timing-function:ease;

animtf:ei

animation-timing-function:ease-in;

animtf:eio

animation-timing-function:ease-in-out;

animtf:eo

animation-timing-function:ease-out;

animtf:l

animation-timing-function:linear;

ap

appearance:\${none};

as

align-self::;

as:a

align-self:auto;

as:b

align-self:baseline;

as:c

align-self:center;

as:fe

align-self:flex-end;

as:fs

align-self:flex-start;

as:s

align-self:stretch;

bfov

backface-visibility::;

bfov:h

backface-visibility:hidden;

bfov:v

backface-visibility:visible;

bg:ie

filter:progid:DXImageTransform.Microsoft.AlphaImageLoader(src='x.png',sizingMethod='crop');

cm

/* \${child} */

colm

columns::;

colmc

column-count::;

colmf

column-fill::;

colmg

column-gap::;

colmr

column-rule::;

colmrc

column-rule-color::;

colmrs

column-rule-style::;

colmrw

column-rule-width::;

colms

column-span::;

colmw

column-width::;

d:ib+

display: inline-block;
*display: inline;
*zoom: 1;

Flex**fx**

flex::;

fxb

flex-basis::;

fxd

flex-direction::;

fxd:c

flex-direction:column;

fxd:cr

flex-direction:column-reverse;

fxd:r

flex-direction:row;

fxd:rr

flex-direction:row-reverse;

fxf

flex-flow::;

fxg

flex-grow::;

fxsh

flex-shrink::;

fxw

flex-wrap::;

Transform, Transition

fxw:n

flex-wrap:nowrap;

fxw:w

flex-wrap:wrap;

fxw:wr

flex-wrap:wrap-reverse;

jc

justify-content::;

jc:c

justify-content:center;

jc:fe

justify-content:flex-end;

jc:fs

justify-content:flex-start;

jc:sa

justify-content:space-around;

jc:sb

justify-content:space-between;

mar

max-resolution:res;

mir

min-resolution:res;

op+

opacity: ;
filter: alpha(opacity=);

op:ie

filter:progid:DXImageTransform.
Microsoft.Alpha(Opacity=100);

op:ms

-ms-filter:‘progid:DXImageTransform.
Microsoft.Alpha(Opacity=100)’;

ord

order::;

ori

orientation::;

ori:l

orientation:landscape;

ori:p

orientation:portrait;

tov

text-overflow:\${ellipsis};

tov:c

text-overflow:clip;

tov:e

text-overflow:ellipsis;

trf

transform::;

trf:r

transform: rotate(angle);

trf:rx

transform: rotateX(angle);

trf:ry

transform: rotateY(angle);

trf:rz

transform: rotateZ(angle);

trf:sc

transform: scale(x, y);

trf:sc3

transform: scale3d(x, y, z);

trf:scx

transform: scaleX(x);

trf:scy

transform: scaleY(y);

trf:scz

transform: scaleZ(z);

trf:skx

transform: skewX(angle);

trf:sky

transform: skewY(angle);

trf:t

transform: translate(x, y);

trf:t3

transform: translate3d(tx, ty,
tz);

trf:tx

transform: translateX(x);

trf:ty

transform: translateY(y);

trf:tz

transform: translateZ(z);

trfo

transform-origin::;

trfs

transform-style:preserve-3d;

trs

transition:prop time;

trside

transition-delay:time;

trsd

transition-duration:time;

trsp

transition-property:prop;

trstf

transition-timing-function:tfunc;

us

user-select:\${none};

wfsm

-webkit-font-smoothing:\${antialiased};

wfsm:a

-webkit-font-smoothing:antialiased;

wfsm:n

-webkit-font-smoothing:none;

wfsm:s, wfsm:sa

-webkit-font-smoothing:subpixel-antialiased;

wm

writing-mode:lr-tb;

wm:btL

writing-mode:bt-lr;

wm:btr

writing-mode:bt-rl;

wm:lrb

writing-mode:lr-bt;

wm:lrt

writing-mode:lr-tb;

wm:rlb

writing-mode:rl-bt;

wm:rlt

writing-mode:rl-tb;

wm:tbl

writing-mode:tb-lr;

wm:tbr

writing-mode:tb-rl;

XSL**tmatch, tm**

```
<xsl:template match="" mode=""></xsl:template>
```

tname, tn

```
<xsl:template name=""></xsl:template>
```

call

```
<xsl:call-template name="" />
```

ap

```
<xsl:apply-templates select="" mode="" />
```

api

```
<xsl:apply-imports />
```

imp

```
<xsl:import href="" />
```

inc

```
<xsl:include href="" />
```

ch

```
<xsl:choose></xsl:choose>
```

xsl:when, wh

```
<xsl:when test=""></xsl:when>
```

ot

```
<xsl:otherwise></xsl:otherwise>
```

if

```
<xsl:if test=""></xsl:if>
```

par

```
<xsl:param name=""></xsl:param>
```

pare

```
<xsl:param name="" select="" />
```

var

```
<xsl:variable name=""></xsl:variable>
```

vare

```
<xsl:variable name="" select="" />
```

wp

```
<xsl:with-param name="" select="" />
```

key

```
<xsl:key name="" match="" use="" />
```

elem

```
<xsl:element name=""></xsl:element>
```

attr

```
<xsl:attribute name=""></xsl:attribute>
```

attrs

```
<xsl:attribute-set name=""></xsl:attribute-set>
```

cp

```
<xsl:copy select="" />
```

```

co
  <xsl:copy-of select="" />
val
  <xsl:value-of select="" />
each, for
  <xsl:for-each select=""></xsl:for-each>
tex
  <xsl:text></xsl:text>
com
  <xsl:comment></xsl:comment>
msg
  <xsl:message terminate="no"></xsl:message>
fall
  <xsl:fallback></xsl:fallback>
num
  <xsl:number value="" />
nam
  <namespace-alias stylesheet-prefix=""
    result-prefix="" />
pres
  <xsl:preserve-space elements="" />
strip
  <xsl:strip-space elements="" />
proc
  <xsl:processing-
    instruction name=""></xsl:processing-instruction>
sort
  <xsl:sort select="" order="" />
choose+
  <xsl:choose>
    <xsl:when test=""></xsl:when>
    <xsl:otherwise></xsl:otherwise>
  </xsl:choose>
xsl
  {}
  <?xml version="1.0"
    encoding="UTF-8"?>
  <xsl:stylesheet version="1.0"
    xmlns:xsl="http://www.w3.org/1999/
    XSL/Transform"></xsl:stylesheet>
!!!
  <?xml version="1.0"
    encoding="UTF-8"?>

```

!, html:5

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>Document</title>
</head>
<body>

</body>
</html>

```

doc

```

<html>
<head>
  <meta charset="UTF-8" />
  <title>Document</title>
</head>
<body>

</body>
</html>

```

doc4

```

<html>
<head>
  <meta http-equiv="Content-Type"
    content="text/html; charset=UTF-8"
  />
  <title>Document</title>
</head>
<body>

</body>
</html>

```

html:4t

```

<!DOCTYPE HTML PUBLIC "-//W3C//
DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.
dtd">
<html lang="en">
<head>
  <meta http-equiv="Content-Type"
    content="text/html; charset=UTF-8"
  />
  <title>Document</title>
</head>
<body>

</body>
</html>

```

html:4s

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD
HTML 4.01//EN" "http://www.w3.org/
TR/html4/strict.dtd">
<html lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8"
/>
  <title>Document</title>
</head>
<body>

</body>
</html>
```

html:xt

```
<!DOCTYPE html PUBLIC "-//W3C//
DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/
xhtml1-transitional.dtd">
<html xmlns="http://www.
w3.org/1999/xhtml" xml:lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8"
/>
  <title>Document</title>
</head>
<body>

</body>
</html>
```

html:xs

```
<!DOCTYPE html PUBLIC "-//W3C//DTD
XHTML 1.0 Strict//EN" "http://www.
w3.org/TR/xhtml1/DTD/xhtml1-strict.
dtd">
<html xmlns="http://www.
w3.org/1999/xhtml" xml:lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8"
/>
  <title>Document</title>
</head>
<body>

</body>
</html>
```

html:xxs

```
<!DOCTYPE html PUBLIC "-//W3C//DTD
XHTML 1.1//EN" "http://www.w3.org/
TR/xhtml11/DTD/xhtml11.dtd">
<html xmlns="http://www.
w3.org/1999/xhtml" xml:lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8"
/>
  <title>Document</title>
</head>
<body>

</body>
</html>
```

!!!

```
<!DOCTYPE html>
```

!!!4t

```
<!DOCTYPE HTML PUBLIC "-//W3C//
DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.
dtd">
```

!!!4s

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD
HTML 4.01//EN" "http://www.w3.org/
TR/html4/strict.dtd">
```

!!!xt

```
<!DOCTYPE html PUBLIC "-//W3C//
DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/
xhtml1-transitional.dtd">
```

!!!xs

```
<!DOCTYPE html PUBLIC "-//W3C//DTD
XHTML 1.0 Strict//EN" "http://www.
w3.org/TR/xhtml1/DTD/xhtml1-strict.
dtd">
```

!!!xxs

```
<!DOCTYPE html PUBLIC "-//W3C//DTD
XHTML 1.1//EN" "http://www.w3.org/
TR/xhtml11/DTD/xhtml11.dtd">
```