

ALPHA CHANNEL

- Sets the opacity for a color

- Ranges from

(1) RGB - 0 to 1 [0 → hidden , 1 → visible]

Ex: `rgba(255, 0, 255, 0.3)`

(2) Hex Code - 00 to ff [00 → hidden , ff → visible]

Ex: `# 4d ff 00 a1 ;`

OPACITY

- Sets the opacity for the element

- Ranges from 0 to 1

0 → hidden

1 → Visible

opacity : 0.5 ;

Note: Controls Opacity of all the elements.
ie ; heading , button , box , etc

CSS TRANSITIONS

— to define transition between two states of an element.




Ex : HTML : `<div></div>`

CSS :

```
div {  
    height : 200px ;  
    width : 200px ;  
    background-color : green ;  
    transition : 2s ;           // duration  
}
```

```
div : hover {  
    background-color : black ;  
    border-radius : 50% ;  
}
```

o/p :



TRANSITION SHORTHAND


property name	duration	timing-function	delay
transition : margin-top	2s	ease-in-out	0.2s ;

CSS TRANSFORM

— let's us rotate, scale, skew, translate an element

(i) Rotate



transform : rotate (45 deg) ;



(ii) Scale

(1) transform : scale (0.5); // halved
transform : scale (1.5); // 1.5 times the original

(2) transform : scale (0.5, 2) ;
halved along X axis doubled along Y axis



(3) `transform : scale X (0.5);`

└→ halved along X axis
└→ Same along Y axis

(iii) Translate

(1) `transform : translate (50px, 50px);` (X, Y)

(2) `transform : translateX (10px);` (along X)

(3) `transform : translateY (20px);` (along Y)


....., -20px, -10px, 0px, 10px, 20px,

└→ move left/down

move right/up
→

(iv) Skew

`transform : skew (30deg);`





BOX SHADOW

- Adds shadow effect around an element's frame.

box-shadow : 2px 2px 10px green ;

↓ ↓ ↓ ↘ shadow color

x-offset y-offset blur-radius
(blur-dispersion)



BACKGROUND IMAGE

- let's us set an image as a background

```
background-image: url("../img.jpg");
```

background-size : contain / cover / auto ;

	↓	↓	↓
crop :	x	✓	stretch
scale :	x	x	
repeat :	✓	-	

POSITION


- Sets how an element is positioned in a document
- `top`, `right`, `bottom`, `left` properties determine final position
 - static
 - relative
 - absolute
 - fixed

1. Position - static

- default value
- `top`, `right`, `bottom`, `left`, `z-index` have no effect

2. Position - relative


- offset is relative to itself based on values of `top`, `right`, `bottom`, `left`



offset		new position
top	→	moves to bottom
bottom	→	moves to top
left	→	moves to right
right	→	moves to left

3. Position - Absolute

- Element removed from normal document flow, and no space is created for the element in the page layout.
- positioned relative to its closest positioned ancestor, otherwise, it is placed relative to its initial containing block



4. Position - Fixed

- Element is removed from normal document flow and no space is created for the element in the page layout
- Positioned relative to initial containing block