EX.NO:8

4/9/26

NMAP HOST DECIVERY

Aim:
To discover live hosts using Nmap Scans (ARP, ICMP, TCP/UDP) on the Try HackMe platform.

PROCEDURE:
1. Open the Try HackMe Nmap from Nmap room: NmapRoom
2. Start the AttackBox provided by the platform
3. Identify the target IP address or network range given in the authorized lab.
4. Perform host discovery using Nmap.
5. Use ARP, ICMP, TCP and UDP Scanning methods to identify active host.
6. Observe the Scan results and record the live hosts discovered.

COMMANDS:

nmap -sn 10.10.210.0/24

ARP Scan:

nmap -PR -sn 10.10.210.0/24

ICMP Scan:

nmap -PE -sn 10.10.210.0/24

TCP SYN PING:

nmap -PS80,443 -sn <target>

UDP PING:

nmap -PU53,161 -sn <target>

OUTPUT:

```
Nmap Scan report for 10.10.218.6
Host is up

Nmap scan report for 10.10.210.10
Host is up.

Nmap done : 256 IP addresses Scanned
```

INPUT:

Target Network: 10.10.210.0/24

Scan Type: ARP host discovery

RESULT:

Thus live host discovery using Nmap with ARP, ICMP, TCP and UDP Scanning techniques was studied Sucessfully.