

# FIXME Course Title

Version 1, 2026-06-12

# Home

## Introduction

Course Title: Course title FIXME

Description: Course description FIXME

Duration: <span class="course-total-duration" aria-live="polite">...</span>

## Objectives

On completing this course, you should be able to:

- Observable, measurable objective...
- Observable, measurable objective...
- Observable, measurable objective...

## Prerequisites

This course assumes that you have the following prior experience:

- Course or experience...
- Course or experience...
- Course or experience...

# Lab Environment

FIXME: Instructions for accessing the lab environment for this hands-on based training.

# Chapter 1

In this section, we cover... FIXME

- Add or remove section entries in the `antora.yaml` file as needed.
- Ensure you create or delete the corresponding directory for the chapter accordingly.

## Section 1

- Create multiple copies of this section as needed.
- Remove any unnecessary sections or chapter pages.
- Customize the section as appropriate.
- Ensure that each page contains a manageable amount of content.

## Section 2

- Create multiple copies of this section as needed.
- Remove any unnecessary sections or chapter pages.
- Customize the section as appropriate.
- Ensure that each page contains a manageable amount of content.

## Section 3

- Create multiple copies of this section as needed.
- Remove any unnecessary sections or chapter pages.
- Customize the section as appropriate.
- Ensure that each page contains a manageable amount of content.

## Tabbed code blocks

This page demonstrates `@asciidoctor/tabs` in Antora: use tabs for multiple languages, or to separate exercise instructions from solutions.

### Language tabs

#### Java

```
public class Hello {  
    public static void main(String[] args) {  
        System.out.println("Hello");  
    }  
}
```

## Python

```
def main():
    print("Hello")

if __name__ == "__main__":
    main()
```

## Exercise and solution

### Exercise

Try writing a function that returns the sum of two integers. Use your language's usual entry point if you need a quick test.

### Solution

```
function add(a, b) {
    return a + b;
}
console.log(add(2, 3));
```

## Collapsible blocks

This page demonstrates [collapsible example blocks](#) in Antora: use them for optional **Hints**, **Deep dives**, or other detail that should not block the main lesson flow.

No extra Antora extension is required; [%collapsible] is built into Asciidoctor.

### Hint (collapsed by default)

#### ▼ Hint

Try the exercise first; open this only if you are stuck.

- Check that your environment variables are set.
- Re-read the previous section on configuration.

### Deep dive (collapsed by default)

#### ▼ Deep dive: how the pipeline stages relate

The build runs **validate**, then **compile**, then **package**. Skipping a stage can leave artifacts out of date; that is why CI always runs the full chain.

```
./gradlew clean build
```

## Starts expanded

### ▼ *Optional context*

This block uses [%collapsible%open] so it is expanded on first load. Use sparingly when the extra context is still optional but you want it visible by default.

## Images

This page demonstrates images, audio, and video stored in `modules/chapter1/images/`. The **estimated time** shown below the title includes reading time for the text on this page plus the duration of embedded audio and video.

Copy media files into `modules/chapterN/images/` and reference them with the macros below. Local files do not need extra markup; duration is detected automatically when the page loads.

### Image



### Audio

The sample audio clip is included from the chapter images directory.

▶ [audio-file.wav](#) (*audio*)

## Video

The sample video clip is included from the chapter images directory.

▶ [video-file.mp4](#) (*video*)

### External media (manual duration)

When audio or video is hosted outside the course (or embedded from YouTube/Vimeo), the browser cannot always determine duration. Set the length in seconds with the **role** attribute on the macro.

This example uses a hypothetical external URL; only the declared duration is counted for estimated time.

▶ <https://example.com/lecture.mp3> (*audio*)

For YouTube or Vimeo embeds, use the same pattern:

▶ <https://www.youtube.com/watch?v=rS3M00dIxS4> (*YouTube video*)

Alternatively, if you know the playback end point, you can use the **end** attribute (seconds from the start of the clip):

▶ <https://example.com/clip.mp3> (*audio*)

# Chapter 2

In this section, we cover... FIXME

- Add or remove section entries in the `antora.yaml` file as needed.
- Ensure you create or delete the corresponding directory for the chapter accordingly.

## Section 1

- Create multiple copies of this section as needed.
- Remove any unnecessary sections or chapter pages.
- Customize the section as appropriate.
- Ensure that each page contains a manageable amount of content.



# Chapter 3

In this section, we cover... FIXME

- Add or remove section entries in the `antora.yaml` file as needed.
- Ensure you create or delete the corresponding directory for the chapter accordingly.

## Section 1

- Create multiple copies of this section as needed.
- Remove any unnecessary sections or chapter pages.
- Customize the section as appropriate.
- Ensure that each page contains a manageable amount of content.

## Section 2

- Create multiple copies of this section as needed.
- Remove any unnecessary sections or chapter pages.
- Customize the section as appropriate.
- Ensure that each page contains a manageable amount of content.

# Appendix

FIXME: Content for Appendix...

## Resources

[Download Course PDF](#)