


p2p-poker/

go.mod	
go.sum	← auto-generated after go get
config.yaml	← generated by: poker init
config/	
config.go	← Config struct, defaults, validation
loader.go	← LoadOrDefault, env overrides, Save
contracts/	
PokerEscrow.sol	← Solidity escrow + settlement + dispute contract
hardhat.config.js	← Hardhat project config
test/	
PokerEscrow.test.js	← Full Hardhat/Chai test suite
docs/	
protocol.md	← Wire protocol + crypto spec (interop reference)
internal/	
game/	← Phase 1: core game engine
deck.go	← Card, Suit, Rank, Deck
player.go	← Player, PlayerStatus, PlaceBet
pot.go	← CalculatePots, side pot algorithm
hand_eval.go	← EvaluateBest7, all hand ranks
state.go	← GameState, Phase, Action, ActionType
machine.go	← State machine: StartHand, ApplyAction
game_test.go	← 20 tests
crypto/	← Phase 2: Mental Poker cryptography
sra.go	← SRAKey, Encrypt, Decrypt (mod exp)
params.go	← 2048-bit safe prime, CardToField, SessionID
zpk.go	← Chaum-Pedersen ZK proof, PartialDecryption
commit.go	← Hash commitments, SplitSecret, ReconstructSecret
shuffle.go	← ShuffleProtocol, EncryptedDeck
deal.go	← DealProtocol, RevealToPlayer, RevealCommunity
crypto_game.go	← CryptoGame: bridge to game.GameState
crypto_test.go	← 25 tests incl. 2 security attack tests
network/	← Phase 3: P2P networking (libp2p)
messages.proto	← Protobuf wire protocol source
messages.pb.go	← Generated Go bindings (run protoc to regenerate)
codec.go	← EncodeEnvelope, DecodeEnvelope, wire helpers
host.go	← PokerHost: Ed25519 identity, TCP, Noise
discovery.go	← MDNSDiscovery: LAN peer finding
gossip.go	← GossipManager: pub/sub, replay protection
protocol.go	← /poker/1.0.0 direct stream handler



└─ poker/
└─ main.go

← Phase 7: FINAL PRODUCTION BINARY