DB MODEL

IntervalTemplate

ID   -   INT
Name - ~~String~~ (NVARCHAR) 50
~~TYPE   INTERVALTYPE ?~~
TIME_SECONDS INT
ITERATIONS - INT
INTERVALS - ~~JSON~~ → String

HISTORY

~~ID   DATETIME~~
ID - INT
~~ON   DATETIME~~
TEMPLATEID - INT?   NULLABLE
INTERVALS - String JSON
TIME ACTIVE - INT
START   -   DATETIME (UTC)
STOP   -   DATETIME (UTC)

INTERVAL

~~TYPE~~
NAME - ~~String~~ NVARCHAR
ORDER - INT
TIME_SECONDS - INT

HOME

∞ Continus loop
Number of Iterations
~~Limit~~5 Set Time

TIMER

INTERVAL TIMER LOGO

Swipe to edit → Interval

Start

Swipe →

⟨NAME⟩	#
#⟨INTERVALS⟩	# usage
⟨NAME⟩	∞
# ⟨INTERVALS⟩	# usage
⟨NAME⟩	∞ hits
# ⟨INTERVALS⟩	# usage

✏️ | 🗑️ | ⟨NAME⟩ ∞
| # ⟨INTERVALS⟩ #usage

HISTORY | ADD #

Add Template

Start Timer

Stop & Changes to Finish

| : | | . | : | |
| : | | : | : | |

Start   Stop

~~⟨NAME⟩~~
INTERVAL ⟨MM:SS⟩

Auto Scrolling Intervals

Speach Synthasizer?

History

<MAME>   <DATETIME>

3   h:n:s

< NAME>   (DATETIME)

∞   h:m:s

<NAME>   <DATETIME>

⊙   h:m:s

[ADD/ INTERVAL
EDIT

| NAME | |

| # | ∞ | h:m:s |

| 1-700 |

minutes/seconds | hh | mm | SS |

SLIPE
DELETE →   ⊙ Seconds < NAME >   ≡   ← REORDER

⊙ Seconds < NAME >   ≡

⊙ Seconds < NAME >   ≡

(#)

SAVE | ADD