Milk Delivery Management Website

Source code listing

Complete printable listing of the files in the uploaded ZIP archive.
Each file begins on a new page. Line numbers refer to the original file.

Contents

README.md	23 lines
index.html	14 lines
package.json	23 lines
src/lib.js	281 lines
src/lib.test.js	90 lines
src/main.jsx	1,398 lines
src/styles.css	1,478 lines
.gitignore	4 lines
package-lock.json	1,205 lines
Total	**4,516 lines · 9 files**

README.md

```
# Milkmate

A browser-based dashboard for a small milk delivery business. Manage customers and their subscriptions, record daily deliveries, track monthly balances, record payments, and export billing as CSV. Data is saved in this browser's local storage. The app includes sample data on first launch; use **Reset demo data** in Settings to restore it.

## Run locally

Requires Node.js 20+ and npm.

```bash
npm ci
npm run dev
```

Open the local address printed by Vite (usually `http://localhost:5173`).

Verify

```bash
npm test
npm run build
```

The static build is written to `dist/`. Run `npm run preview` to serve it locally. No database or API credentials are required. Browser data is local to each browser and is not shared across users or devices.
```

index.html

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="theme-color" content="#f7f9f6" />
    <meta name="description" content="Manage milk subscriptions, daily deliveries, customers, and billi
ng in one place." />
    <title>Milkmate — Delivery management</title>
  </head>
  <body>
    <div id="root"></div>
    <script type="module" src="/src/main.jsx"></script>
  </body>
</html>
```

package.json

```
{
  "name": "milk-delivery-management",
  "private": true,
  "version": "1.0.0",
  "type": "module",
  "scripts": {
    "dev": "vite --host 0.0.0.0",
    "build": "vite build",
    "preview": "vite preview --host 0.0.0.0",
    "test": "node --test",
    "format": "prettier --write src",
    "format:check": "prettier --check src"
  },
  "dependencies": {
    "lucide-react": "^0.468.0",
    "react": "^18.3.1",
    "react-dom": "^18.3.1"
  },
  "devDependencies": {
    "prettier": "^3.6.2",
    "vite": "^6.0.5"
  }
}
```

src/lib.js

```
export const STORAGE_KEY = "milkmate-data-v1";

export const todayISO = (date = new Date()) => {
  const local = new Date(date.getTime() - date.getTimezoneOffset() * 60000);
  return local.toISOString().slice(0, 10);
};

export const offsetDay = (day, amount) => {
  const date = new Date(`${day}T12:00:00`);
  date.setDate(date.getDate() + amount);
  return todayISO(date);
};

export const money = (amount) =>
  `₹${Math.round(Number(amount) || 0).toLocaleString("en-IN")}`;

export const monthLabel = (month) =>
  new Date(`${month}-01T12:00:00`).toLocaleDateString("en-IN", {
    month: "long",
    year: "numeric",
  });

export const dayLabel = (day) =>
  new Date(`${day}T12:00:00`).toLocaleDateString("en-IN", {
    weekday: "long",
    day: "numeric",
    month: "long",
  });

export function plannedDeliveries(customers, deliveries, day) {
  return customers
    .filter((customer) => customer.active)
    .map((customer) => {
      const record = deliveries.find(
        (delivery) =>
          delivery.customerId === customer.id && delivery.date === day,
      );
      return {
        ...customer,
        status: record?.status || "pending",
        deliveryId: record?.id,
      };
    });
}

export function monthRows(customers, deliveries, payments, month) {
  return customers
    .map((customer) => {
      const fulfilled = deliveries.filter(
        (delivery) =>
          delivery.customerId === customer.id &&
          delivery.date.startsWith(month) &&
          delivery.status === "delivered",
      );
      const amount = fulfilled.reduce(
        (sum, delivery) =>
          sum +
          Number(delivery.quantity ?? customer.quantity) *
            Number(delivery.price ?? customer.price),
        0,
      );
      const paid = payments
        .filter(
          (payment) =>
            payment.customerId === customer.id && payment.month === month,
        )
        .reduce((sum, payment) => sum + Number(payment.amount), 0);
      return {
```

```
        ...customer,
        deliveries: fulfilled.length,
        amount,
        paid,
        due: Math.max(0, amount - paid),
      };
    })
    .filter((row) => row.amount > 0 || row.paid > 0);
}

export function seedData(day = todayISO()) {
  const names = [
    [
      "Aarav Sharma",
      "9812345601",
      "12 Green Park",
      "North Route",
      "Cow milk",
      2,
      64,
    ],
    [
      "Priya Patel",
      "9812345602",
      "8 Lake View Road",
      "East Route",
      "Buffalo milk",
      1,
      78,
    ],
    [
      "Rohan Mehta",
      "9812345603",
      "42 Maple Street",
      "North Route",
      "Cow milk",
      1.5,
      64,
    ],
    [
      "Neha Kapoor",
      "9812345604",
      "3 Sunrise Apartments",
      "West Route",
      "Cow milk",
      2,
      64,
    ],
    [
      "Vikram Singh",
      "9812345605",
      "21 Park Avenue",
      "East Route",
      "Buffalo milk",
      2,
      78,
    ],
    [
      "Ananya Iyer",
      "9812345606",
      "5 Rose Villa",
      "South Route",
      "Cow milk",
      1,
      64,
    ],
    [
      "Kabir Khan",
```

```
      "9812345607",
      "17 Oak Lane",
      "West Route",
      "Cow milk",
      3,
      64,
    ],
    [
      "Meera Joshi",
      "9812345608",
      "9 Hill Crest",
      "North Route",
      "Buffalo milk",
      1,
      78,
    ],
    [
      "Aditya Rao",
      "9812345609",
      "28 River Road",
      "South Route",
      "Cow milk",
      2,
      64,
    ],
    [
      "Sana Ali",
      "9812345610",
      "14 Pearl Residency",
      "East Route",
      "Cow milk",
      1.5,
      64,
    ],
    [
      "Dev Shah",
      "9812345611",
      "6 Garden Lane",
      "West Route",
      "Buffalo milk",
      2,
      78,
    ],
    [
      "Isha Nair",
      "9812345612",
      "33 Palm Street",
      "South Route",
      "Cow milk",
      1,
      64,
    ],
  ];
  const customers = names.map(
    ([name, phone, address, route, plan, quantity, price], index) => ({
      id: `customer-${index + 1}`,
      name,
      phone,
      address,
      route,
      plan,
      quantity,
      price,
      active: true,
      joined: offsetDay(day, -(38 + index * 3)),
    }),
  );
  const deliveries = [];
```

```
  for (let distance = 1; distance <= 30; distance++) {
    const date = offsetDay(day, -distance);
    customers.forEach((customer, index) => {
      if ((distance + index) % 19 !== 0)
        deliveries.push({
          id: `seed-${date}-${customer.id}`,
          customerId: customer.id,
          date,
          status: "delivered",
          quantity: customer.quantity,
          price: customer.price,
        });
    });
  }
  const payments = customers.slice(0, 5).map((customer) => ({
    id: `payment-${customer.id}`,
    customerId: customer.id,
    month: day.slice(0, 7),
    amount: customer.quantity * customer.price * 8,
    date: offsetDay(day, -1),
  }));
  return { customers, deliveries, payments };
}

export function loadData() {
  try {
    const stored = JSON.parse(localStorage.getItem(STORAGE_KEY));
    if (
      stored &&
      Array.isArray(stored.customers) &&
      Array.isArray(stored.deliveries) &&
      Array.isArray(stored.payments)
    )
      return stored;
  } catch {
    /* Use sample data if storage is unavailable or corrupt. */
  }
  return seedData();
}

export function saveData(data) {
  try {
    localStorage.setItem(STORAGE_KEY, JSON.stringify(data));
  } catch {
    /* The app remains usable for this session. */
  }
}

export function csvCell(value) {
  return `"${String(value ?? "").replaceAll('"', '""')}"`;
}

export function billingCSV(rows, month) {
  const header = [
    "Customer",
    "Phone",
    "Month",
    "Deliveries",
    "Billed",
    "Paid",
    "Due",
  ];
  return [
    header,
    ...rows.map((row) => [
      row.name,
      row.phone,
      month,
```

```
        row.deliveries,
        row.amount,
        row.paid,
        row.due,
      ]),
  ]
    .map((cells) => cells.map(csvCell).join(","))
    .join("\r\n");
}
```

src/lib.test.js

```
import test from "node:test";
import assert from "node:assert/strict";
import {
  billingCSV,
  monthRows,
  offsetDay,
  plannedDeliveries,
  seedData,
} from "./lib.js";

test("delivery status is scoped to the selected date", () => {
  const customers = [
    { id: "a", active: true },
    { id: "b", active: false },
  ];
  const deliveries = [
    { id: "one", customerId: "a", date: "2026-10-13", status: "delivered" },
  ];
  assert.deepEqual(
    plannedDeliveries(customers, deliveries, "2026-10-13").map((x) => x.status),
    ["delivered"],
  );
  assert.deepEqual(
    plannedDeliveries(customers, deliveries, "2026-10-14").map((x) => x.status),
    ["pending"],
  );
});

test("monthly billing counts delivered quantities and deducts payments", () => {
  const customers = [{ id: "a", name: "A", quantity: 2, price: 60 }];
  const deliveries = [
    {
      customerId: "a",
      date: "2026-10-01",
      status: "delivered",
      quantity: 2,
      price: 60,
    },
    {
      customerId: "a",
      date: "2026-10-02",
      status: "skipped",
      quantity: 2,
      price: 60,
    },
    {
      customerId: "a",
      date: "2026-09-30",
      status: "delivered",
      quantity: 2,
      price: 60,
    },
  ];
  const payments = [{ customerId: "a", month: "2026-10", amount: 50 }];
  assert.deepEqual(
    monthRows(customers, deliveries, payments, "2026-10").map(
      ({ deliveries, amount, paid, due }) => ({
        deliveries,
        amount,
        paid,
        due,
      }),
    ),
    [{ deliveries: 1, amount: 120, paid: 50, due: 70 }],
  );
});

test("seed data includes customers and recent completed deliveries", () => {
```

```
69    const data = seedData("2026-10-13");
70    assert.equal(data.customers.length, 12);
71    assert.ok(data.deliveries.length > 300);
72    assert.equal(offsetDay("2026-03-01", -1), "2026-02-28");
73  });
74
75  test("CSV escapes customer input", () => {
76    const csv = billingCSV(
77      [
78        {
79          name: 'A,"B"',
80          phone: "123",
81          deliveries: 1,
82          amount: 60,
83          paid: 0,
84          due: 60,
85        },
86      ],
87      "2026-10",
88    );
89    assert.match(csv, /"A,""B"""/);
90  });
```

src/main.jsx

```jsx
import React, { useEffect, useMemo, useState } from "react";
import { createRoot } from "react-dom/client";
import {
  Activity,
  ArrowRight,
  ArrowUpRight,
  CalendarDays,
  Check,
  ChevronDown,
  ChevronLeft,
  ChevronRight,
  CircleHelp,
  Clock3,
  Download,
  Droplets,
  LayoutDashboard,
  MapPin,
  Menu,
  Milk,
  MoreHorizontal,
  Plus,
  ReceiptText,
  RotateCcw,
  Search,
  Settings,
  TrendingUp,
  Truck,
  Users,
  Wallet,
  X,
} from "lucide-react";
import {
  billingCSV,
  dayLabel,
  loadData,
  money,
  monthLabel,
  monthRows,
  offsetDay,
  plannedDeliveries,
  saveData,
  seedData,
  STORAGE_KEY,
  todayISO,
} from "./lib.js";
import "./styles.css";

const nav = [
  { id: "dashboard", label: "Dashboard", icon: LayoutDashboard },
  { id: "deliveries", label: "Deliveries", icon: Truck },
  { id: "customers", label: "Customers", icon: Users },
  { id: "billing", label: "Billing", icon: ReceiptText },
];
const routeColors = {
  "North Route": "blue",
  "East Route": "purple",
  "West Route": "orange",
  "South Route": "green",
};
const blankCustomer = {
  name: "",
  phone: "",
  address: "",
  route: "North Route",
  plan: "Cow milk",
  quantity: 1,
  price: 64,
  active: true,
```

```
};

function initials(name) {
  return name
    .split(" ")
    .map((word) => word[0])
    .slice(0, 2)
    .join("")
    .toUpperCase();
}
function monthOffset(month, amount) {
  const date = new Date(`${month}-01T12:00:00`);
  date.setMonth(date.getMonth() + amount);
  return todayISO(date).slice(0, 7);
}
function formatShort(day) {
  return new Date(`${day}T12:00:00`).toLocaleDateString("en-IN", {
    day: "numeric",
    month: "short",
  });
}

function App() {
  const [data, setData] = useState(loadData);
  const [page, setPage] = useState("dashboard");
  const [day, setDay] = useState(todayISO);
  const [month, setMonth] = useState(() => todayISO().slice(0, 7));
  const [search, setSearch] = useState("");
  const [route, setRoute] = useState("All routes");
  const [customerModal, setCustomerModal] = useState(null);
  const [paymentModal, setPaymentModal] = useState(null);
  const [mobileNav, setMobileNav] = useState(false);
  const [toast, setToast] = useState("");
  useEffect(() => {
    saveData(data);
  }, [data]);
  useEffect(() => {
    if (!toast) return;
    const timer = setTimeout(() => setToast(""), 3300);
    return () => clearTimeout(timer);
  }, [toast]);

  const active = data.customers.filter((customer) => customer.active);
  const todayRows = useMemo(
    () => plannedDeliveries(data.customers, data.deliveries, day),
    [data, day],
  );
  const invoices = useMemo(
    () => monthRows(data.customers, data.deliveries, data.payments, month),
    [data, month],
  );
  const outstanding = invoices.reduce((sum, invoice) => sum + invoice.due, 0);
  const billed = invoices.reduce((sum, invoice) => sum + invoice.amount, 0);
  const delivered = todayRows.filter((row) => row.status === "delivered");
  const deliveredLitres = delivered.reduce(
    (sum, row) => sum + Number(row.quantity),
    0,
  );
  const plannedLitres = todayRows.reduce(
    (sum, row) => sum + Number(row.quantity),
    0,
  );
  const progress = todayRows.length
    ? Math.round((delivered.length / todayRows.length) * 100)
    : 0;

  function go(next) {
    setPage(next);
```

```
    setSearch("");
    setRoute("All routes");
    setMobileNav(false);
  }
  function updateStatus(customer, status) {
    setData((current) => {
      const deliveries = current.deliveries.filter(
        (item) => !(item.customerId === customer.id && item.date === day),
      );
      if (status !== "pending")
        deliveries.push({
          id: crypto.randomUUID(),
          customerId: customer.id,
          date: day,
          status,
          quantity: customer.quantity,
          price: customer.price,
        });
      return { ...current, deliveries };
    });
    setToast(
      status === "delivered"
        ? "Delivery marked complete"
        : status === "skipped"
          ? "Delivery skipped"
          : "Delivery returned to pending",
    );
  }
  function saveCustomer(customer) {
    const clean = {
      ...customer,
      name: customer.name.trim(),
      phone: customer.phone.trim(),
      address: customer.address.trim(),
      quantity: Number(customer.quantity),
      price: Number(customer.price),
    };
    if (
      !clean.name ||
      !clean.phone ||
      !clean.address ||
      clean.quantity <= 0 ||
      clean.price < 0
    )
      return;
    setData((current) => ({
      ...current,
      customers: customer.id
        ? current.customers.map((item) =>
            item.id === customer.id ? clean : item,
          )
        : [
            ...current.customers,
            { ...clean, id: crypto.randomUUID(), joined: todayISO() },
          ],
    }));
    setCustomerModal(null);
    setToast(customer.id ? "Customer updated" : "Customer added");
  }
  function toggleCustomer(customer) {
    setData((current) => ({
      ...current,
      customers: current.customers.map((item) =>
        item.id === customer.id ? { ...item, active: !item.active } : item,
      ),
    }));
    setToast(customer.active ? "Subscription paused" : "Subscription resumed");
  }
```

```
  function recordPayment(customerId, amount) {
    const numeric = Number(amount);
    if (!customerId || !Number.isFinite(numeric) || numeric <= 0) return;
    setData((current) => ({
      ...current,
      payments: [
        ...current.payments,
        {
          id: crypto.randomUUID(),
          customerId,
          month,
          amount: numeric,
          date: todayISO(),
        },
      ],
    }));
    setPaymentModal(null);
    setToast("Payment recorded");
  }
  function exportBilling() {
    const blob = new Blob(["\uFEFF", billingCSV(invoices, month)], {
      type: "text/csv;charset=utf-8",
    });
    const url = URL.createObjectURL(blob);
    const anchor = document.createElement("a");
    anchor.href = url;
    anchor.download = `milkmate-billing-${month}.csv`;
    anchor.click();
    setTimeout(() => URL.revokeObjectURL(url), 1000);
    setToast("Billing report downloaded");
  }
  function resetData() {
    if (
      !window.confirm(
        "Reset all customers, deliveries, and payments to sample data? This cannot be undone.",
      )
    )
      return;
    localStorage.removeItem(STORAGE_KEY);
    setData(seedData());
    setDay(todayISO());
    setMonth(todayISO().slice(0, 7));
    setToast("Demo data restored");
  }

  const searchRows = (rows) =>
    rows.filter((row) =>
      `${row.name} ${row.phone} ${row.address || ""}`
        .toLowerCase()
        .includes(search.toLowerCase()),
    );
  const deliveryRows = searchRows(todayRows).filter(
    (row) => route === "All routes" || row.route === route,
  );
  const customerRows = searchRows(data.customers).filter(
    (row) => route === "All routes" || row.route === route,
  );
  const invoiceRows = searchRows(invoices);

  return (
    <div className="app-shell">
      <aside className={`sidebar ${mobileNav ? "sidebar-open" : ""}`}>
        <div
          className="brand"
          onClick={() => go("dashboard")}
          role="button"
          tabIndex={0}
          onKeyDown={(event) => event.key === "Enter" && go("dashboard")}
```

```
          >
            <span className="brand-mark">
              <Droplets size={21} strokeWidth={2.7} />
            </span>
            <span>
              milk<span className="brand-accent">mate</span>
              <small>MANAGEMENT</small>
            </span>
          </div>
          <div className="nav-caption">WORKSPACE</div>
          <nav className="main-nav" aria-label="Main navigation">
            {nav.map(({ id, label, icon: Icon }) => (
              <button
                key={id}
                className={`nav-item ${page === id ? "active" : ""}`}
                onClick={() => go(id)}
              >
                <Icon size={19} strokeWidth={page === id ? 2.3 : 1.9} />
                <span>{label}</span>
                {id === "deliveries" &&
                  todayRows.filter((row) => row.status === "pending").length >
                    0 && (
                    <span className="nav-count">
                      {todayRows.filter((row) => row.status === "pending").length}
                    </span>
                  )}
              </button>
            ))}
          </nav>
          <div className="sidebar-bottom">
            <button
              className={`nav-item ${page === "settings" ? "active" : ""}`}
              onClick={() => go("settings")}
            >
              <Settings size={19} />
              <span>Settings</span>
            </button>
            <div className="support-card">
              <div className="support-icon">
                <CircleHelp size={18} />
              </div>
              <b>Need a hand?</b>
              <p>Everything you need to run your daily deliveries.</p>
              <button onClick={() => go("settings")}>
                View guide <ArrowRight size={14} />
              </button>
            </div>
          </div>
          <div className="sidebar-footer">
            <span className="footer-avatar">M</span>
            <div>
              <b>My Dairy</b>
              <small>Local workspace</small>
            </div>
            <ChevronDown size={15} />
          </div>
        </aside>
        {mobileNav && (
          <button
            className="mobile-overlay"
            aria-label="Close menu"
            onClick={() => setMobileNav(false)}
          />
        )}
        <main className="main-content">
          <header className="topbar">
            <div className="topbar-left">
              <button
```

```
              className="icon-button mobile-menu"
              aria-label="Open menu"
              onClick={() => setMobileNav(true)}
            >
              <Menu size={21} />
            </button>
            <span className="breadcrumb">Workspace</span>
            <ChevronRight className="breadcrumb-chevron" size={15} />
            <span className="breadcrumb-current">
              {page[0].toUpperCase() + page.slice(1)}
            </span>
          </div>
          <div className="topbar-right">
            <span className="topbar-date">
              <CalendarDays size={16} />
              {formatShort(todayISO())}
            </span>
            <span className="topbar-divider" />
            <span className="profile-avatar">MD</span>
          </div>
        </header>
        <div className="page-content">
          {page === "dashboard" && (
            <>
              <div className="page-heading">
                <div>
                  <span className="eyebrow">YOUR OVERVIEW</span>
                  <h1>
                    Good morning <span className="wave">☀</span>
                  </h1>
                  <p>
                    Here's what's happening with your dairy today,{" "}
                    {dayLabel(day)}.
                  </p>
                </div>
                <button
                  className="primary-button"
                  onClick={() => setCustomerModal({ ...blankCustomer })}
                >
                  <Plus size={18} /> Add customer
                </button>
              </div>
              <div className="hero-banner">
                <div className="hero-copy">
                  <span className="hero-tag">
                    <span className="live-dot" /> DAILY OPERATIONS
                  </span>
                  <h2>Fresh starts here.</h2>
                  <p>
                    Keep every delivery on track and every customer smiling.
                  </p>
                  <button onClick={() => go("deliveries")}>
                    Manage deliveries <ArrowRight size={17} />
                  </button>
                </div>
                <div className="hero-graphic" aria-hidden="true">
                  <div className="hero-circle circle-one" />
                  <div className="hero-circle circle-two" />
                  <div className="hero-milk">
                    <Milk size={86} strokeWidth={1.2} />
                  </div>
                  <div className="hero-spark spark-one">✦</div>
                  <div className="hero-spark spark-two">✦</div>
                </div>
              </div>
              <div className="stats-grid">
                <Stat
                  icon={Truck}
```

```
                  tone="teal"
                  label="Today's deliveries"
                  value={`${delivered.length} / ${todayRows.length}`}
                  foot={`${progress}% completed`}
                  trend="up"
                />
                <Stat
                  icon={Droplets}
                  tone="blue"
                  label="Milk delivered"
                  value={`${deliveredLitres.toLocaleString("en-IN")} L`}
                  foot={`${plannedLitres.toLocaleString("en-IN")} L planned today`}
                />
                <Stat
                  icon={Users}
                  tone="purple"
                  label="Active customers"
                  value={active.length}
                  foot={`${data.customers.length} total customers`}
                />
                <Stat
                  icon={Wallet}
                  tone="orange"
                  label="Outstanding"
                  value={money(outstanding)}
                  foot={`For ${monthLabel(month)}`}
                />
              </div>
              <div className="dashboard-grid">
                <section className="card progress-card">
                  <div className="card-header">
                    <div>
                      <h3>Delivery progress</h3>
                      <p>Keep your daily route moving</p>
                    </div>
                    <button
                      className="text-link"
                      onClick={() => go("deliveries")}
                    >
                      View all <ArrowRight size={15} />
                    </button>
                  </div>
                  <div className="progress-body">
                    <div
                      className="progress-ring"
                      style={{ "--progress": `${progress}%` }}
                    >
                      <div>
                        <strong>{progress}%</strong>
                        <span>complete</span>
                      </div>
                    </div>
                    <div className="progress-breakdown">
                      <div>
                        <span className="status-dot dot-green" />
                        Delivered <strong>{delivered.length}</strong>
                      </div>
                      <div>
                        <span className="status-dot dot-orange" />
                        Pending{" "}
                        <strong>
                          {
                            todayRows.filter((row) => row.status === "pending")
                              .length
                          }
                        </strong>
                      </div>
                      <div>
```

```
                        <span className="status-dot dot-gray" />
                        Skipped{" "}
                        <strong>
                          {
                            todayRows.filter((row) => row.status === "skipped")
                              .length
                          }
                        </strong>
                      </div>
                    </div>
                  </div>
                </section>
                <section className="card volume-card">
                  <div className="card-header">
                    <div>
                      <h3>Milk delivered</h3>
                      <p>Volume over the last 7 days</p>
                    </div>
                    <span className="card-icon">
                      <Activity size={18} />
                    </span>
                  </div>
                  <VolumeChart deliveries={data.deliveries} day={day} />
                </section>
              </div>
              <section className="card recent-card">
                <div className="card-header">
                  <div>
                    <h3>Today's deliveries</h3>
                    <p>A quick look at your delivery list</p>
                  </div>
                  <button
                    className="text-link"
                    onClick={() => go("deliveries")}
                  >
                    View all deliveries <ArrowRight size={15} />
                  </button>
                </div>
                <div className="table-scroll">
                  <table>
                    <thead>
                      <tr>
                        <th>CUSTOMER</th>
                        <th>SUBSCRIPTION</th>
                        <th>ROUTE</th>
                        <th>STATUS</th>
                        <th className="right">ACTION</th>
                      </tr>
                    </thead>
                    <tbody>
                      {todayRows.slice(0, 5).map((row) => (
                        <tr key={row.id}>
                          <td>
                            <CustomerCell customer={row} />
                          </td>
                          <td>
                            <b>{row.quantity} L</b>
                            <span className="cell-sub">{row.plan}</span>
                          </td>
                          <td>
                            <RouteBadge route={row.route} />
                          </td>
                          <td>
                            <StatusBadge status={row.status} />
                          </td>
                          <td className="right">
                            <button
                              className="row-link"
```

```
                              onClick={() => {
                                setPage("deliveries");
                                setSearch(row.name);
                              }}
                            >
                              View <ArrowRight size={14} />
                            </button>
                          </td>
                        </tr>
                      ))}
                    </tbody>
                  </table>
                </div>
              </section>
            </>
          )}
          {page === "deliveries" && (
            <>
              <div className="page-heading">
                <div>
                  <span className="eyebrow">DAILY OPERATIONS</span>
                  <h1>Deliveries</h1>
                  <p>Plan your route and keep every drop accounted for.</p>
                </div>
                <div className="heading-actions">
                  <button
                    className="outline-button"
                    onClick={() => setDay(todayISO())}
                  >
                    <CalendarDays size={17} /> Today
                  </button>
                  <button
                    className="primary-button"
                    onClick={() => setCustomerModal({ ...blankCustomer })}
                  >
                    <Plus size={18} /> Add customer
                  </button>
                </div>
              </div>
              <div className="stats-grid deliveries-stats">
                <Stat
                  icon={Truck}
                  tone="teal"
                  label="Scheduled"
                  value={todayRows.length}
                  foot="Active subscriptions"
                />
                <Stat
                  icon={Check}
                  tone="green"
                  label="Delivered"
                  value={delivered.length}
                  foot={`${progress}% completed`}
                />
                <Stat
                  icon={Clock3}
                  tone="orange"
                  label="Pending"
                  value={
                    todayRows.filter((row) => row.status === "pending").length
                  }
                  foot="Still on your route"
                />
                <Stat
                  icon={Droplets}
                  tone="blue"
                  label="Total volume"
                  value={`${plannedLitres} L`}
```

```
                    foot="Planned for this day"
                  />
                </div>
                <section className="card full-card">
                  <div className="list-heading">
                    <div>
                      <h3>Delivery schedule</h3>
                      <p>{dayLabel(day)}</p>
                    </div>
                    <div className="date-switch">
                      <button
                        aria-label="Previous day"
                        onClick={() => setDay(offsetDay(day, -1))}
                      >
                        <ChevronLeft size={18} />
                      </button>
                      <input
                        aria-label="Delivery date"
                        type="date"
                        value={day}
                        onChange={(event) =>
                          setDay(event.target.value || todayISO())
                        }
                      />
                      <button
                        aria-label="Next day"
                        onClick={() => setDay(offsetDay(day, 1))}
                      >
                        <ChevronRight size={18} />
                      </button>
                    </div>
                  </div>
                  <FilterBar
                    search={search}
                    setSearch={setSearch}
                    route={route}
                    setRoute={setRoute}
                    showRoute
                    placeholder="Search customers..."
                  />
                  <div className="table-scroll">
                    <table>
                      <thead>
                        <tr>
                          <th>CUSTOMER</th>
                          <th>ADDRESS</th>
                          <th>ROUTE</th>
                          <th>QUANTITY</th>
                          <th>STATUS</th>
                          <th className="right">MARK AS</th>
                        </tr>
                      </thead>
                      <tbody>
                        {deliveryRows.map((row) => (
                          <tr key={row.id}>
                            <td>
                              <CustomerCell customer={row} />
                            </td>
                            <td className="muted-cell">{row.address}</td>
                            <td>
                              <RouteBadge route={row.route} />
                            </td>
                            <td>
                              <b>{row.quantity} L</b>
                              <span className="cell-sub">{row.plan}</span>
                            </td>
                            <td>
                              <StatusBadge status={row.status} />
```

```
                          </td>
                          <td className="right">
                            <div className="action-group">
                              <button
                                title="Mark delivered"
                                aria-label={`Mark ${row.name} delivered`}
                                className={
                                  row.status === "delivered"
                                    ? "selected delivered-action"
                                    : ""
                                }
                                onClick={() =>
                                  updateStatus(
                                    row,
                                    row.status === "delivered"
                                      ? "pending"
                                      : "delivered",
                                  )
                                }
                              >
                                <Check size={17} />
                              </button>
                              <button
                                title="Skip delivery"
                                aria-label={`Skip ${row.name} delivery`}
                                className={
                                  row.status === "skipped"
                                    ? "selected skipped-action"
                                    : ""
                                }
                                onClick={() =>
                                  updateStatus(
                                    row,
                                    row.status === "skipped"
                                      ? "pending"
                                      : "skipped",
                                  )
                                }
                              >
                                <X size={17} />
                              </button>
                            </div>
                          </td>
                        </tr>
                      ))}
                    </tbody>
                  </table>
                  {deliveryRows.length === 0 && (
                    <EmptyState text="No deliveries match your search." />
                  )}
                </div>
                <div className="table-footer">
                  Showing {deliveryRows.length} of {todayRows.length} scheduled
                  deliveries
                </div>
              </section>
            </>
          )}
          {page === "customers" && (
            <>
              <div className="page-heading">
                <div>
                  <span className="eyebrow">YOUR COMMUNITY</span>
                  <h1>Customers</h1>
                  <p>
                    Manage subscriptions and stay connected with your customers.
                  </p>
                </div>
```

```
                <button
                  className="primary-button"
                  onClick={() => setCustomerModal({ ...blankCustomer })}
                >
                  <Plus size={18} /> Add customer
                </button>
              </div>
              <div className="mini-summary">
                <div>
                  <span className="mini-icon green">
                    <Users size={20} />
                  </span>
                  <span>
                    <b>{data.customers.length}</b>
                    <small>Total customers</small>
                  </span>
                </div>
                <div>
                  <span className="mini-icon blue">
                    <TrendingUp size={20} />
                  </span>
                  <span>
                    <b>{active.length}</b>
                    <small>Active subscriptions</small>
                  </span>
                </div>
                <div>
                  <span className="mini-icon orange">
                    <Droplets size={20} />
                  </span>
                  <span>
                    <b>
                      {active.reduce((sum, c) => sum + Number(c.quantity), 0)} L
                    </b>
                    <small>Daily demand</small>
                  </span>
                </div>
              </div>
              <section className="card full-card">
                <div className="list-heading">
                  <div>
                    <h3>All customers</h3>
                    <p>Every customer, one simple view</p>
                  </div>
                  <span className="count-pill">
                    {data.customers.length} customers
                  </span>
                </div>
                <FilterBar
                  search={search}
                  setSearch={setSearch}
                  route={route}
                  setRoute={setRoute}
                  showRoute
                  placeholder="Search by name, phone or address..."
                />
                <div className="table-scroll">
                  <table>
                    <thead>
                      <tr>
                        <th>CUSTOMER</th>
                        <th>ADDRESS</th>
                        <th>ROUTE</th>
                        <th>SUBSCRIPTION</th>
                        <th>STATUS</th>
                        <th className="right">ACTIONS</th>
                      </tr>
                    </thead>
```

```
                    <tbody>
                      {customerRows.map((row) => (
                        <tr key={row.id}>
                          <td>
                            <CustomerCell customer={row} />
                          </td>
                          <td className="muted-cell">{row.address}</td>
                          <td>
                            <RouteBadge route={row.route} />
                          </td>
                          <td>
                            <b>{row.quantity} L / day</b>
                            <span className="cell-sub">
                              {row.plan} · {money(row.price)}/L
                            </span>
                          </td>
                          <td>
                            <span
                              className={`pill ${row.active ? "pill-green" : "pill-gray"}`}
                            >
                              <span className="pill-dot" />
                              {row.active ? "Active" : "Paused"}
                            </span>
                          </td>
                          <td className="right">
                            <div className="customer-actions">
                              <button
                                onClick={() => setCustomerModal({ ...row })}
                              >
                                Edit
                              </button>
                              <button onClick={() => toggleCustomer(row)}>
                                {row.active ? "Pause" : "Resume"}
                              </button>
                            </div>
                          </td>
                        </tr>
                      ))}
                    </tbody>
                  </table>
                  {customerRows.length === 0 && (
                    <EmptyState text="No customers match your search." />
                  )}
                </div>
                <div className="table-footer">
                  Showing {customerRows.length} of {data.customers.length}{" "}
                  customers
                </div>
              </section>
            </>
          )}
          {page === "billing" && (
            <>
              <div className="page-heading">
                <div>
                  <span className="eyebrow">PAYMENTS & REPORTS</span>
                  <h1>Billing</h1>
                  <p>Know what's been delivered, paid, and still due.</p>
                </div>
                <button className="outline-button" onClick={exportBilling}>
                  <Download size={17} /> Export CSV
                </button>
              </div>
              <div className="stats-grid billing-stats">
                <Stat
                  icon={ReceiptText}
                  tone="blue"
                  label="Total billed"
```

```
                  value={money(billed)}
                  foot={monthLabel(month)}
                />
                <Stat
                  icon={Wallet}
                  tone="green"
                  label="Collected"
                  value={money(
                    invoices.reduce((sum, row) => sum + row.paid, 0),
                  )}
                  foot="Payments recorded"
                />
                <Stat
                  icon={ArrowUpRight}
                  tone="orange"
                  label="Outstanding"
                  value={money(outstanding)}
                  foot="Awaiting payment"
                />
                <Stat
                  icon={Users}
                  tone="purple"
                  label="Customers billed"
                  value={invoices.length}
                  foot="With deliveries this month"
                />
              </div>
              <section className="card full-card">
                <div className="list-heading">
                  <div>
                    <h3>Monthly statements</h3>
                    <p>Charges reflect completed deliveries only</p>
                  </div>
                  <div className="date-switch">
                    <button
                      aria-label="Previous month"
                      onClick={() => setMonth(monthOffset(month, -1))}
                    >
                      <ChevronLeft size={18} />
                    </button>
                    <span>{monthLabel(month)}</span>
                    <button
                      aria-label="Next month"
                      onClick={() => setMonth(monthOffset(month, 1))}
                    >
                      <ChevronRight size={18} />
                    </button>
                  </div>
                </div>
                <FilterBar
                  search={search}
                  setSearch={setSearch}
                  placeholder="Search customers..."
                />
                <div className="table-scroll">
                  <table>
                    <thead>
                      <tr>
                        <th>CUSTOMER</th>
                        <th>DELIVERIES</th>
                        <th>BILLED</th>
                        <th>PAID</th>
                        <th>BALANCE</th>
                        <th className="right">ACTION</th>
                      </tr>
                    </thead>
                    <tbody>
                      {invoiceRows.map((row) => (
```

```
                        <tr key={row.id}>
                          <td>
                            <CustomerCell customer={row} />
                          </td>
                          <td>
                            <b>{row.deliveries} days</b>
                          </td>
                          <td>
                            <b>{money(row.amount)}</b>
                          </td>
                          <td className="positive-text">{money(row.paid)}</td>
                          <td>
                            <b
                              className={
                                row.due > 0 ? "due-text" : "positive-text"
                              }
                            >
                              {money(row.due)}
                            </b>
                          </td>
                          <td className="right">
                            <button
                              className="row-link"
                              disabled={row.due <= 0}
                              onClick={() =>
                                setPaymentModal({
                                  customerId: row.id,
                                  amount: row.due,
                                })
                              }
                            >
                              {row.due > 0 ? "Record payment" : "Paid"}{" "}
                              {row.due > 0 && <ArrowRight size={14} />}
                            </button>
                          </td>
                        </tr>
                      ))}
                    </tbody>
                  </table>
                  {invoiceRows.length === 0 && (
                    <EmptyState text="No billing activity for this month." />
                  )}
                </div>
                <div className="table-footer">
                  Showing {invoiceRows.length} of {invoices.length} statements
                </div>
              </section>
              <div className="info-note">
                <CircleHelp size={17} /> Charges are calculated from deliveries
                marked complete. Payment records are stored in this browser.
              </div>
            </>
          )}
          {page === "settings" && (
            <>
              <div className="page-heading">
                <div>
                  <span className="eyebrow">WORKSPACE</span>
                  <h1>Settings</h1>
                  <p>A few things to know about your Milkmate workspace.</p>
                </div>
              </div>
              <div className="settings-grid">
                <section className="card settings-card">
                  <div className="settings-icon">
                    <Milk size={25} />
                  </div>
                  <h3>Welcome to Milkmate</h3>
```

```
                  <p>
                    Your data lives in this browser. Add customers, update
                    deliveries, and record payments. Everything saves
                    automatically as you work.
                  </p>
                  <div className="guide-list">
                    <div>
                      <span>1</span>Add customers and set their daily milk
                      quantity and price.
                    </div>
                    <div>
                      <span>2</span>Mark each day's deliveries complete or
                      skipped.
                    </div>
                    <div>
                      <span>3</span>View monthly balances, record payments, and
                      export a CSV.
                    </div>
                  </div>
                </section>
                <section className="card settings-card">
                  <div className="settings-icon orange">
                    <RotateCcw size={23} />
                  </div>
                  <h3>Demo data</h3>
                  <p>
                    Start over with the original sample customers, deliveries,
                    and payments. This will replace all changes saved in this
                    browser.
                  </p>
                  <button
                    className="outline-button danger-button"
                    onClick={resetData}
                  >
                    <RotateCcw size={17} /> Reset demo data
                  </button>
                </section>
              </div>
            </>
          )}
        </div>
      </main>
      {customerModal && (
        <CustomerModal
          customer={customerModal}
          onClose={() => setCustomerModal(null)}
          onSave={saveCustomer}
        />
      )}
      {paymentModal && (
        <PaymentModal
          payment={paymentModal}
          customer={data.customers.find(
            (item) => item.id === paymentModal.customerId,
          )}
          month={month}
          onClose={() => setPaymentModal(null)}
          onSave={recordPayment}
        />
      )}
      {toast && (
        <div className="toast" role="status">
          <Check size={17} />
          {toast}
        </div>
      )}
    </div>
  );
```

```
}

function Stat({ icon: Icon, tone, label, value, foot, trend }) {
  return (
    <div className="stat-card">
      <div className="stat-top">
        <span className={`stat-icon ${tone}`}>
          <Icon size={21} strokeWidth={2} />
        </span>
        <MoreHorizontal size={19} className="stat-more" />
      </div>
      <span className="stat-label">{label}</span>
      <strong className="stat-value">{value}</strong>
      <span className="stat-foot">
        {trend === "up" && <ArrowUpRight size={14} />} {foot}
      </span>
    </div>
  );
}
function CustomerCell({ customer }) {
  return (
    <div className="customer-cell">
      <span className={`avatar avatar-${customer.name.charCodeAt(0) % 5}`}>
        {initials(customer.name)}
      </span>
      <span>
        <b>{customer.name}</b>
        <small>{customer.phone}</small>
      </span>
    </div>
  );
}
function RouteBadge({ route }) {
  return (
    <span className={`route-badge route-${routeColors[route] || "blue"}`}>
      <MapPin size={13} />
      {route}
    </span>
  );
}
function StatusBadge({ status }) {
  return (
    <span className={`pill pill-${status}`}>
      <span className="pill-dot" />
      {status[0].toUpperCase() + status.slice(1)}
    </span>
  );
}
function EmptyState({ text }) {
  return (
    <div className="empty-state">
      <Search size={27} />
      <b>Nothing to show yet</b>
      <span>{text}</span>
    </div>
  );
}
function FilterBar({
  search,
  setSearch,
  route,
  setRoute,
  showRoute,
  placeholder,
}) {
  return (
    <div className="filter-bar">
      <label className="search-field">
```

```
        <Search size={18} />
        <input
          value={search}
          onChange={(event) => setSearch(event.target.value)}
          placeholder={placeholder}
          aria-label="Search"
        />
      </label>
      {showRoute && (
        <label className="select-field">
          <select
            aria-label="Filter by route"
            value={route}
            onChange={(event) => setRoute(event.target.value)}
          >
            {["All routes", ...Object.keys(routeColors)].map((name) => (
              <option key={name}>{name}</option>
            ))}
          </select>
          <ChevronDown size={16} />
        </label>
      )}
    </div>
  );
}
function VolumeChart({ deliveries, day }) {
  const values = Array.from({ length: 7 }, (_, index) => {
    const date = offsetDay(day, index - 6);
    return {
      date,
      litres: deliveries
        .filter((item) => item.date === date && item.status === "delivered")
        .reduce((sum, item) => sum + Number(item.quantity || 0), 0),
    };
  });
  const max = Math.max(1, ...values.map((item) => item.litres));
  return (
    <div className="chart">
      <div className="chart-bars">
        {values.map((item, index) => (
          <div
            className="chart-column"
            key={item.date}
            title={`${item.litres} L on ${formatShort(item.date)}`}
          >
            <div
              className={`chart-bar ${index === 6 ? "latest" : ""}`}
              style={{ height: `${Math.max(5, (item.litres / max) * 100)}%` }}
            />
            <span>
              {new Date(`${item.date}T12:00:00`).toLocaleDateString("en-IN", {
                weekday: "short",
              })}
            </span>
          </div>
        ))}
      </div>
      <div className="chart-note">
        <span className="chart-note-dot" /> Daily litres delivered
      </div>
    </div>
  );
}
function CustomerModal({ customer, onClose, onSave }) {
  const [form, setForm] = useState(customer);
  const set = (key, value) =>
    setForm((current) => ({ ...current, [key]: value }));
  return (
```

```
      <div
        className="modal-backdrop"
        onMouseDown={(event) => event.target === event.currentTarget && onClose()}
      >
        <div
          className="modal"
          role="dialog"
          aria-modal="true"
          aria-labelledby="customer-modal-title"
        >
          <div className="modal-header">
            <div>
              <span className="eyebrow">CUSTOMER DETAILS</span>
              <h2 id="customer-modal-title">
                {customer.id ? "Edit customer" : "Add a customer"}
              </h2>
            </div>
            <button className="icon-button" aria-label="Close" onClick={onClose}>
              <X size={20} />
            </button>
          </div>
          <form
            onSubmit={(event) => {
              event.preventDefault();
              onSave(form);
            }}
          >
            <div className="form-grid">
              <label className="field full">
                Full name
                <input
                  required
                  autoFocus
                  value={form.name}
                  onChange={(event) => set("name", event.target.value)}
                  placeholder="e.g. Aarav Sharma"
                />
              </label>
              <label className="field">
                Phone number
                <input
                  required
                  type="tel"
                  value={form.phone}
                  onChange={(event) => set("phone", event.target.value)}
                  placeholder="e.g. 9812345601"
                />
              </label>
              <label className="field">
                Delivery route
                <select
                  value={form.route}
                  onChange={(event) => set("route", event.target.value)}
                >
                  {Object.keys(routeColors).map((name) => (
                    <option key={name}>{name}</option>
                  ))}
                </select>
              </label>
              <label className="field full">
                Delivery address
                <input
                  required
                  value={form.address}
                  onChange={(event) => set("address", event.target.value)}
                  placeholder="House number, street, area"
                />
              </label>
```

```
            <label className="field">
              Milk type
              <select
                value={form.plan}
                onChange={(event) => set("plan", event.target.value)}
              >
                <option>Cow milk</option>
                <option>Buffalo milk</option>
              </select>
            </label>
            <label className="field">
              Quantity per day (L)
              <input
                required
                type="number"
                min="0.1"
                step="0.1"
                value={form.quantity}
                onChange={(event) => set("quantity", event.target.value)}
              />
            </label>
            <label className="field">
              Price per litre (₹)
              <input
                required
                type="number"
                min="0"
                step="0.01"
                value={form.price}
                onChange={(event) => set("price", event.target.value)}
              />
            </label>
          </div>
          <div className="modal-actions">
            <button type="button" className="outline-button" onClick={onClose}>
              Cancel
            </button>
            <button className="primary-button" type="submit">
              {customer.id ? "Save changes" : "Add customer"}
            </button>
          </div>
        </form>
      </div>
    </div>
  );
}
function PaymentModal({ payment, customer, month, onClose, onSave }) {
  const [amount, setAmount] = useState(payment.amount);
  return (
    <div
      className="modal-backdrop"
      onMouseDown={(event) => event.target === event.currentTarget && onClose()}
    >
      <div
        className="modal payment-modal"
        role="dialog"
        aria-modal="true"
        aria-labelledby="payment-modal-title"
      >
        <div className="modal-header">
          <div>
            <span className="eyebrow">RECORD PAYMENT</span>
            <h2 id="payment-modal-title">Payment received</h2>
          </div>
          <button className="icon-button" aria-label="Close" onClick={onClose}>
            <X size={20} />
          </button>
        </div>
```

```
          <p className="modal-copy">
            Record a payment from <b>{customer?.name}</b> for {monthLabel(month)}.
            Current balance: <b>{money(payment.amount)}</b>.
          </p>
          <form
            onSubmit={(event) => {
              event.preventDefault();
              onSave(payment.customerId, amount);
            }}
          >
            <label className="field">
              Amount received (₹)
              <input
                required
                autoFocus
                type="number"
                min="0.01"
                max={payment.amount}
                step="0.01"
                value={amount}
                onChange={(event) => setAmount(event.target.value)}
              />
            </label>
            <div className="modal-actions">
              <button type="button" className="outline-button" onClick={onClose}>
                Cancel
              </button>
              <button className="primary-button" type="submit">
                Save payment
              </button>
            </div>
          </form>
        </div>
      </div>
    );
}

createRoot(document.getElementById("root")).render(<App />);
```

src/styles.css

```
:root {
  font-family:
    system-ui,
    -apple-system,
    "Segoe UI",
    sans-serif;
  color: #1c2b30;
  background: #f6f8f7;
  font-synthesis: none;
  text-rendering: optimizeLegibility;
  -webkit-font-smoothing: antialiased;
}
* {
  box-sizing: border-box;
}
body {
  margin: 0;
  min-width: 320px;
}
button,
input,
select {
  font: inherit;
}
button {
  cursor: pointer;
}
button:disabled {
  cursor: not-allowed;
  opacity: 0.55;
}
h1,
h2,
h3,
p {
  margin: 0;
}
h1,
h2,
h3 {
  font-family:
    system-ui,
    -apple-system,
    "Segoe UI",
    sans-serif;
}
a {
  color: inherit;
}
.app-shell {
  display: flex;
  min-height: 100vh;
}
.sidebar {
  width: 248px;
  flex: none;
  background: #fff;
  border-right: 1px solid #e9eeeb;
  display: flex;
  flex-direction: column;
  min-height: 100vh;
  position: sticky;
  top: 0;
  height: 100vh;
  z-index: 20;
}
.brand {
  height: 94px;
```

```
  padding: 31px 27px 22px;
  display: flex;
  align-items: center;
  gap: 10px;
  font-family:
    system-ui,
    -apple-system,
    "Segoe UI",
    sans-serif;
  font-size: 22px;
  font-weight: 800;
  letter-spacing: -1.3px;
  cursor: pointer;
}
.brand-mark {
  height: 35px;
  width: 35px;
  border-radius: 11px;
  background: #159b81;
  display: grid;
  place-items: center;
  color: #fff;
  transform: rotate(-8deg);
}
.brand-mark svg {
  transform: rotate(8deg);
}
.brand-accent {
  color: #159b81;
}
.brand small {
  display: block;
  font:
    700 8px system-ui,
    -apple-system,
    "Segoe UI",
    sans-serif;
  letter-spacing: 2.5px;
  color: #94a39e;
  margin-top: -2px;
}
.nav-caption {
  font-size: 10px;
  font-weight: 800;
  letter-spacing: 1.7px;
  color: #a4b2ad;
  padding: 32px 29px 15px;
}
.main-nav {
  padding: 0 14px;
  display: grid;
  gap: 5px;
}
.nav-item {
  width: 100%;
  border: 0;
  background: transparent;
  display: flex;
  align-items: center;
  text-align: left;
  gap: 13px;
  color: #667772;
  padding: 13px 15px;
  border-radius: 10px;
  font-size: 13px;
  font-weight: 700;
}
.nav-item:hover {
```

```
  background: #f4f8f6;
  color: #188f78;
}
.nav-item.active {
  background: #e9f7f1;
  color: #168b73;
}
.nav-item span:nth-child(2) {
  flex: 1;
}
.nav-count {
  font-size: 10px;
  background: #d5efe4;
  color: #12856e;
  border-radius: 7px;
  padding: 3px 6px;
}
.sidebar-bottom {
  margin-top: auto;
  padding: 0 14px 21px;
}
.support-card {
  margin: 22px 4px 0;
  border-radius: 13px;
  background: #f0f8f4;
  padding: 16px;
}
.support-icon {
  width: 28px;
  height: 28px;
  background: #d5eee3;
  color: #18896f;
  display: grid;
  place-items: center;
  border-radius: 9px;
  margin-bottom: 10px;
}
.support-card b {
  font-size: 12px;
}
.support-card p {
  font-size: 11px;
  color: #7d9388;
  line-height: 1.5;
  margin: 5px 0 10px;
}
.support-card button {
  border: 0;
  background: transparent;
  padding: 0;
  color: #118773;
  font-weight: 700;
  font-size: 11px;
  display: flex;
  gap: 5px;
  align-items: center;
}
.sidebar-footer {
  border-top: 1px solid #edf0ee;
  height: 71px;
  display: flex;
  align-items: center;
  gap: 10px;
  padding: 0 20px;
}
.footer-avatar,
.profile-avatar {
  background: #d2eee0;
```

```
    color: #198a71;
    border-radius: 50%;
    display: grid;
    place-items: center;
    font-weight: 800;
  }
  .footer-avatar {
    width: 32px;
    height: 32px;
    font-size: 15px;
  }
  .sidebar-footer div {
    flex: 1;
  }
  .sidebar-footer b,
  .sidebar-footer small {
    display: block;
  }
  .sidebar-footer b {
    font-size: 11px;
  }
  .sidebar-footer small {
    font-size: 10px;
    color: #9daaa5;
    margin-top: 2px;
  }
  .sidebar-footer svg {
    color: #a3aea9;
  }
  .main-content {
    flex: 1;
    min-width: 0;
  }
  .topbar {
    height: 72px;
    background: #fff;
    border-bottom: 1px solid #e9eeeb;
    display: flex;
    align-items: center;
    justify-content: space-between;
    padding: 0 37px;
  }
  .topbar-left,
  .topbar-right {
    display: flex;
    align-items: center;
    gap: 13px;
  }
  .breadcrumb {
    color: #97a7a1;
    font-size: 12px;
  }
  .breadcrumb-chevron {
    color: #bcc8c2;
  }
  .breadcrumb-current {
    font-weight: 700;
    font-size: 12px;
  }
  .topbar-date {
    display: flex;
    align-items: center;
    gap: 8px;
    color: #61746c;
    font-weight: 600;
    font-size: 12px;
  }
  .topbar-date svg {
```

```
  color: #95a8a0;
}
.topbar-divider {
  height: 23px;
  width: 1px;
  background: #e9efeb;
  margin: 0 5px;
}
.profile-avatar {
  width: 32px;
  height: 32px;
  font-size: 10px;
}
.page-content {
  max-width: 1500px;
  margin: 0 auto;
  padding: 36px 38px 60px;
}
.page-heading {
  display: flex;
  align-items: end;
  justify-content: space-between;
  gap: 20px;
  margin-bottom: 26px;
}
.eyebrow {
  font-size: 10px;
  letter-spacing: 2px;
  font-weight: 800;
  color: #16a086;
  display: block;
  margin-bottom: 10px;
}
.page-heading h1 {
  font-size: 28px;
  letter-spacing: -1.25px;
  color: #172d29;
  line-height: 1.25;
}
.page-heading p {
  color: #84968e;
  font-size: 12px;
  margin-top: 7px;
}
.wave {
  font-family: sans-serif;
  font-size: 23px;
  color: #f3b83e;
}
.primary-button,
.outline-button {
  height: 36px;
  border-radius: 8px;
  padding: 0 14px;
  display: inline-flex;
  align-items: center;
  justify-content: center;
  gap: 8px;
  font-size: 12px;
  font-weight: 700;
  white-space: nowrap;
}
.primary-button {
  border: 1px solid #159b81;
  background: #159b81;
  color: white;
  box-shadow: 0 5px 12px #159b8120;
}
```

```
.primary-button:hover {
  background: #0c806a;
}
.outline-button {
  border: 1px solid #e0e9e3;
  background: white;
  color: #435a51;
}
.outline-button:hover {
  background: #f4f8f6;
}
.heading-actions {
  display: flex;
  gap: 9px;
}
.hero-banner {
  height: 177px;
  border-radius: 16px;
  background: linear-gradient(109deg, #168e74, #119c82 60%, #49bea0);
  position: relative;
  overflow: hidden;
  display: flex;
  justify-content: space-between;
  color: white;
  margin-bottom: 21px;
}
.hero-copy {
  padding: 25px 32px;
  z-index: 2;
}
.hero-tag {
  display: inline-flex;
  align-items: center;
  gap: 6px;
  border: 1px solid #a9e9d763;
  background: #ffffff19;
  border-radius: 30px;
  padding: 5px 9px;
  font-size: 8px;
  font-weight: 800;
  letter-spacing: 1.4px;
}
.live-dot {
  width: 6px;
  height: 6px;
  border-radius: 50%;
  background: #a5f4a7;
}
.hero-copy h2 {
  font-size: 25px;
  letter-spacing: -1px;
  margin-top: 11px;
}
.hero-copy p {
  font-size: 11px;
  color: #d6f4e7;
  margin-top: 5px;
}
.hero-copy button {
  border: 0;
  background: white;
  color: #148a73;
  border-radius: 7px;
  padding: 9px 12px;
  font-size: 11px;
  font-weight: 800;
  display: flex;
  align-items: center;
```

```
  gap: 9px;
  margin-top: 15px;
}
.hero-copy button:hover {
  background: #eafaf1;
}
.hero-graphic {
  width: 310px;
  height: 100%;
  position: relative;
}
.hero-circle {
  position: absolute;
  border: 1px solid #ffffff32;
  border-radius: 50%;
}
.circle-one {
  width: 250px;
  height: 250px;
  top: -37px;
  right: 28px;
}
.circle-two {
  width: 190px;
  height: 190px;
  top: -9px;
  right: 58px;
  background: #ffffff0b;
}
.hero-milk {
  position: absolute;
  right: 102px;
  top: 38px;
  width: 98px;
  height: 98px;
  border-radius: 27px;
  background: #ffffff29;
  display: grid;
  place-items: center;
  transform: rotate(-13deg);
  color: #e8fff6;
  box-shadow: 0 15px 25px #09796055;
}
.hero-milk svg {
  transform: rotate(13deg);
}
.hero-spark {
  position: absolute;
  color: #d1fff1;
}
.spark-one {
  top: 33px;
  right: 52px;
  font-size: 23px;
}
.spark-two {
  bottom: 23px;
  right: 212px;
  font-size: 15px;
}
.stats-grid {
  display: grid;
  grid-template-columns: repeat(4, minmax(0, 1fr));
  gap: 16px;
  margin-bottom: 19px;
}
.stat-card {
  background: white;
```

```
  border: 1px solid #e8eeea;
  border-radius: 12px;
  min-height: 131px;
  padding: 16px 17px;
  box-shadow: 0 2px 9px #1c4d3210;
}
.stat-top {
  display: flex;
  justify-content: space-between;
  align-items: start;
}
.stat-icon,
.mini-icon {
  width: 34px;
  height: 34px;
  border-radius: 9px;
  display: grid;
  place-items: center;
}
.stat-icon.teal,
.mini-icon.green {
  background: #e4f6ee;
  color: #159a7b;
}
.stat-icon.blue,
.mini-icon.blue {
  background: #e8f2fb;
  color: #448ec9;
}
.stat-icon.purple {
  background: #f1ebfa;
  color: #9b72c9;
}
.stat-icon.orange,
.mini-icon.orange {
  background: #fff1e2;
  color: #e6a044;
}
.stat-icon.green {
  background: #e7f5ea;
  color: #3eaa6c;
}
.stat-more {
  color: #b7c2bc;
}
.stat-label {
  display: block;
  font-size: 11px;
  color: #899a91;
  margin-top: 11px;
}
.stat-value {
  font:
    800 21px system-ui,
    -apple-system,
    "Segoe UI",
    sans-serif;
  letter-spacing: -0.7px;
  display: block;
  margin-top: 3px;
  color: #172d29;
}
.stat-foot {
  color: #8ca29a;
  font-size: 10px;
  display: flex;
  align-items: center;
  gap: 2px;
```

```
  margin-top: 5px;
}
.stat-foot svg {
  color: #34aa79;
}
.dashboard-grid {
  display: grid;
  grid-template-columns: 1fr 1fr;
  gap: 17px;
  margin-bottom: 19px;
}
.card {
  background: white;
  border: 1px solid #e8eeea;
  border-radius: 12px;
  box-shadow: 0 2px 9px #1c4d3210;
}
.progress-card,
.volume-card {
  height: 246px;
}
.card-header {
  display: flex;
  justify-content: space-between;
  align-items: flex-start;
  padding: 20px 22px 0;
}
.card-header h3,
.list-heading h3 {
  font-size: 14px;
  letter-spacing: -0.25px;
}
.card-header p,
.list-heading p {
  color: #99a9a1;
  font-size: 11px;
  margin-top: 4px;
}
.text-link,
.row-link {
  border: 0;
  background: transparent;
  color: #15957b;
  font-weight: 700;
  font-size: 11px;
  display: inline-flex;
  align-items: center;
  gap: 5px;
}
.text-link:hover,
.row-link:hover {
  text-decoration: underline;
}
.progress-body {
  display: flex;
  align-items: center;
  justify-content: center;
  gap: 36px;
  height: 168px;
}
.progress-ring {
  height: 134px;
  width: 134px;
  border-radius: 50%;
  display: grid;
  place-items: center;
  background: conic-gradient(#1ca68a var(--progress), #e9f1ed 0);
  position: relative;
```

```
}
.progress-ring:before {
  content: "";
  position: absolute;
  inset: 12px;
  border-radius: 50%;
  background: white;
}
.progress-ring div {
  position: relative;
  text-align: center;
}
.progress-ring strong {
  font:
    800 27px system-ui,
    -apple-system,
    "Segoe UI",
    sans-serif;
  display: block;
  letter-spacing: -1px;
}
.progress-ring span {
  font-size: 10px;
  color: #a0afa7;
}
.progress-breakdown {
  min-width: 124px;
  display: grid;
  gap: 17px;
}
.progress-breakdown > div {
  font-size: 11px;
  color: #7a8e84;
  display: flex;
  align-items: center;
  gap: 8px;
}
.progress-breakdown strong {
  margin-left: auto;
  color: #263b31;
}
.status-dot {
  height: 8px;
  width: 8px;
  border-radius: 50%;
}
.dot-green {
  background: #1ca68a;
}
.dot-orange {
  background: #eebc61;
}
.dot-gray {
  background: #d6dfd8;
}
.card-icon {
  width: 29px;
  height: 29px;
  background: #e9f6f0;
  color: #1a9b7d;
  border-radius: 8px;
  display: grid;
  place-items: center;
}
.chart {
  padding: 13px 26px 0;
  height: 181px;
}
```

```
.chart-bars {
  height: 132px;
  display: flex;
  align-items: flex-end;
  justify-content: space-around;
  gap: 12px;
  border-bottom: 1px dashed #e6eeea;
}
.chart-column {
  height: 100%;
  min-width: 28px;
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: flex-end;
  gap: 6px;
  position: relative;
}
.chart-column:before {
  content: "";
  position: absolute;
  bottom: 19px;
  width: 1px;
  height: 94px;
  border-left: 1px dashed #f0f3f1;
  z-index: 0;
}
.chart-bar {
  background: #cceee3;
  width: 25px;
  max-height: calc(100% - 24px);
  border-radius: 5px 5px 0 0;
  z-index: 1;
}
.chart-bar.latest {
  background: #20a788;
}
.chart-column span {
  height: 15px;
  font-size: 9px;
  color: #a0aca5;
  font-weight: 700;
}
.chart-note {
  font-size: 9px;
  color: #98a79f;
  text-align: center;
  margin-top: 13px;
}
.chart-note-dot {
  width: 7px;
  height: 7px;
  border-radius: 50%;
  background: #21a987;
  display: inline-block;
  margin-right: 5px;
}
.recent-card {
  overflow: hidden;
}
.recent-card .card-header {
  padding-bottom: 20px;
}
.table-scroll {
  overflow-x: auto;
}
table {
  width: 100%;
```

```
  border-collapse: collapse;
  text-align: left;
  white-space: nowrap;
}
th {
  background: #f8faf8;
  color: #a5b1aa;
  font-size: 9px;
  letter-spacing: 1px;
  font-weight: 800;
  padding: 13px 20px;
  border-top: 1px solid #edf1ed;
  border-bottom: 1px solid #edf1ed;
}
td {
  padding: 13px 20px;
  font-size: 11px;
  color: #34483f;
  border-bottom: 1px solid #f0f3f0;
}
tbody tr:last-child td {
  border-bottom: 0;
}
.right {
  text-align: right;
}
.customer-cell {
  display: flex;
  align-items: center;
  gap: 10px;
}
.customer-cell b {
  font-size: 11px;
  color: #25372e;
}
.customer-cell small,
.cell-sub {
  display: block;
  font-size: 10px;
  color: #9aaa9f;
  margin-top: 4px;
}
.avatar {
  height: 31px;
  width: 31px;
  border-radius: 10px;
  display: grid;
  place-items: center;
  font-size: 10px;
  font-weight: 800;
  flex: none;
}
.avatar-0 {
  background: #e7effb;
  color: #527dc1;
}
.avatar-1 {
  background: #fcf0dc;
  color: #b98b38;
}
.avatar-2 {
  background: #e8f4eb;
  color: #43a274;
}
.avatar-3 {
  background: #f3e9f7;
  color: #a168ac;
}
```

```
.avatar-4 {
  background: #fcece9;
  color: #c97d6e;
}
.route-badge {
  display: inline-flex;
  align-items: center;
  gap: 4px;
  font-weight: 600;
  font-size: 10px;
}
.route-blue {
  color: #438eaf;
}
.route-purple {
  color: #9474be;
}
.route-orange {
  color: #cd955c;
}
.route-green {
  color: #4aab83;
}
.pill {
  display: inline-flex;
  align-items: center;
  gap: 5px;
  padding: 5px 8px;
  border-radius: 20px;
  font-size: 9px;
  font-weight: 700;
}
.pill-dot {
  height: 5px;
  width: 5px;
  border-radius: 50%;
  background: currentColor;
}
.pill-delivered,
.pill-green {
  background: #e4f7e9;
  color: #2b9d63;
}
.pill-pending {
  background: #fff4df;
  color: #d39b39;
}
.pill-skipped,
.pill-gray {
  background: #f0f2f0;
  color: #94a19a;
}
.full-card {
  overflow: hidden;
}
.list-heading {
  padding: 21px 22px;
  display: flex;
  align-items: center;
  justify-content: space-between;
  gap: 10px;
}
.date-switch {
  height: 35px;
  display: flex;
  align-items: center;
  border: 1px solid #e3ebe5;
  border-radius: 8px;
```

```
    overflow: hidden;
    background: white;
  }
  .date-switch button {
    border: 0;
    background: white;
    width: 34px;
    height: 100%;
    display: grid;
    place-items: center;
    color: #71877c;
  }
  .date-switch button:hover {
    background: #f3f8f5;
  }
  .date-switch input,
  .date-switch span {
    border: 0;
    outline: 0;
    padding: 0 7px;
    font-size: 11px;
    font-weight: 700;
    color: #40594c;
    max-width: 130px;
    text-align: center;
    background: white;
  }
  .date-switch input::-webkit-calendar-picker-indicator {
    opacity: 0.5;
    width: 13px;
  }
  .filter-bar {
    display: flex;
    justify-content: space-between;
    gap: 12px;
    padding: 0 21px 19px;
  }
  .search-field {
    height: 36px;
    border: 1px solid #e4ebe6;
    border-radius: 8px;
    background: #fff;
    color: #a6b3ab;
    display: flex;
    align-items: center;
    gap: 8px;
    padding: 0 11px;
    width: 300px;
    max-width: 100%;
  }
  .search-field input {
    border: 0;
    outline: 0;
    width: 100%;
    color: #2c4437;
    font-size: 11px;
  }
  .search-field input::placeholder {
    color: #abbab0;
  }
  .select-field {
    position: relative;
    height: 36px;
  }
  .select-field select {
    appearance: none;
    height: 100%;
    min-width: 130px;
```

```
  padding: 0 30px 0 12px;
  background: #fff;
  border: 1px solid #e4ebe6;
  border-radius: 8px;
  color: #65796d;
  font-size: 11px;
  font-weight: 700;
  outline: 0;
}
.select-field svg {
  position: absolute;
  right: 9px;
  top: 10px;
  color: #9aaa9f;
  pointer-events: none;
}
.table-footer {
  border-top: 1px solid #eef2ee;
  padding: 14px 21px;
  font-size: 10px;
  color: #9aa9a0;
}
.muted-cell {
  color: #81968a;
}
.action-group {
  display: flex;
  gap: 6px;
  justify-content: flex-end;
}
.action-group button {
  width: 27px;
  height: 27px;
  border-radius: 7px;
  border: 1px solid #e3ebe5;
  background: white;
  display: grid;
  place-items: center;
  color: #9eaca3;
}
.action-group button:hover,
.action-group .delivered-action {
  background: #e6f7ed;
  color: #219e68;
  border-color: #c5ead3;
}
.action-group .skipped-action {
  background: #fff0e9;
  color: #d4875d;
  border-color: #f2d6c8;
}
.mini-summary {
  display: grid;
  grid-template-columns: repeat(3, 1fr);
  gap: 16px;
  margin-bottom: 20px;
}
.mini-summary > div {
  background: #fff;
  border: 1px solid #e8eeea;
  border-radius: 11px;
  padding: 17px;
  display: flex;
  align-items: center;
  gap: 12px;
}
.mini-icon {
  height: 39px;
```

```
1021    width: 39px;
1022  }
1023  .mini-summary b,
1024  .mini-summary small {
1025    display: block;
1026  }
1027  .mini-summary b {
1028    font:
1029      800 18px system-ui,
1030      -apple-system,
1031      "Segoe UI",
1032      sans-serif;
1033  }
1034  .mini-summary small {
1035    font-size: 10px;
1036    color: #9aaba0;
1037    margin-top: 2px;
1038  }
1039  .count-pill {
1040    font-size: 10px;
1041    font-weight: 700;
1042    color: #6c8275;
1043    background: #f2f6f3;
1044    padding: 7px 10px;
1045    border-radius: 20px;
1046  }
1047  .customer-actions {
1048    display: flex;
1049    justify-content: flex-end;
1050    gap: 6px;
1051  }
1052  .customer-actions button {
1053    border: 1px solid #e7eee8;
1054    background: white;
1055    border-radius: 6px;
1056    color: #658173;
1057    font-size: 10px;
1058    font-weight: 700;
1059    padding: 6px 8px;
1060  }
1061  .customer-actions button:hover {
1062    border-color: #9ed4ba;
1063    color: #179576;
1064  }
1065  .positive-text {
1066    color: #27a36a !important;
1067  }
1068  .due-text {
1069    color: #e19a46;
1070  }
1071  .info-note {
1072    display: flex;
1073    align-items: center;
1074    gap: 8px;
1075    margin-top: 17px;
1076    color: #8fa096;
1077    font-size: 11px;
1078  }
1079  .empty-state {
1080    min-height: 170px;
1081    display: flex;
1082    align-items: center;
1083    justify-content: center;
1084    flex-direction: column;
1085    gap: 7px;
1086    color: #a7b8ad;
1087  }
1088  .empty-state b {
```

```
  font-size: 12px;
  color: #577163;
}
.empty-state span {
  font-size: 11px;
}
.settings-grid {
  display: grid;
  grid-template-columns: 1fr 1fr;
  gap: 19px;
}
.settings-card {
  padding: 25px;
}
.settings-icon {
  height: 42px;
  width: 42px;
  background: #e4f6ee;
  border-radius: 11px;
  display: grid;
  place-items: center;
  color: #159a7b;
  margin-bottom: 15px;
}
.settings-icon.orange {
  background: #fff2e3;
  color: #dc9c47;
}
.settings-card h3 {
  font-size: 15px;
  margin-bottom: 9px;
}
.settings-card p {
  font-size: 12px;
  color: #81948a;
  line-height: 1.7;
}
.guide-list {
  border-top: 1px solid #eaf0eb;
  margin-top: 22px;
  padding-top: 18px;
  display: grid;
  gap: 12px;
}
.guide-list div {
  font-size: 11px;
  color: #697e71;
  display: flex;
  align-items: center;
  gap: 10px;
}
.guide-list span {
  height: 23px;
  width: 23px;
  flex: none;
  border-radius: 50%;
  background: #e8f7ee;
  color: #1a9c78;
  display: grid;
  place-items: center;
  font-weight: 800;
}
.danger-button {
  margin-top: 19px;
  color: #bd6c62;
  border-color: #f1ddd8;
}
.danger-button:hover {
```

```
    background: #fff3ef;
  }
  .modal-backdrop {
    position: fixed;
    inset: 0;
    background: #12291db0;
    z-index: 40;
    display: grid;
    place-items: center;
    padding: 20px;
  }
  .modal {
    width: min(510px, 100%);
    max-height: min(90vh, 800px);
    overflow-y: auto;
    background: white;
    border-radius: 15px;
    box-shadow: 0 25px 80px #06211955;
    padding: 25px;
  }
  .modal-header {
    display: flex;
    justify-content: space-between;
    align-items: start;
    margin-bottom: 23px;
  }
  .modal-header h2 {
    font-size: 21px;
    letter-spacing: -0.7px;
  }
  .modal-header .eyebrow {
    font-size: 9px;
    margin-bottom: 6px;
  }
  .icon-button {
    height: 30px;
    width: 30px;
    border: 0;
    background: transparent;
    color: #8fa299;
    display: grid;
    place-items: center;
    border-radius: 7px;
  }
  .icon-button:hover {
    background: #eef4f0;
  }
  .form-grid {
    display: grid;
    grid-template-columns: 1fr 1fr;
    gap: 15px;
  }
  .field {
    font-size: 11px;
    font-weight: 700;
    color: #536e5d;
    display: flex;
    flex-direction: column;
    gap: 7px;
  }
  .field.full {
    grid-column: 1/-1;
  }
  .field input,
  .field select {
    width: 100%;
    height: 37px;
    border: 1px solid #dce7dd;
```

```
    border-radius: 8px;
    padding: 0 10px;
    outline: 0;
    background: white;
    color: #2a4034;
    font-size: 12px;
  }
  .field input:focus,
  .field select:focus {
    border-color: #1aa582;
    box-shadow: 0 0 0 3px #1aa5821f;
  }
  .field input::placeholder {
    color: #abbab0;
  }
  .modal-actions {
    display: flex;
    justify-content: flex-end;
    gap: 9px;
    border-top: 1px solid #edf2ee;
    padding-top: 19px;
    margin-top: 23px;
  }
  .modal-copy {
    font-size: 12px;
    color: #6d8576;
    line-height: 1.6;
    margin: -5px 0 19px;
  }
  .payment-modal {
    width: min(420px, 100%);
  }
  .toast {
    position: fixed;
    right: 24px;
    bottom: 24px;
    z-index: 60;
    background: #183c2e;
    color: white;
    display: flex;
    align-items: center;
    gap: 9px;
    border-radius: 9px;
    padding: 12px 17px;
    box-shadow: 0 10px 35px #11352233;
    font-size: 12px;
    font-weight: 700;
  }
  .toast svg {
    color: #89e9ab;
  }
  .mobile-menu,
  .mobile-overlay {
    display: none;
  }
  @media (max-width: 1100px) {
    .sidebar {
      width: 214px;
    }
    .page-content {
      padding: 30px 26px 50px;
    }
    .topbar {
      padding: 0 26px;
    }
    .stats-grid {
      gap: 11px;
    }
```

```
1293    .stat-card {
1294      padding: 14px 12px;
1295    }
1296    .stat-value {
1297      font-size: 18px;
1298    }
1299    td,
1300    th {
1301      padding-left: 14px;
1302      padding-right: 14px;
1303    }
1304  }
1305  @media (max-width: 800px) {
1306    .sidebar {
1307      position: fixed;
1308      left: -250px;
1309      top: 0;
1310      width: 248px;
1311      transition: left 0.2s;
1312      box-shadow: 15px 0 40px #001f1f12;
1313    }
1314    .sidebar.sidebar-open {
1315      left: 0;
1316    }
1317    .mobile-overlay {
1318      display: block;
1319      position: fixed;
1320      inset: 0;
1321      border: 0;
1322      background: #0b241c80;
1323      z-index: 19;
1324    }
1325    .mobile-menu {
1326      display: grid;
1327    }
1328    .topbar {
1329      height: 62px;
1330    }
1331    .stats-grid {
1332      grid-template-columns: repeat(2, 1fr);
1333    }
1334    .dashboard-grid {
1335      grid-template-columns: 1fr;
1336    }
1337    .page-content {
1338      padding: 26px 20px 45px;
1339    }
1340    .hero-banner {
1341      height: 166px;
1342    }
1343    .hero-graphic {
1344      width: 215px;
1345    }
1346    .hero-milk {
1347      right: 51px;
1348    }
1349    .circle-one {
1350      right: -22px;
1351    }
1352    .circle-two {
1353      right: 8px;
1354    }
1355    .spark-one {
1356      right: 7px;
1357    }
1358    .mini-summary {
1359      gap: 8px;
1360    }
```

```
1361    .mini-summary > div {
1362      padding: 12px 8px;
1363      gap: 7px;
1364    }
1365    .mini-icon {
1366      width: 30px;
1367      height: 30px;
1368    }
1369    .mini-summary b {
1370      font-size: 14px;
1371    }
1372  }
1373  @media (max-width: 560px) {
1374    .topbar {
1375      padding: 0 16px;
1376    }
1377    .topbar-date,
1378    .topbar-divider {
1379      display: none;
1380    }
1381    .page-content {
1382      padding: 22px 13px 40px;
1383    }
1384    .page-heading {
1385      align-items: start;
1386      flex-direction: column;
1387      gap: 15px;
1388    }
1389    .page-heading h1 {
1390      font-size: 25px;
1391    }
1392    .hero-graphic {
1393      opacity: 0.17;
1394      position: absolute;
1395      right: 0;
1396    }
1397    .hero-copy {
1398      padding: 24px 19px;
1399    }
1400    .hero-copy h2 {
1401      font-size: 22px;
1402    }
1403    .stats-grid {
1404      gap: 8px;
1405    }
1406    .stat-card {
1407      min-height: 115px;
1408      padding: 12px 11px;
1409    }
1410    .stat-icon {
1411      width: 29px;
1412      height: 29px;
1413    }
1414    .stat-icon svg {
1415      width: 17px;
1416    }
1417    .stat-value {
1418      font-size: 17px;
1419    }
1420    .stat-label {
1421      font-size: 10px;
1422    }
1423    .stat-foot {
1424      font-size: 9px;
1425    }
1426    .progress-body {
1427      gap: 22px;
1428    }
```

```
1429    .progress-ring {
1430      height: 120px;
1431      width: 120px;
1432    }
1433    .progress-breakdown {
1434      min-width: 105px;
1435    }
1436    .card-header,
1437    .list-heading {
1438      padding-left: 15px;
1439      padding-right: 15px;
1440    }
1441    .filter-bar {
1442      padding-left: 14px;
1443      padding-right: 14px;
1444    }
1445    .search-field {
1446      width: 100%;
1447    }
1448    .date-switch input {
1449      max-width: 112px;
1450    }
1451    .mini-summary {
1452      grid-template-columns: 1fr 1fr;
1453    }
1454    .mini-summary > div:last-child {
1455      grid-column: 1/-1;
1456    }
1457    .settings-grid {
1458      grid-template-columns: 1fr;
1459    }
1460    .form-grid {
1461      grid-template-columns: 1fr;
1462    }
1463    .field.full {
1464      grid-column: auto;
1465    }
1466    .modal {
1467      padding: 19px;
1468    }
1469    .topbar-left {
1470      gap: 7px;
1471    }
1472    .hero-banner {
1473      margin-bottom: 14px;
1474    }
1475    .info-note {
1476      line-height: 1.5;
1477    }
1478  }
```

.gitignore

```
node_modules/
dist/
.DS_Store
*.local
```

package-lock.json

```
{
  "name": "milk-delivery-management",
  "version": "1.0.0",
  "lockfileVersion": 3,
  "requires": true,
  "packages": {
    "": {
      "name": "milk-delivery-management",
      "version": "1.0.0",
      "dependencies": {
        "lucide-react": "^0.468.0",
        "react": "^18.3.1",
        "react-dom": "^18.3.1"
      },
      "devDependencies": {
        "prettier": "^3.6.2",
        "vite": "^6.0.5"
      }
    },
    "node_modules/@esbuild/aix-ppc64": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/aix-ppc64/-/aix-ppc64-0.25.12.tgz",
      "integrity": "sha512-Hhmwd6CInZ3dwpuGTF8fJG6yoWmsToE+vYgD4nytZVxcu1ulHpUQRAB1UJ8+N1Am3Mz4+xOByoQo
SZf4D+CpkA==",
      "cpu": [
        "ppc64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "aix"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/android-arm": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/android-arm/-/android-arm-0.25.12.tgz",
      "integrity": "sha512-VJ+sKvNA/GE7Ccacc9Cha7bpS8nyzVv0jdVgwNDaR4gDMC/2TTRc33Ip8qrNYUcpkOHUT5OZ0bUc
NNVZQ9RLlg==",
      "cpu": [
        "arm"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "android"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/android-arm64": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/android-arm64/-/android-arm64-0.25.12.tgz",
      "integrity": "sha512-6AAmLG7zwD1Z159jCKPvAxZd4y/VTO0VkprYy+3N2FtJ8+BQWFXU+OxARIwA46c5tdD9SsKGZ/1o
cqBS/gAKHg==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "android"
```

```
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/android-x64": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/android-x64/-/android-x64-0.25.12.tgz",
      "integrity": "sha512-5jbb+2hhDHx5phYR2By8GTWEzn6I9UqR11Kwf22iKbNpYrsmRB18aX/9ivc5cabcUiAT/wM+YIZ6SG9QO6a8kg==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "android"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/darwin-arm64": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/darwin-arm64/-/darwin-arm64-0.25.12.tgz",
      "integrity": "sha512-N3zl+lxHCifgIlcMUP5016ESkeQjLj/959RxxNYIthIg+CQHInujFuXeWbWMgnTo4cp5XVHqFPmpyu9J65C1Yg==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "darwin"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/darwin-x64": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/darwin-x64/-/darwin-x64-0.25.12.tgz",
      "integrity": "sha512-HQ9ka4Kx21qHXwtlTUVbKJOAnmG1ipXhdWTmNXiPzPfWKpXqASVcWdnf2bnL73wgjNrFXAa3yYvBSd9pzfEIpA==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "darwin"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/freebsd-arm64": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/freebsd-arm64/-/freebsd-arm64-0.25.12.tgz",
      "integrity": "sha512-gA0Bx759+7Jve03K1S0vkOu5Lg/85dou3EseOGUes8flVOGxbhDDh/iZaoek11Y8mtyKPGF3vP8XhnkDEAmzeg==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
```

```
      "license": "MIT",
      "optional": true,
      "os": [
        "freebsd"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/freebsd-x64": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/freebsd-x64/-/freebsd-x64-0.25.12.tgz",
      "integrity": "sha512-TGbO26Yw2xsHzxtbVFGEXBFH0FRAP7gtcPE7P5yP7wGy7cXK2oO7RyOhL5NLiqTlBh47XhmIUXuGciXEqYFfBQ==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "freebsd"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-arm": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/linux-arm/-/linux-arm-0.25.12.tgz",
      "integrity": "sha512-lPDGyC1JPDou8kGcywY0YILzWlhhnRjdof3UlcoqYmS9El818LLfJJc3PXXgZHrHCAKs/Z2SeZtDJr5MrkxtOw==",
      "cpu": [
        "arm"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-arm64": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/linux-arm64/-/linux-arm64-0.25.12.tgz",
      "integrity": "sha512-8bwX7a8FghIgrupcxb4aUmYDLp8pX06rGh5HqDT7bB+8Rdells6mHvrFHHW2JAOPZUbnjUpKTLg6ECyzvas2AQ==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-ia32": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/linux-ia32/-/linux-ia32-0.25.12.tgz",
      "integrity": "sha512-0y9KrdVnbMM2/vG8KfU0byhUN+EFCny9+8g202gYqSSVMonbsCfLjUO+rCci7pM0WBEtz+oK/PIwHkzxkyharA==",
```

```
194       "cpu": [
195         "ia32"
196       ],
197       "dev": true,
198       "license": "MIT",
199       "optional": true,
200       "os": [
201         "linux"
202       ],
203       "engines": {
204         "node": ">=18"
205       }
206     },
207     "node_modules/@esbuild/linux-loong64": {
208       "version": "0.25.12",
209       "resolved": "https://registry.npmjs.org/@esbuild/linux-loong64/-/linux-loong64-0.25.12.tgz",
210       "integrity": "sha512-h///Lr5a9rib/v1GGqXVGzjL4TMvVTv+s1DPoxQdz7l/AYv6LDSxdIwzxkrPW438oUXiDtwM10o9
  · PmwS/6Z0Ng==",
211       "cpu": [
212         "loong64"
213       ],
214       "dev": true,
215       "license": "MIT",
216       "optional": true,
217       "os": [
218         "linux"
219       ],
220       "engines": {
221         "node": ">=18"
222       }
223     },
224     "node_modules/@esbuild/linux-mips64el": {
225       "version": "0.25.12",
226       "resolved": "https://registry.npmjs.org/@esbuild/linux-mips64el/-/linux-mips64el-0.25.12.tgz",
227       "integrity": "sha512-iyRrM1Pzy9GFMDLsXn1iHUm18nhKnNMWscjmp4+hpafcZjrr2WbT//d20xaGljXDBYHqRcl8Hnxb
  · X6uaA/eGVw==",
228       "cpu": [
229         "mips64el"
230       ],
231       "dev": true,
232       "license": "MIT",
233       "optional": true,
234       "os": [
235         "linux"
236       ],
237       "engines": {
238         "node": ">=18"
239       }
240     },
241     "node_modules/@esbuild/linux-ppc64": {
242       "version": "0.25.12",
243       "resolved": "https://registry.npmjs.org/@esbuild/linux-ppc64/-/linux-ppc64-0.25.12.tgz",
244       "integrity": "sha512-9meM/lRXxMi5PSUqEXRCtVjEZBGwB7P/D4yT8UG/mwIdze2aV4Vo6U5gD3+RsoHXKkHCfSxZKzmD
  · ssVlRj1QQA==",
245       "cpu": [
246         "ppc64"
247       ],
248       "dev": true,
249       "license": "MIT",
250       "optional": true,
251       "os": [
252         "linux"
253       ],
254       "engines": {
255         "node": ">=18"
256       }
257     },
258     "node_modules/@esbuild/linux-riscv64": {
```

```
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/linux-riscv64/-/linux-riscv64-0.25.12.tgz",
      "integrity": "sha512-Zr7KR4hgKUpWAwb1f3o5ygT04MzqVrGEGXGLnj15YQDJErYu/BGg+wmFlIDOdJp0PmB0lLvxFIOXZgFRrdjR0w==",
      "cpu": [
        "riscv64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-s390x": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/linux-s390x/-/linux-s390x-0.25.12.tgz",
      "integrity": "sha512-MsKncOcgTNvdtiISc/jZs/Zf8d0cl/t3gYWX8J9ubBnVOwlk65UIEEvgBORTiljloIWnBzLs4qhzPkJcitIzIg==",
      "cpu": [
        "s390x"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-x64": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/linux-x64/-/linux-x64-0.25.12.tgz",
      "integrity": "sha512-uqZMTLr/zR/ed4jIGnwSLkaHmPjOjJvnm6TVVitAa08SLS9Z0VM8wIRx7gWbJB5/J54YuIMInDquWyYvQLZkgw==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/netbsd-arm64": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/netbsd-arm64/-/netbsd-arm64-0.25.12.tgz",
      "integrity": "sha512-xXwcTq4GhRM7J9A8Gv5boanHhRa/Q9KLVmcyXHCTaM4wKfIpWkdXiMog/KsnxzJ0A1+nD+zoecuzqPmCRyBGjg==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "netbsd"
      ],
      "engines": {
```

```
323         "node": ">=18"
324       }
325     },
326     "node_modules/@esbuild/netbsd-x64": {
327       "version": "0.25.12",
328       "resolved": "https://registry.npmjs.org/@esbuild/netbsd-x64/-/netbsd-x64-0.25.12.tgz",
329       "integrity": "sha512-Ld5pTlzPy3YwGec4OuHh1aCVCRvOXdH8DgRjfDy/oumVovmuSzWfnSJg+VtakB9Cm0gxNO9BzWkj
  · 6mtO1FMXkQ==",
330       "cpu": [
331         "x64"
332       ],
333       "dev": true,
334       "license": "MIT",
335       "optional": true,
336       "os": [
337         "netbsd"
338       ],
339       "engines": {
340         "node": ">=18"
341       }
342     },
343     "node_modules/@esbuild/openbsd-arm64": {
344       "version": "0.25.12",
345       "resolved": "https://registry.npmjs.org/@esbuild/openbsd-arm64/-/openbsd-arm64-0.25.12.tgz",
346       "integrity": "sha512-fF96T6KsBo/pkQI950FARU9apGNTSlZGsv1jZBAlcLL1MLjLNIWPBkj5NlSz8aAzYKg+eNqknrUJ
  · 24QBybeR5A==",
347       "cpu": [
348         "arm64"
349       ],
350       "dev": true,
351       "license": "MIT",
352       "optional": true,
353       "os": [
354         "openbsd"
355       ],
356       "engines": {
357         "node": ">=18"
358       }
359     },
360     "node_modules/@esbuild/openbsd-x64": {
361       "version": "0.25.12",
362       "resolved": "https://registry.npmjs.org/@esbuild/openbsd-x64/-/openbsd-x64-0.25.12.tgz",
363       "integrity": "sha512-MZyXUkZHjQxUvzK7rN8DJ3SRmrVrke8ZyRusHlP+kuwqTcfWLyqMOE3sScPPyeIXN/mDJIfGXvcM
  · qCgYKekoQw==",
364       "cpu": [
365         "x64"
366       ],
367       "dev": true,
368       "license": "MIT",
369       "optional": true,
370       "os": [
371         "openbsd"
372       ],
373       "engines": {
374         "node": ">=18"
375       }
376     },
377     "node_modules/@esbuild/openharmony-arm64": {
378       "version": "0.25.12",
379       "resolved": "https://registry.npmjs.org/@esbuild/openharmony-arm64/-/openharmony-arm64-0.25.12.tg
  · z",
380       "integrity": "sha512-rm0YWsqUSRrjncSXGA7Zv78Nbnw4XL6/dzr20cyrQf7ZmRcsovpcRBdhD43Nuk3y7XIoW2OxMVvw
  · uRvk9XdASg==",
381       "cpu": [
382         "arm64"
383       ],
384       "dev": true,
385       "license": "MIT",
```

```
      "optional": true,
      "os": [
        "openharmony"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/sunos-x64": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/sunos-x64/-/sunos-x64-0.25.12.tgz",
      "integrity": "sha512-3wGSCDyuTHQUzt0nV7bocDy72r2lI33QL3gkDNGkod22EsYl04sMf0qLb8luNKTOmgF/eDEDP5BF
NwoBKH441w==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "sunos"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/win32-arm64": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/win32-arm64/-/win32-arm64-0.25.12.tgz",
      "integrity": "sha512-rMmLrur64A7+DKlnSuwqUdRKyd3UE7oPJZmnljqEptesKM8wx9J8gx5u0+9Pq0fQQW8vqeKebwNX
dfOyP+8Bsg==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "win32"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/win32-ia32": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/win32-ia32/-/win32-ia32-0.25.12.tgz",
      "integrity": "sha512-HkqnmmBoCbCwxUKKNPBixiWDGCpQGVsrQfJoVGYLPT41XWF8lHuE5N6WhVia2n4o5QK5M4tYr218
27fNhi4byQ==",
      "cpu": [
        "ia32"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "win32"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/win32-x64": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/@esbuild/win32-x64/-/win32-x64-0.25.12.tgz",
      "integrity": "sha512-alJC0uCZpTFrSL0CCDjcgleBXPnCrEAhTBILpeAp7M/OFgoqtAetfBzX0xM00MUsVVPpVjlPuMbR
EqnZCXaTnA==",
      "cpu": [
```

```
450         "x64"
451       ],
452       "dev": true,
453       "license": "MIT",
454       "optional": true,
455       "os": [
456         "win32"
457       ],
458       "engines": {
459         "node": ">=18"
460       }
461     },
462     "node_modules/@napi-rs/lzma-linux-x64-gnu": {
463       "version": "1.5.1",
464       "resolved": "https://registry.npmjs.org/@napi-rs/lzma-linux-x64-gnu/-/lzma-linux-x64-gnu-1.5.1.tg
  · z",
465       "integrity": "sha512-oTXEIha4SsuXdTA4Iyskj0kpdx2yVXdhd75c2v3xGrHFfVMsbhTPZU/nMPL4sWKo4pBHm3aucLaq
  · GlF696dTyQ==",
466       "cpu": [
467         "x64"
468       ],
469       "dev": true,
470       "license": "MIT",
471       "optional": true,
472       "os": [
473         "linux"
474       ],
475       "engines": {
476         "node": "^22.20 || ^24.12 || >=25"
477       }
478     },
479     "node_modules/@rollup/rollup-android-arm-eabi": {
480       "version": "4.64.5",
481       "resolved": "https://registry.npmjs.org/@rollup/rollup-android-arm-eabi/-/rollup-android-arm-eabi
  · -4.64.5.tgz",
482       "integrity": "sha512-MrfgRQSpD5hkkRg6XI16B6EDLb+6+xp8xje6bpdSwkYw+qxrBKbUVrRAQu9h82UT+QumSIVQ8HXs
  · XjPd2dlhqw==",
483       "cpu": [
484         "arm"
485       ],
486       "dev": true,
487       "license": "MIT",
488       "optional": true,
489       "os": [
490         "android"
491       ]
492     },
493     "node_modules/@rollup/rollup-android-arm64": {
494       "version": "4.64.5",
495       "resolved": "https://registry.npmjs.org/@rollup/rollup-android-arm64/-/rollup-android-arm64-4.64.
  · 5.tgz",
496       "integrity": "sha512-+uu2p/R9Tzn8GpoQyX1pAo5dmKT1DhXevfaCzqzmPFhnLjHLWw7uWkaVGlxmhwYoRiYYhsGfRcD5
  · cTBpL7rgSw==",
497       "cpu": [
498         "arm64"
499       ],
500       "dev": true,
501       "license": "MIT",
502       "optional": true,
503       "os": [
504         "android"
505       ]
506     },
507     "node_modules/@rollup/rollup-darwin-arm64": {
508       "version": "4.64.5",
509       "resolved": "https://registry.npmjs.org/@rollup/rollup-darwin-arm64/-/rollup-darwin-arm64-4.64.5.
  · tgz",
510       "integrity": "sha512-17dys+YEmzwzzFVHQAVDONg5FALXY9kd99HFEpfk4gJVHYxoh5bGea3D4t1fXXnwkTcOe25wPyd6
```

```
nWS0I8IdLQ==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "darwin"
      ]
    },
    "node_modules/@rollup/rollup-darwin-x64": {
      "version": "4.64.5",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-darwin-x64/-/rollup-darwin-x64-4.64.5.tgz"
,
      "integrity": "sha512-wg0zQEKkEvFZf1UaaX1UELOoPs//OSKUG7D+yITuqOsAvza7LvHTv5Wu4nmMfzNG7EYI2jp2PJC7
Id6OETmsYQ==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "darwin"
      ]
    },
    "node_modules/@rollup/rollup-freebsd-arm64": {
      "version": "4.64.5",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-freebsd-arm64/-/rollup-freebsd-arm64-4.64.
5.tgz",
      "integrity": "sha512-CoJmWcpEMuwin+TZ/ev/H9uDyF/uxUKQSWXdmIPn/UBx/uGV9+4ebMp0FwnlhWR9PE1AdzYsKf3b
Zevhif38+A==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "freebsd"
      ]
    },
    "node_modules/@rollup/rollup-freebsd-x64": {
      "version": "4.64.5",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-freebsd-x64/-/rollup-freebsd-x64-4.64.5.tg
z",
      "integrity": "sha512-PxZnLAaTUAL5xG0W2BXLeYPKrK2b3LIASV2/e/Kf7PZvSLI1iAQIm9B9aJD+YyFIT7hc6qaMV3+O
OO35R28LfA==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "freebsd"
      ]
    },
    "node_modules/@rollup/rollup-linux-arm-gnueabihf": {
      "version": "4.64.5",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm-gnueabihf/-/rollup-linux-arm-gnu
eabihf-4.64.5.tgz",
      "integrity": "sha512-uPo3IvnONjhbFXwWgroBeFwOicuhT7ZwQrnzkzmOtBJzeQbkUJUE1SJDfDI31ijQ5+ZUIA6sPrdU
MxTSnxUWAg==",
      "cpu": [
        "arm"
      ],
```

```
570       "dev": true,
571       "license": "MIT",
572       "optional": true,
573       "os": [
574         "linux"
575       ]
576     },
577     "node_modules/@rollup/rollup-linux-arm-musleabihf": {
578       "version": "4.64.5",
579       "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm-musleabihf/-/rollup-linux-arm-mu
  · sleabihf-4.64.5.tgz",
580       "integrity": "sha512-ywI8Jyuc4LyHYTjC0mw4yA1ulvZBkHusdpWnoiEBsmBuHvSnt90btTBGCZ+s/2y+YNNfVAEKy33n
  · Po5UI9zTmg==",
581       "cpu": [
582         "arm"
583       ],
584       "dev": true,
585       "license": "MIT",
586       "optional": true,
587       "os": [
588         "linux"
589       ]
590     },
591     "node_modules/@rollup/rollup-linux-arm64-gnu": {
592       "version": "4.64.5",
593       "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm64-gnu/-/rollup-linux-arm64-gnu-4
  · .64.5.tgz",
594       "integrity": "sha512-tmuXJoQ/3ovSr637aykZMdQteU/CB2APAz2CrvsbibuoHZi1BS1Db13cVViBdEARGwXCLn1DSJ8w
  · sjoThLJPGA==",
595       "cpu": [
596         "arm64"
597       ],
598       "dev": true,
599       "license": "MIT",
600       "optional": true,
601       "os": [
602         "linux"
603       ]
604     },
605     "node_modules/@rollup/rollup-linux-arm64-musl": {
606       "version": "4.64.5",
607       "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-arm64-musl/-/rollup-linux-arm64-musl
  · -4.64.5.tgz",
608       "integrity": "sha512-5FMjSYNcUOHx7oW8Qu9KB6jGPpvF/8sG7+BDHwU/Ihh1/6FMJ9ySmsFG4tJ1qbNRuP8OLzCBDso4
  · sF0mQaLuFQ==",
609       "cpu": [
610         "arm64"
611       ],
612       "dev": true,
613       "license": "MIT",
614       "optional": true,
615       "os": [
616         "linux"
617       ]
618     },
619     "node_modules/@rollup/rollup-linux-loong64-gnu": {
620       "version": "4.64.5",
621       "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-loong64-gnu/-/rollup-linux-loong64-g
  · nu-4.64.5.tgz",
622       "integrity": "sha512-K8ZJ+neLDbUkIrL8dqF/5LtuVCrKwo27kREgOlxjBEjlOXwHvDnHLU8Z/UKv/B49qi7e8hsSDOyo
  · JwhwqhvX4w==",
623       "cpu": [
624         "loong64"
625       ],
626       "dev": true,
627       "license": "MIT",
628       "optional": true,
629       "os": [
```

```
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-loong64-musl": {
      "version": "4.64.5",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-loong64-musl/-/rollup-linux-loong64-musl-4.64.5.tgz",
      "integrity": "sha512-NlVxsq7PFPv0DBKGuNWRDKixQYQCjM53zl04mxEcKMBmJbCBIUm1JdPfIWDRHyOOFzzYPmLQzfeEwh4716ayQg==",
      "cpu": [
        "loong64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-ppc64-gnu": {
      "version": "4.64.5",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-ppc64-gnu/-/rollup-linux-ppc64-gnu-4.64.5.tgz",
      "integrity": "sha512-ARhRHJYs5eCFet5azfrHD97vOkD8OzNW2RSMlvo5CcBqXaTOLfp0OHDtUQh7/K5AL5fUYoFp2fgC9KDg4vVYMQ==",
      "cpu": [
        "ppc64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-ppc64-musl": {
      "version": "4.64.5",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-ppc64-musl/-/rollup-linux-ppc64-musl-4.64.5.tgz",
      "integrity": "sha512-atSgreM5C7jpxd9aEXN+6vJ5wTd05iYw+S3FiQpw7VsoEl8B90llbq35ARON+GOHj5QlVQEq2vOKWCHTob/BSQ==",
      "cpu": [
        "ppc64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-riscv64-gnu": {
      "version": "4.64.5",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-riscv64-gnu/-/rollup-linux-riscv64-gnu-4.64.5.tgz",
      "integrity": "sha512-vmlmwBFGnjVWxSRoVabNkyYuscSmg52Pd0fM8jEbNT3Jmka4A6HcB84x4uAmuumznWfBVaxKOqU6jbEgomWKCA==",
      "cpu": [
        "riscv64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-riscv64-musl": {
```

```
690       "version": "4.64.5",
691       "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-riscv64-musl/-/rollup-linux-riscv64-
  ·   musl-4.64.5.tgz",
692       "integrity": "sha512-hhJrP6S9WkbsbcHgUkvCBS5Cn8IdsG8XjlLZyxjnv9+NdoYfbbZE4TWJYr8apdaj1M5t5Y1id2St
  ·   nEslxpNFyA==",
693       "cpu": [
694         "riscv64"
695       ],
696       "dev": true,
697       "license": "MIT",
698       "optional": true,
699       "os": [
700         "linux"
701       ]
702     },
703     "node_modules/@rollup/rollup-linux-s390x-gnu": {
704       "version": "4.64.5",
705       "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-s390x-gnu/-/rollup-linux-s390x-gnu-4
  ·   .64.5.tgz",
706       "integrity": "sha512-NNVCyN9pGrwFmQa4bf+Cnf5aVH3g6ZpnlOg1Cs/H9swIHT9bRixijfzUqyEIWm1WtiAuR1LJ+rJH
  ·   6zpBm8kgQA==",
707       "cpu": [
708         "s390x"
709       ],
710       "dev": true,
711       "license": "MIT",
712       "optional": true,
713       "os": [
714         "linux"
715       ]
716     },
717     "node_modules/@rollup/rollup-linux-x64-gnu": {
718       "version": "4.64.5",
719       "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-x64-gnu/-/rollup-linux-x64-gnu-4.64.
  ·   5.tgz",
720       "integrity": "sha512-dR9nd6OKnvSS60Ifz/L7Mj5zzYyoqyRn2NwTuaOONKaa3xsVGXyp8YusMbvFyEOR94DxnwgcbgsF
  ·   qkHd29ZSzQ==",
721       "cpu": [
722         "x64"
723       ],
724       "dev": true,
725       "license": "MIT",
726       "optional": true,
727       "os": [
728         "linux"
729       ]
730     },
731     "node_modules/@rollup/rollup-linux-x64-musl": {
732       "version": "4.64.5",
733       "resolved": "https://registry.npmjs.org/@rollup/rollup-linux-x64-musl/-/rollup-linux-x64-musl-4.6
  ·   4.5.tgz",
734       "integrity": "sha512-1tzsMjaqhsh3bAO6SJiJqh8hIr9sSPRd+i2vPPxJHod8/XYnf9TEnK0z/u3r1z1AkI347X0KbRSg
  ·   9dWcxeGahw==",
735       "cpu": [
736         "x64"
737       ],
738       "dev": true,
739       "license": "MIT",
740       "optional": true,
741       "os": [
742         "linux"
743       ]
744     },
745     "node_modules/@rollup/rollup-openbsd-x64": {
746       "version": "4.64.5",
747       "resolved": "https://registry.npmjs.org/@rollup/rollup-openbsd-x64/-/rollup-openbsd-x64-4.64.5.tg
  ·   z",
748       "integrity": "sha512-01mWMQblKoXXsmk28KXtpbA96w7g/aOWUoV3AC16fdHdqkykGalqyyM+5u8M7uP5/MEMiiPv69Hv
```

```
7iv/hEH/dA==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "openbsd"
      ]
    },
    "node_modules/@rollup/rollup-openharmony-arm64": {
      "version": "4.64.5",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-openharmony-arm64/-/rollup-openharmony-arm
64-4.64.5.tgz",
      "integrity": "sha512-trdnMPb/DNm4V/CgsaoGgr90HfQQ071wfK0KoIs4YpLvjBgVQGXhGabg2Z6nK4EcYNilrb9ZZPcs
P6+zpJIdxQ==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "openharmony"
      ]
    },
    "node_modules/@rollup/rollup-win32-arm64-msvc": {
      "version": "4.64.5",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-arm64-msvc/-/rollup-win32-arm64-msvc
-4.64.5.tgz",
      "integrity": "sha512-x2LxZlfdfsw99T6/qb9EqE/Qi84JWzibjyOJyhJsgFJy6CafaTiqIXCCnslCGrV5XWNh7fwrS3Fb
RENcuKnooA==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "win32"
      ]
    },
    "node_modules/@rollup/rollup-win32-ia32-msvc": {
      "version": "4.64.5",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-ia32-msvc/-/rollup-win32-ia32-msvc-4
.64.5.tgz",
      "integrity": "sha512-/Qd/9aDQIo0+jmItgBmPIs8195YVbDxRRApn47GyufgbutCDOh7eP5vSKKlI4QNFeaI+wKQAkSMs
PnF3EuMpaA==",
      "cpu": [
        "ia32"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "win32"
      ]
    },
    "node_modules/@rollup/rollup-win32-x64-gnu": {
      "version": "4.64.5",
      "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-x64-gnu/-/rollup-win32-x64-gnu-4.64.
5.tgz",
      "integrity": "sha512-ngUJ/XvOWrqbd2IMsfXfh2xXFLTP3sY7sCKvxbGvYdBZ1KmXFd3ewDZ9n3/GNzAUgzRuhLT/UvJR
ivbNoAQRBw==",
      "cpu": [
        "x64"
      ],
```

```
808       "dev": true,
809       "license": "MIT",
810       "optional": true,
811       "os": [
812         "win32"
813       ]
814     },
815     "node_modules/@rollup/rollup-win32-x64-msvc": {
816       "version": "4.64.5",
817       "resolved": "https://registry.npmjs.org/@rollup/rollup-win32-x64-msvc/-/rollup-win32-x64-msvc-4.6
  · 4.5.tgz",
818       "integrity": "sha512-IhV6ew/DuzUWwHaYmlh7MrPCV3lKFUq/amTEwysi4r/mwNPAEfAMh5dYWeTSPTeMy2pFHGMEWYtP
  · kHzfX3tG5A==",
819       "cpu": [
820         "x64"
821       ],
822       "dev": true,
823       "license": "MIT",
824       "optional": true,
825       "os": [
826         "win32"
827       ]
828     },
829     "node_modules/@types/estree": {
830       "version": "1.0.9",
831       "resolved": "https://registry.npmjs.org/@types/estree/-/estree-1.0.9.tgz",
832       "integrity": "sha512-GhdPgy1el4/ImP05X05Uw4cw2/M93BCUmnEvWZNStlCzEKME4Fkk+YpoA5OiHNQmoS7Cafb8Xa3P
  · ya8m1Qrzeg==",
833       "dev": true,
834       "license": "MIT"
835     },
836     "node_modules/esbuild": {
837       "version": "0.25.12",
838       "resolved": "https://registry.npmjs.org/esbuild/-/esbuild-0.25.12.tgz",
839       "integrity": "sha512-bbPBYYrtZbkt6Os6FiTLCTFxvq4tt3JKall1vRwshA3fdVztsLAatFaZobhkBC8/BrPetoa0oksY
  · oKXoG4ryJg==",
840       "dev": true,
841       "hasInstallScript": true,
842       "license": "MIT",
843       "bin": {
844         "esbuild": "bin/esbuild"
845       },
846       "engines": {
847         "node": ">=18"
848       },
849       "optionalDependencies": {
850         "@esbuild/aix-ppc64": "0.25.12",
851         "@esbuild/android-arm": "0.25.12",
852         "@esbuild/android-arm64": "0.25.12",
853         "@esbuild/android-x64": "0.25.12",
854         "@esbuild/darwin-arm64": "0.25.12",
855         "@esbuild/darwin-x64": "0.25.12",
856         "@esbuild/freebsd-arm64": "0.25.12",
857         "@esbuild/freebsd-x64": "0.25.12",
858         "@esbuild/linux-arm": "0.25.12",
859         "@esbuild/linux-arm64": "0.25.12",
860         "@esbuild/linux-ia32": "0.25.12",
861         "@esbuild/linux-loong64": "0.25.12",
862         "@esbuild/linux-mips64el": "0.25.12",
863         "@esbuild/linux-ppc64": "0.25.12",
864         "@esbuild/linux-riscv64": "0.25.12",
865         "@esbuild/linux-s390x": "0.25.12",
866         "@esbuild/linux-x64": "0.25.12",
867         "@esbuild/netbsd-arm64": "0.25.12",
868         "@esbuild/netbsd-x64": "0.25.12",
869         "@esbuild/openbsd-arm64": "0.25.12",
870         "@esbuild/openbsd-x64": "0.25.12",
871         "@esbuild/openharmony-arm64": "0.25.12",
```

```
872         "@esbuild/sunos-x64": "0.25.12",
873         "@esbuild/win32-arm64": "0.25.12",
874         "@esbuild/win32-ia32": "0.25.12",
875         "@esbuild/win32-x64": "0.25.12"
876       }
877     },
878     "node_modules/fdir": {
879       "version": "6.5.0",
880       "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
881       "integrity": "sha512-tIbYtZbucOs0BRGqPJkshJUYdL+SDH7dVM8gjy+ERp3WAUjLEFJE+02kanyHtwjWOnwrKYBiwAmM
  · 0p4kLJAnXg==",
882       "dev": true,
883       "license": "MIT",
884       "engines": {
885         "node": ">=12.0.0"
886       },
887       "peerDependencies": {
888         "picomatch": "^3 || ^4"
889       },
890       "peerDependenciesMeta": {
891         "picomatch": {
892           "optional": true
893         }
894       }
895     },
896     "node_modules/fsevents": {
897       "version": "2.3.3",
898       "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
899       "integrity": "sha512-5xoDfX+fL7faATnagmWPpbFtwh/R77WmMMqqHGS65C3vvB0YHrgF+B1YmZ3441tMj5n63k0212XN
  · oJwzlhffQw==",
900       "dev": true,
901       "hasInstallScript": true,
902       "license": "MIT",
903       "optional": true,
904       "os": [
905         "darwin"
906       ],
907       "engines": {
908         "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
909       }
910     },
911     "node_modules/js-tokens": {
912       "version": "4.0.0",
913       "resolved": "https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz",
914       "integrity": "sha512-RdJUflcE3cUzKiMqQgsCu06FPu9UdIJO0beYbPhHN4k6apgJtifcoCtT9bcxOpYBtpD2kCM6Sbzg
  · 4CausW/PKQ==",
915       "license": "MIT"
916     },
917     "node_modules/loose-envify": {
918       "version": "1.4.0",
919       "resolved": "https://registry.npmjs.org/loose-envify/-/loose-envify-1.4.0.tgz",
920       "integrity": "sha512-lyuxPGr/Wfhrlem2CL/UcnUc1zcqKAImBDzukY7Y5F/yQiNdko6+fRLevlw1HgMySw7f611UIY40
  · 8EtxRSoK3Q==",
921       "license": "MIT",
922       "dependencies": {
923         "js-tokens": "^3.0.0 || ^4.0.0"
924       },
925       "bin": {
926         "loose-envify": "cli.js"
927       }
928     },
929     "node_modules/lucide-react": {
930       "version": "0.468.0",
931       "resolved": "https://registry.npmjs.org/lucide-react/-/lucide-react-0.468.0.tgz",
932       "integrity": "sha512-6koYRhnM2N0GGZIdXzSeiNwguv1gt/FAjZOiPl76roBi3xKEXa4WmfpxgQwTTL4KipXjefrnf3oV
  · 4IsYhi4JFA==",
933       "license": "ISC",
934       "peerDependencies": {
```

```
        "react": "^16.5.1 || ^17.0.0 || ^18.0.0 || ^19.0.0-rc"
      }
    },
    "node_modules/nanoid": {
      "version": "3.3.20",
      "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.20.tgz",
      "integrity": "sha512-uKdg2G3GNCKQn9byYOpxbGqrT2fGO5KRt5J/8b3pok8rT6qxGWF6hxMyJiEYtAf+FVyYuD9hRaDq
X5uPFYJ4ZQ==",
      "dev": true,
      "funding": [
        {
          "type": "github",
          "url": "https://github.com/sponsors/ai"
        }
      ],
      "license": "MIT",
      "bin": {
        "nanoid": "bin/nanoid.cjs"
      },
      "engines": {
        "node": "^10 || ^12 || ^13.7 || ^14 || >=15.0.1"
      }
    },
    "node_modules/picocolors": {
      "version": "1.1.1",
      "resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
      "integrity": "sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/Lcu0X8KEyMceP2
ntpaHrDEVA==",
      "dev": true,
      "license": "ISC"
    },
    "node_modules/picomatch": {
      "version": "4.0.7",
      "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.7.tgz",
      "integrity": "sha512-qcJu88Q2IWqJsDD529JKMdwGm/dvInW4HvQnRwiH9JtihJvzGOscDtHE3x1pBKeUOTysQ8kVmLnJ
2kJu7yhcGA==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=12"
      },
      "funding": {
        "url": "https://github.com/sponsors/jonschlinkert"
      }
    },
    "node_modules/postcss": {
      "version": "8.5.30",
      "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.30.tgz",
      "integrity": "sha512-zkd+e9S1AQHhmaBKye9zlFHWjOwVgqXl1q3ECYy8561K7qxR2cREf/STLskulBFd78k6AOFeA+ff
1TtEzk9bAA==",
      "dev": true,
      "funding": [
        {
          "type": "opencollective",
          "url": "https://opencollective.com/postcss/"
        },
        {
          "type": "tidelift",
          "url": "https://tidelift.com/funding/github/npm/postcss"
        },
        {
          "type": "github",
          "url": "https://github.com/sponsors/ai"
        }
      ],
      "license": "MIT",
      "dependencies": {
        "nanoid": "^3.3.20",
```

```
        "picocolors": "^1.1.1",
        "source-map-js": "^1.2.2"
      },
      "engines": {
        "node": "^10 || ^12 || >=14"
      }
    },
    "node_modules/prettier": {
      "version": "3.6.2",
      "resolved": "https://registry.npmjs.org/prettier/-/prettier-3.6.2.tgz",
      "integrity": "sha512-I7AIg5boAr5R0FFtJ6rCfD+LFsWHp81dolrFD8S79U9tb8Az2nGrJncnMSnys+bpQJfRUzqs9hnA81OAA3hCuQ==",
      "dev": true,
      "license": "MIT",
      "bin": {
        "prettier": "bin/prettier.cjs"
      },
      "engines": {
        "node": ">=14"
      },
      "funding": {
        "url": "https://github.com/prettier/prettier?sponsor=1"
      }
    },
    "node_modules/react": {
      "version": "18.3.1",
      "resolved": "https://registry.npmjs.org/react/-/react-18.3.1.tgz",
      "integrity": "sha512-wS+hAgJShR0KhEvPJArfuPVN1+Hz1t0Y6n5jLrGQbkb4urgPE/0Rve+1kMB1v/oWgHgm4WIcV+i7F2pTVj+2iQ==",
      "license": "MIT",
      "dependencies": {
        "loose-envify": "^1.1.0"
      },
      "engines": {
        "node": ">=0.10.0"
      }
    },
    "node_modules/react-dom": {
      "version": "18.3.1",
      "resolved": "https://registry.npmjs.org/react-dom/-/react-dom-18.3.1.tgz",
      "integrity": "sha512-5m4nQKp+rZRb09LNH59GM4BxTh9251/ylbKIbpe7TpGxfJ+9kv6BLkLBXIjjspbgbnIBNqlI23tRnTWT0snUIw==",
      "license": "MIT",
      "dependencies": {
        "loose-envify": "^1.1.0",
        "scheduler": "^0.23.2"
      },
      "peerDependencies": {
        "react": "^18.3.1"
      }
    },
    "node_modules/rollup": {
      "version": "4.64.5",
      "resolved": "https://registry.npmjs.org/rollup/-/rollup-4.64.5.tgz",
      "integrity": "sha512-EAP5ZHcz2ijbgCWwPkpI7zh6bfsri2Ez5FtCy2dCp1k62duXzfG7DLGGh7RU2QQXWwavT+u4qpvDF/TWOiiGTw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@types/estree": "1.0.9"
      },
      "bin": {
        "rollup": "dist/bin/rollup"
      },
      "engines": {
        "node": ">=18.0.0",
        "npm": ">=8.0.0"
      },
```

```
1063        "optionalDependencies": {
1064          "@napi-rs/lzma-linux-x64-gnu": "1.5.1",
1065          "@rollup/rollup-android-arm-eabi": "4.64.5",
1066          "@rollup/rollup-android-arm64": "4.64.5",
1067          "@rollup/rollup-darwin-arm64": "4.64.5",
1068          "@rollup/rollup-darwin-x64": "4.64.5",
1069          "@rollup/rollup-freebsd-arm64": "4.64.5",
1070          "@rollup/rollup-freebsd-x64": "4.64.5",
1071          "@rollup/rollup-linux-arm-gnueabihf": "4.64.5",
1072          "@rollup/rollup-linux-arm-musleabihf": "4.64.5",
1073          "@rollup/rollup-linux-arm64-gnu": "4.64.5",
1074          "@rollup/rollup-linux-arm64-musl": "4.64.5",
1075          "@rollup/rollup-linux-loong64-gnu": "4.64.5",
1076          "@rollup/rollup-linux-loong64-musl": "4.64.5",
1077          "@rollup/rollup-linux-ppc64-gnu": "4.64.5",
1078          "@rollup/rollup-linux-ppc64-musl": "4.64.5",
1079          "@rollup/rollup-linux-riscv64-gnu": "4.64.5",
1080          "@rollup/rollup-linux-riscv64-musl": "4.64.5",
1081          "@rollup/rollup-linux-s390x-gnu": "4.64.5",
1082          "@rollup/rollup-linux-x64-gnu": "4.64.5",
1083          "@rollup/rollup-linux-x64-musl": "4.64.5",
1084          "@rollup/rollup-openbsd-x64": "4.64.5",
1085          "@rollup/rollup-openharmony-arm64": "4.64.5",
1086          "@rollup/rollup-win32-arm64-msvc": "4.64.5",
1087          "@rollup/rollup-win32-ia32-msvc": "4.64.5",
1088          "@rollup/rollup-win32-x64-gnu": "4.64.5",
1089          "@rollup/rollup-win32-x64-msvc": "4.64.5",
1090          "fsevents": "~2.3.2"
1091        }
1092      },
1093      "node_modules/scheduler": {
1094        "version": "0.23.2",
1095        "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.23.2.tgz",
1096        "integrity": "sha512-UOShsPwz7NrMUqhR6t0hWjFduvOzbtv7toDH1/hIrfRNIDBnnBWd0CwJTGvTpngVlmwGCdP9/Zl/
    · tVrDqcuYzQ==",
1097        "license": "MIT",
1098        "dependencies": {
1099          "loose-envify": "^1.1.0"
1100        }
1101      },
1102      "node_modules/source-map-js": {
1103        "version": "1.2.2",
1104        "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.2.tgz",
1105        "integrity": "sha512-KGj/8Y43x35aZVDtt+J4mK1hoLGHULMYfSkODJNQjNDC3oW1PqPoxMwo0pLUsWM/UEGzON/NxeHy
    · wEfNXNP3Vw==",
1106        "dev": true,
1107        "license": "BSD-3-Clause",
1108        "engines": {
1109          "node": ">=0.10.0"
1110        }
1111      },
1112      "node_modules/tinyglobby": {
1113        "version": "0.2.17",
1114        "resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.17.tgz",
1115        "integrity": "sha512-wXR/dYpcqKmfWpEdZjiKJOwCNFndD0DMnrW/cYjVGttEkBfVgcLFHoNrlj47mjOVic9yyNu65als
    · gF4NQyTa2g==",
1116        "dev": true,
1117        "license": "MIT",
1118        "dependencies": {
1119          "fdir": "^6.5.0",
1120          "picomatch": "^4.0.4"
1121        },
1122        "engines": {
1123          "node": ">=12.0.0"
1124        },
1125        "funding": {
1126          "url": "https://github.com/sponsors/SuperchupuDev"
1127        }
```

```
    },
    "node_modules/vite": {
      "version": "6.4.4",
      "resolved": "https://registry.npmjs.org/vite/-/vite-6.4.4.tgz",
      "integrity": "sha512-xGjU/SyjeNyb0E4KxXBvYz/1C+3JXuujvf2hXNOtnlcE+58o5ajd9N2/n2VhkiJvpCP2qQasnUpx
5PXNeI+p1Q==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "esbuild": "^0.25.0",
        "fdir": "^6.4.4",
        "picomatch": "^4.0.2",
        "postcss": "^8.5.3",
        "rollup": "^4.34.9",
        "tinyglobby": "^0.2.13"
      },
      "bin": {
        "vite": "bin/vite.js"
      },
      "engines": {
        "node": "^18.0.0 || ^20.0.0 || >=22.0.0"
      },
      "funding": {
        "url": "https://github.com/vitejs/vite?sponsor=1"
      },
      "optionalDependencies": {
        "fsevents": "~2.3.3"
      },
      "peerDependencies": {
        "@types/node": "^18.0.0 || ^20.0.0 || >=22.0.0",
        "jiti": ">=1.21.0",
        "less": "*",
        "lightningcss": "^1.21.0",
        "sass": "*",
        "sass-embedded": "*",
        "stylus": "*",
        "sugarss": "*",
        "terser": "^5.16.0",
        "tsx": "^4.8.1",
        "yaml": "^2.4.2"
      },
      "peerDependenciesMeta": {
        "@types/node": {
          "optional": true
        },
        "jiti": {
          "optional": true
        },
        "less": {
          "optional": true
        },
        "lightningcss": {
          "optional": true
        },
        "sass": {
          "optional": true
        },
        "sass-embedded": {
          "optional": true
        },
        "stylus": {
          "optional": true
        },
        "sugarss": {
          "optional": true
        },
        "terser": {
          "optional": true
```

```
1195          },
1196          "tsx": {
1197            "optional": true
1198          },
1199          "yaml": {
1200            "optional": true
1201          }
1202        }
1203      }
1204    }
1205  }
```