

Metrica

Tool documentation for an internal marketing reporting platform used by a Brazilian advertising agency to report on the Google Ads accounts it manages on behalf of its clients.

Legal entity	RCS Marketplace de Cambio e Servicos Nacionais e Internacionais Ltda.
Tax ID (CNPJ)	36.749.502/0001-67
Registered address	Rua Professor Joao Candido, 324, Centro, Londrina/PR, 86010-000, Brazil
Website	https://relatorios.redecambioseguro.com.br
Contact e-mail	contato@redecambioseguro.com.br
Google Cloud project	metrica-relatorios (project number 318955553355)
Requested access level	Basic Access
API usage	Read-only reporting

Document date: September 2026

1. What the tool does

Metrica is an internal web application that produces marketing performance reports for the clients of RCS Marketplace de Cambio e Servicos ("the agency"). Each client is represented as a project, and each project links the advertising and analytics accounts that belong to that client.

The application reads performance metrics from those accounts once a day, stores the aggregated numbers, and renders them as a report that the agency shares with the client. Google Ads is one of five data sources; the others are Google Analytics 4, Google Search Console, Google Business Profile and Meta Ads.

The tool is strictly read-only. It does not create, edit, pause, or delete campaigns, ad groups, ads, keywords, budgets, or bids. It has no write path to the Google Ads API of any kind. Its sole purpose is to present, in a single consolidated report, numbers that already exist in the advertiser's account.

2. Who uses it

The application is used exclusively by employees of the agency. It is not distributed, licensed, resold, or made available to third parties, and there is no public sign-up. Access requires an account created by an administrator of the agency.

The Google Ads accounts accessed through the API are accounts that the agency manages on behalf of its clients under service agreements. Access is granted through the standard Google OAuth consent flow by a person who already holds permission on the account, and can be revoked by that person at any time through their Google Account permissions page.

Expected scale at launch: approximately 10 to 25 Google Ads accounts.

3. How the tool uses the Google Ads API

3.1 Services and methods called

Method	Purpose	Frequency
CustomerService.ListAccessibleCustomers	List the accounts the authorized user can access, so the operator can choose which one to link to a client project.	Once when linking an account
GoogleAdsService.SearchStream (customer_client)	Resolve the account tree under a manager account and identify which accounts are manager accounts.	Once when linking an account
GoogleAdsService.SearchStream (customer, campaign)	Retrieve daily performance metrics for reporting.	Once per day per linked account

3.2 Exact queries issued

The application issues three GAQL queries per linked account per day. No other query shapes exist in the codebase.

```
-- 1. Account totals, one row per day
SELECT segments.date,
       metrics.impressions, metrics.clicks, metrics.cost_micros,
       metrics.conversions, metrics.conversions_value,
       metrics.interactions, metrics.video_views
FROM customer
WHERE segments.date BETWEEN '2026-08-01' AND '2026-08-31'
```

```
-- 2. Same metrics broken down by campaign
SELECT segments.date, campaign.name, metrics.impressions, ...
FROM campaign
WHERE segments.date BETWEEN '2026-08-01' AND '2026-08-31'
```

```
-- 3. Same metrics broken down by device
SELECT segments.date, segments.device, metrics.impressions, ...
FROM customer
WHERE segments.date BETWEEN '2026-08-01' AND '2026-08-31'
```

3.3 Fields retrieved

Impressions, clicks, cost, conversions, conversion value, interactions and video views, plus the campaign name and device segment used to break those metrics down. Derived figures shown in reports (CTR, CPC, CPM, cost per conversion, conversion rate, ROAS) are calculated by the application from the fields above; they are not requested from the API.

No personally identifiable information is requested or stored. The tool does not read user lists, customer match audiences, lead form submissions, or any other data that identifies an individual.

3.4 Expected request volume

Operation	Calculation	Operations per day
Daily incremental sync	25 accounts x 3 queries	75
Historical backfill (one-off per account)	13 monthly chunks x 3 queries	39 per account, once
Account listing	Only while linking a new account	Negligible
Estimated steady-state total		Under 150 operations/day

This is far below the Basic Access daily limit. The application also splits historical loads into one-month chunks processed sequentially, rather than requesting long date ranges in a single call, and applies exponential backoff on rate limit responses.

4. Data flow

Reports never call the Google Ads API directly. A scheduled job reads the API once a day and writes aggregated daily metrics to a database; reports are rendered from that stored data. This keeps request volume flat regardless of how often reports are opened.




Figure 1 - Data flow from OAuth consent to the delivered report.


The application re-reads the most recent seven days on every daily run, because advertising platforms adjust figures retroactively (late conversions, invalid click credits). Re-syncing a period replaces the stored rows for that period rather than appending, so stored data always matches what the API currently reports.

5. User interface

The application is under development; the wireframes below show where Google Ads data appears. Screens are in Brazilian Portuguese, the language of the agency and its clients.

5.1 Connections screen

Where an operator links a Google Ads account to a client project. The operator authorizes through Google's OAuth consent screen, then picks one of the accounts returned by ListAccessibleCustomers. Manager accounts are shown but cannot be selected, since they hold no metrics of their own.



Projeto: Cliente Exemplo > Conexões

Conta vinculada - status, ultima sincronizacao


Conta disponivel para vincular 1

Conta disponivel para vincular 2

Figure 2 - Linking a Google Ads account to a client project.

5.2 Report screen

The generated report. Summary figures appear as a row of indicators, followed by a daily chart and a per-campaign table. Every number is compared against the preceding period of equal length.



Relatorio - Agosto 2026

Indicador 1

Indicador 2

Indicador 3

Indicador 4

Grafico diario: investimento e conversoes

Tabela: desempenho por campanha

Figure 3 - Report combining Google Ads with the other connected sources.

6. Security and data handling

Area	Implementation
Token storage	OAuth refresh and access tokens are encrypted with AES-256-GCM before being written to the database. The encryption key is held outside the database, so a database copy alone does not grant account access.
Transport	All traffic between the browser, the application, the database and Google APIs uses TLS.

Area	Implementation
Data location	PostgreSQL hosted in the Sao Paulo region, Brazil.
Access control	Authentication is required for every screen. Every query is scoped by organization identifier, so data of one organization is unreachable from another.
Stored data	Aggregated daily metrics and campaign names only. No personally identifiable information.
Retention and deletion	Disconnecting an account immediately deletes its stored token and all metrics collected from it. Deleting a project deletes its connections, metrics and reports.
Revocation	Account owners can revoke access at any time at myaccount.google.com/permissions , which stops synchronization immediately.

7. Policy compliance

The agency has read and accepts the Google Ads API Terms and Conditions and the Required Minimum Functionality policy. Relevant facts for classification:

- The tool is reporting-only. It performs no campaign management operations of any kind.
- It is used solely by employees of the agency, on Google Ads accounts the agency manages for its clients under service agreements.
- It is not distributed, licensed, resold, or offered for sale to third parties, and there is no public sign-up.
- Google Ads data is never combined with data from other advertisers, never aggregated across advertisers, and never used for benchmarking.
- Google Ads data is not sold, licensed, or transferred to any third party.
- Data obtained through Google APIs is used only to deliver the reporting features visible to the user, in accordance with the Google API Services User Data Policy, including the Limited Use requirements.

8. Contact

Questions about this application can be sent to contato@redecambioseguro.com.br. The published privacy policy is available at <https://relatorios.redecambioseguro.com.br/politica-de-privacidade> and the terms of service at <https://relatorios.redecambioseguro.com.br/termos-de-servico>.