

# Cucumber Report

1 Jun 2025, 10:09:27 am

Start : Jun 01, 10:09:21.867 am

End : Jun 01, 10:09:26.752 am

Duration : 4.885 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 5




| Feature                       |          | Scenario |   |   |   | Step |   |   |   |
|-------------------------------|----------|----------|---|---|---|------|---|---|---|
| Name                          | Duration | T        | P | F | S | T    | P | F | S |
| <u>Search and Add to Cart</u> | 4.885 s  | 1        | 0 | 1 | 0 | 5    | 0 | 0 | 5 |

| # | Feature Name                  | Scenario Name                                  |
|---|-------------------------------|--|
| 1 | <u>Search and Add to Cart</u> | <u>Search for a product and add it to cart</u> |





| # | Feature Name                  | T | P | F | S | Duration |
|---|-------------------------------|---|---|---|---|----------|
| 1 | <u>Search and Add to Cart</u> | 1 | 0 | 1 | 0 | 4.885 s  |





| # | Feature Name                  | Scenario Name                                  | T | P | F | S | Duration |
|---|-------------------------------|--|---|---|---|---|----------|
| 1 | <u>Search and Add to Cart</u> | <u>Search for a product and add it to cart</u> | 5 | 0 | 0 | 5 | 4.885 s  |

## Search and Add to Cart

|  |                           |           |   |           |   |
|--|---------------------------|-----------|---|-----------|---|
| <b>FAILED</b>                          | <b>DURATION - 4.885 s</b> | Scenarios |  | Steps     |  |
| / 10:09:21.867 am // 10:09:26.752 am / |                           | Total - 1 |   | Total - 5 |   |
|  |                           | Pass - 0  |   | Pass - 0  |   |
|  |                           | Fail - 1  |   | Fail - 0  |   |
|  |                           | Skip - 0  |   | Skip - 5  |   |

## Search for a product and add it to cart

|   |  |  |   |   |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 4.885 s</div> |  |  | <div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div> |  |
| / 10:09:21.867 am // 10:09:26.752 am /          |  |  |   |   |
| Search and Add to Cart                          |  |  |   |   |
|   |  |  |   |   |

| # | Step / Hook Details  | Status        | Duration |
|---|--|---------------|----------|
|   | <b>BEFORE - Pages.Hooks.setUp()</b><br>org.openqa.selenium.WebDriverException: unknown error: JavaScript code failed from unknown command: 'Runtime.evaluate' wasn't found (Session info: chrome=136.0.7103.114) Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d5fb7100b996dc1a3ad9772fde729892, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 136.0.7103.114, chrome: {chromedriverVersion: 136.0.7103.113 (76fa3c17824..., userDataDir: C:\Users\ADMIN\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58549}, networkConnectionEnabled: false, pageLoadStrategy: eager, platformName: windows, proxy: Proxy(), se:cdpVersion: 136.0.7103.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d5fb7100b996dc1a3ad9772fde729892<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)<br>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) | <b>FAILED</b> | 4.697 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)<br>at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1061)<br>at utils.Utility.getDefaultDriver(Utility.java:85)<br>at Pages.Hooks.<init>(Hooks.java:17)<br>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)<br>at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)<br>at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)<br>at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)<br>at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)<br>at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)<br>at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)<br>at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)<br>at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)<br>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)<br>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)<br>at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:68)<br>at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:47)<br>at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:53)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:80)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:77)<br>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)<br>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)<br>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)<br>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)<br>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)<br>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:580)<br>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)<br>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:687) |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)<br>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)<br>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:995)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)<br>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)<br>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1597)<br>at org.testng.TestRunner.privateRun(TestRunner.java:741)<br>at org.testng.TestRunner.run(TestRunner.java:616)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:312)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)<br>at org.testng.TestNG.runSuites(TestNG.java:1112)<br>at org.testng.TestNG.run(TestNG.java:1079)<br>at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)<br>at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) |         |          |
| 1 | Given I open the PrestaShop demo site   | SKIPPED | 0.000 s  |
| 2 | When I search for "Mug"   | SKIPPED | 0.001 s  |
| 3 | And I add the product to the cart   | SKIPPED | 0.000 s  |
| 4 | Then the product should be added successfully   | SKIPPED | 0.000 s  |
| 5 | And the cart count should be updated  | SKIPPED | 0.002 s  |