Website & database test report

7 October 2026

LOCAL CHECKS PASSED

No application bugs found in the tested flows.

The completed local checks passed. No application bug was found in the flows exercised. This is evidence from the current local code and databases; it does not guarantee every production condition is covered.

Coverage and results

Area	Result
Application syntax	All 96 PHP files and 47 JavaScript files passed; changed PHP test files checked again
JavaScript lint and types	Passed
JavaScript unit tests	26 passed
Full registration and payment scenarios	217 passed, zero failures
Office registration field validation	16 passed
Communication, backup catalog and admin permissions	33 passed
Sponsor/booth reservations, Standard booth type, cancellation and history	112 database checks passed
QR, two-day attendance, manual admission, certificates and manual certificate email	104 passed
QR camera code and midnight rollover	7 passed, using simulated camera/browser conditions
Backup retention	13 passed, including real test-database export
Backup memory and streaming	6 passed; a 32 MiB fixture exported within a 32 MiB PHP memory limit
Backup restoration	All 20 tables and 14 views restored independently; every row matched, including photo bytes and generated values

Area	Result
Current local database	43 read-only health checks passed; all tables healthy, views readable and migrations applied
Browser page/layout audit	All five public pages and 20 dashboard views opened; desktop, tablet and phone widths down to 320 px passed
Browser forms and downloads	Registration → simulated payment → QR ticket; QR/manual check-in; individual/bulk certificate email actions; PDF/Excel exports; booking cancellation; backup creation/download passed
Automatic search	35 browser checks passed, including first-letter search, partial phone numbers, delayed responses, IME typing, network failure/recovery, focus and filter preservation
Languages and navigation	52 browser checks passed for English, Arabic, Kurdish, themes, mobile navigation and public sponsor/booth submissions
Staff access	Owner, Registration, Finance, Check-in and Content access boundaries passed
Browser runtime/resources	No uncaught JavaScript exceptions or unexpected missing local resources in the audited pages
Whitespace	Git diff checks passed

Important behaviors verified

- Payment alone does not grant a participation certificate.
- One signed QR admits its guest once on Day 1 and once on Day 2. Same-day repeats and simultaneous admissions are blocked.
- The live admission day follows the actual event date and Iraq midnight. A rehearsal day selector remains available only in test mode.
- Staff can find a guest by name, phone, reference or ticket and admit them without QR after confirming identity.
- Arrival records retain the day, exact timestamp, staff member and admission method.
- Check-in creates the personalized certificate without automatically emailing it. Email requires the individual or bulk Send action; repeated bulk clicks avoid duplicate queued messages.
- New guests and arrivals appear automatically; searches update as staff type. Slow earlier responses cannot replace newer results.
- Export links retain the current filters. Individual and combined certificates are valid PDFs.
- Sponsors and Standard booths have separate pages. Only sponsors use the numbered map. Cancellation retains the agreed amount and history.

Test maintenance completed

The older full-scenario suite still expected 13 database views and tiered booths with numbered map positions. Its expectations now match the 14-view schema, single Standard booth type and sponsor-only map. Its cron subprocess now inherits the PHP configuration and checks its exit status. The attendance rendering helper supports isolated site-data snapshots while preserving the configured web directory on deployed installations.

Three errors in the new browser audit harness (a terms checkbox selector, an export URL and a backup-button selector) were corrected. Their affected checks were rerun successfully; they were not application failures. Backup comparison was run after browser mutations finished, and the independent restore matched all records.

Local test boundaries

Mutation tests used fresh, separate databases and private storage. The existing `ismile_local` database received read-only health checks. Payments used the fake gateway, and emails used local log storage. No real payment, external email, push or deployment was performed. Test credentials and fixtures remain inside the ignored `.local` directory.

The normal local PHP website/dashboard is available at `http://127.0.0.1:5501/`; the existing static Live Server on port 5500 is unchanged. Temporary audit web servers were stopped after testing.

Before event use, complete and verify the real Psoola integration: `backend/src/Payments/PsoolaGateway.php` still contains unfinished provider integration methods. Also verify real email credentials/delivery, production scheduled jobs and hosting behavior, and scan the QR using the actual staff phones/cameras over the event network. GitHub-backed content publishing was not exercised against the external service.