

Deployment Documentation

Apricart Configurration Document

KASHAF ARSHAD

Contents

1	Introduction	2
2	Docker Commands	2
2.1	Example	2
3	SSH Commands	2
3.1	Example	2
4	Deployment Procedures	3
4.1	Staging Server	3
4.2	Production Server	3
5	Permissions Management	3
6	AWS and Godaddy Credentials	4
7	Additional Notes	4

1 Introduction

This document provides instructions for deploying the Apricart web application on staging and production servers using Docker and SSH. It also includes commands for managing permissions and accessing AWS and Godaddy accounts.

2 Docker Commands

```
1 docker system prune
2 docker build -t apricart-backend:latest .
3 docker run apricart-backend
4 docker ps
5 docker cp <container_id>:/usr/src/app/target/apricart-spring-boot-SNAPSHOT.jar <local_path>
```

2.1 Example

```
1 docker cp b875891a1190:/usr/src/app/target/apricart-spring-boot-SNAPSHOT.jar /Users/kashafarshad/Desktop/Projects/Apricart/target
2
3 docker cp d4b48d50e071:/usr/src/app/target/apricart-spring-boot-SNAPSHOT.jar /Users/kashafarshad/Desktop/Projects/apricart-saudi/target
```

3 SSH Commands

```
1 ssh -i <key_file>.pem ubuntu@<staging_ip>
2 ssh -i <key_file>.pem ubuntu@<production_ip>
```

3.1 Example

```
1 ssh -i cbe_staging.pem ubuntu@15.184.175.162
2 ssh -i cbe_production.pem ubuntu@15.185.231.82
```

4 Deployment Procedures

4.1 Staging Server

1. SSH into staging server.
2. Access the appropriate screen session: `screen -r website` or `screen -r admin-portal`.
3. Perform a Git pull, providing your username and personal access token.
4. Build and start the service: `npm run build && npm run start`.
5. Detach from the screen session: Ctrl + A, then Ctrl + D.
6. Close the terminal.

4.2 Production Server

Repeat steps 1-5 for the production server.

5 Permissions Management

```
1 chmod 400 <key_file>.pem
2 icaccls <file_path> /inheritance:r
3 icaccls <file_path> /grant:r "%username%": "(R) "
```

6 AWS and Godaddy Credentials

AWS:

- AccountID: 402157882367
- Email: danish.viqar@apricart.pk
- Password: apricart@123!

Godaddy:

- Email: admin@apricart.pk
- Password: P@kistan.GoDaddyapi

7 Additional Notes

- Ensure all necessary dependencies are installed before deploying.
- Monitor logs and services for any errors during deployment.
- Refer to AWS and Godaddy documentation for further assistance.