

Category Module: Responses

1. Add Category:

The screenshot shows a REST client interface for a project named 'Apricart Saudi'. The active tab is 'Category' with the sub-tab 'Add Category'. The request method is 'POST' and the URL is '{{url}}/categories'. The request body is a JSON object:

```
{  "name": "Dummy Category 7",  "level": "ONE",  "position": "MIDDLE",  "status": true}
```

. The response status is '201 Created' with a time of '325 ms' and size of '474 B'. The response body is a JSON object:

```
{  "status": 201,  "message": "Created"}
```

.

POST {{url}}/categories

Params Authorization Headers (10) **Body** Pre-request Script Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON Beautify

```
1 {
2   "name": "Dummy Category 7",
3   "level": "ONE",
4   "position": "MIDDLE",
5   "status": true
6 }
```

Body Cookies Headers (14) Test Results Status: 201 Created Time: 325 ms Size: 474 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": 201,
3   "message": "Created"
4 }
```

2. Update Category

The screenshot shows a REST client interface for a project named 'Apricart Saudi'. The active tab is 'Category' with the sub-tab 'Update Category'. The request method is 'PUT' and the URL is '{{url}}/categories'. The request body is a JSON object:

```
{  "id": 3,  "name": "Category Dummy",  "level": "TWO"}
```

. The response status is '200 OK' with a time of '1238 ms' and size of '574 B'. The response body is a JSON object:

```
{  "status": 200,  "message": "OK",  "data": {    "id": 3,    "name": "Category Dummy",    "level": "TWO",    "position": "TOP",    "status": true,    "image": "/APRA-TEST.png"  }}
```

.

PUT {{url}}/categories

Params Authorization Headers (10) **Body** Pre-request Script Tests Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON Beautify


```
1 {
2   "id": 3,
3   "name": "Category Dummy",
4   "level": "TWO"
5 }
```

Body Cookies Headers (14) Test Results Status: 200 OK Time: 1238 ms Size: 574 B Save as example


Pretty Raw Preview Visualize JSON

```
1 {
2   "status": 200,
3   "message": "OK",
4   "data": {
5     "id": 3,
6     "name": "Category Dummy",
7     "level": "TWO",
8     "position": "TOP",
9     "status": true,
10    "image": "/APRA-TEST.png"
11  }
12 }
```


3. Delete Category



4. Get All Categories




5. Get Active Categories



The screenshot shows a REST client interface for the endpoint `GET {{url}}/categories/active`. The response status is 200 OK, with a time of 2.54 s and a size of 767 B. The response body is displayed in JSON format, showing a successful status and a list of active categories.

```
1 {
2   "status": 200,
3   "message": "OK",
4   "data": [
5     {
6       "id": 2,
7       "name": "Dummy Category 1",
8       "level": "TWO",
9       "position": "BOTTOM",
10      "status": true,
11      "image": "/APRA-TEST.png"
12    },
13    {
14      "id": 9,
15      "name": "Dummy Category 7",
16      "level": "ONE",
17      "position": "MIDDLE",
18      "status": true
19    },
20    {
21      "id": 3,
22      "name": "Category Dummy",
23      "level": "TWO",
24      "position": "TOP",
25      "status": true,
26      "image": "/APRA-TEST.png"
27    }
28  ]
29 }
```


6. Get Category by Category ID




The screenshot shows a REST client interface for the endpoint `GET {{url}}/categories/9`. The response status is 200 OK, with a time of 293 ms and a size of 554 B. The response body is displayed in JSON format, showing a successful status and the details of the category with ID 9.

```
1 {
2   "status": 200,
3   "message": "OK",
4   "data": {
5     "id": 9,
6     "name": "Dummy Category 7",
7     "level": "ONE",
8     "position": "MIDDLE",
9     "status": true
10   }
11 }
```


7. Get Category by Category Name



8. Get Category by Category Level



9. Get Category Image by Category Id



10. Update Category Level by Category ID

The screenshot shows a REST client interface for a project named "Apricart Saudi". The active tab is "Category" with the sub-tab "Update Category Level By Category Id". The request method is "PUT" and the URL is "{{url}}/categories/9/ONE". The response status is "200 OK" with a time of "353 ms" and a size of "554 B". The response body is displayed in JSON format:

```
1 {
2   "status": 200,
3   "message": "OK",
4   "data": {
5     "id": 9,
6     "name": "Dummy Category 7",
7     "level": "ONE",
8     "position": "MIDDLE",
9     "status": true
10  }
11 }
```

11. Update Category Position by Category ID

The screenshot shows a REST client interface for a project named "Apricart Saudi". The active tab is "Category" with the sub-tab "Update Category Position By Category Id". The request method is "PUT" and the URL is "{{url}}/categories/position/2/MIDDLE". The response status is "200 OK" with a time of "1616 ms" and a size of "579 B". The response body is displayed in JSON format:

```
1 {
2   "status": 200,
3   "message": "OK",
4   "data": {
5     "id": 2,
6     "name": "Dummy Category 1",
7     "level": "TWO",
8     "position": "MIDDLE",
9     "status": true,
10    "image": "/APRA-TEST.png"
11  }
12 }
```

12. Update Category Image

HTTP Apricart Saudi / Category / Update Category Image

POST {{url}}/categories/image/update/1

Send

Params Authorization Headers (11) Body Pre-request Script Tests Settings Cookies

☐ none ☒ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

	Key	Value	Description	...	Bulk Edit
☒	image	File dummy-image.png			
	Key	Text Value	Description		

Body Cookies Headers (14) Test Results

Status: 200 OK Time: 1330 ms Size: 501 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": 200,
3   "message": "OK",
4   "data": "Image uploaded successfully"
5 }
```

13. Get Sub Categories By Category ID

HTTP Apricart Saudi / Category / Get Sub Categories By Category Id

GET {{url}}/categories/subcategories/2

Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

Body Cookies Headers (14) Test Results


Status: 200 OK Time: 2.61 s Size: 867 B Save as example

Pretty Raw Preview Visualize JSON


```
1 {
2   "status": 200,
3   "message": "OK",
4   "data": [
5     {
6       "id": 8,
7       "name": "Sub Category 5",
8       "level": "ONE",
9       "position": "TOP",
10      "status": false,
11      "categoryId": 2
12    },
13    {
14      "id": 3,
15      "name": "Sub Category 1",
16      "level": "THREE",
17      "position": "TOP",
18      "status": false,
19      "image": "/dummy-image_2024-03-29T15_23_35.417969.png",
20      "categoryId": 2
21    },
22    {
23      "id": 5,
24      "name": "Sub Category 3",
25      "level": "TWO",
26      "position": "BOTTOM",
27      "status": true,
28      "image": "/dummy-image_2024-03-30T00_38_15.616552.png",
29      "categoryId": 2
30    }
31  ]
32 }
```

Category Module: Arabic Responses


1. Add Category:




2. Update Category



3. Delete Category



4. Get All Categories




```
GET {{url}}/categories

Status: 200 OK Time: 3.45 s Size: 1.55 KB Save as example

Pretty Raw Preview Visualize JSON

[{"id": 10, "name": "Dummy Category 10", "arabicName": "الفئة الوهمية 10", "level": "ONE", "position": "TOP", "status": true, "image": "/APRA-TEST.png"}, {"id": 12, "name": "Dummy Category 10", "arabicName": "الفئة الوهمية 10", "level": "ONE", "position": "TOP", "status": false, "image": "/androidcleanarchitectureprojectstructure_2024-05-07T09_17_01.282976.jpeg"}, {"id": 13, "name": "Dummy Category 11", "arabicName": "الفئة الوهمية 11", "level": "TWO", "position": "TOP", "status": true, "image": null}, {"id": 11, "name": "Category Dummy UPDATED 1 ", "arabicName": "الفئة الوهمية 9", "level": "ONE", "position": "TOP", "status": true, "image": "/androidcleanarchitectureprojectstructure_2024-05-06T13_26_15.460104.jpeg"}]
```

5. Get Active Categories




```
GET {{url}}/categories/active

Status: 200 OK Time: 3.65 s Size: 1.08 KB Save as example

Pretty Raw Preview Visualize JSON

[{"id": 10, "name": "Dummy Category 10", "arabicName": "الفئة الوهمية 10", "level": "ONE", "position": "TOP", "status": true, "image": "/APRA-TEST.png"}, {"id": 2, "name": "Dummy Category 1", "arabicName": "الفئة الوهمية 1", "level": "TWO", "position": "TOP", "status": true, "image": "/APRA-TEST.png"}, {"id": 13, "name": "Dummy Category 11", "arabicName": "الفئة الوهمية 11", "level": "TWO", "position": "TOP", "status": true, "image": null}, {"id": 11, "name": "Category Dummy UPDATED 1 ", "arabicName": "الفئة الوهمية 9", "level": "ONE", "position": "TOP", "status": true, "image": "/androidcleanarchitectureprojectstructure_2024-05-06T13_26_15.460104.jpeg"}]
```


6. Get Category by Category ID




```
GET {{url}}/categories/11

Status: 200 OK Time: 982 ms Size: 688 B Save as example

Pretty Raw Preview Visualize JSON

1 {
2   "status": 200,
3   "message": "OK",
4   "data": {
5     "id": 11,
6     "name": "Category Dummy UPDATED 1 ",
7     "arabicName": "9 الفئة الوهمية",
8     "level": "ONE",
9     "position": "TOP",
10    "status": true,
11    "image": "/androidcleanarchitectureprojectstructure_2024-05-06T13_26_15.460104.jpeg"
12  }
13 }
```

7. Get Category by Category Name




```
GET {{url}}/categories/name/Dummy Category 11

Status: 200 OK Time: 282 ms Size: 597 B Save as example

Pretty Raw Preview Visualize JSON

1 {
2   "status": 200,
3   "message": "OK",
4   "data": {
5     "id": 13,
6     "name": "Dummy Category 11",
7     "arabicName": "11 الفئة الوهمية",
8     "level": "TWO",
9     "position": "TOP",
10    "status": true
11  }
12 }
```

8. Get Category by Category Arabic Name




```
GET {{url}}/categories/arabic/11 الفئة الوهمية

Status: 200 OK Time: 295 ms Size: 597 B Save as example

Pretty Raw Preview Visualize JSON


1 {
2   "status": 200,
3   "message": "OK",
4   "data": {
5     "id": 13,
6     "name": "Dummy Category 11",
7     "arabicName": "11 الفئة الوهمية",
8     "level": "TWO",
9     "position": "TOP",
10    "status": true
11  }
12 }
```

9. Get Category by Category Level




```
1 {
2   "status": 200,
3   "message": "OK",
4   "data": [
5     {
6       "id": 9,
7       "name": "Dummy Category 7",
8       "level": "ONE",
9       "position": "MIDDLE",
10      "status": true
11    },
12    {
13      "id": 12,
14      "name": "Dummy Category 10",
15      "arabicName": "الفئة الوهمية 10",
16      "level": "ONE",
17      "position": "TOP",
18      "status": false,
19      "image": "/androidcleanarchitectureprojectstructure_2024-05-07T09_17_01.282976.jpeg"
20    },
21    {
22      "id": 11,
23      "name": "Category Dummy UPDATED 1 ",
24      "arabicName": "الفئة الوهمية 9",
25      "level": "ONE",
26      "position": "TOP",
27      "status": true,
28      "image": "/androidcleanarchitectureprojectstructure_2024-05-06T13_26_15.460104.jpeg"
29    }
30  ]
31 }
```

10. Get Category Image by Category Id




```
1 {
2   "status": 200,
3   "message": "OK",
4   "data": "https://staging.apricart.pk/androidcleanarchitectureprojectstructure_2024-05-09T12_47_06.381360.jpeg"
5 }
```


11. Update Category Level by Category ID




12. Update Category Position by Category ID



13. Update Category Image



14. Get Sub Categories By Category ID



The screenshot shows a REST client interface with a GET request to `{{url}}/categories/subcategories/2`. The response is a JSON array of three subcategory objects. The status is 200 OK, time is 2.93 s, and size is 1.12 KB.

```
11  {
12    },
13  },
14  {
15    "id": 3,
16    "name": "Sub Category 1",
17    "level": "THREE",
18    "position": "TOP",
19    "status": false,
20    "image": "/dummy-image_2024-03-29T15_23_35.417969.png",
21    "categoryId": 2
22  },
23  {
24    "id": 5,
25    "name": "Sub Category 3",
26    "level": "TWO",
27    "position": "BOTTOM",
28    "status": true,
29    "image": "/androidcleanarchitectureprojectstructure_2024-05-07T10_16_10.091572.jpeg",
30    "categoryId": 2
31  },
32  {
33    "id": 10,
34    "name": "Sub Category Dummy 1",
35    "arabicName": "الفئة الفرعية الوهمية 1",
36    "level": "THREE",
37    "position": "MIDDLE",
38    "status": false,
39    "image": "/androidcleanarchitectureprojectstructure_2024-05-07T10_16_23.060010.jpeg",
40    "categoryId": 2
41  }
42 }
```