

Order Module: Responses

1. Add Order:

The screenshot displays a REST client interface with a POST request to `{{url}}/orders`. The request body is a JSON object with the following fields:

```
1 {
2   "zohoSalesOrderNum": "S0123",
3   "shippingCharge": "5.00",
4   "totalTax": 8.00,
5   "totalDiscount": 15.0,
6   "netTotal": 95.00,
7   "grandTotal": 123.0,
8   "paymentMode": "CASH",
9   "notes": "Please deliver before 5 PM",
10  "discountType": "COUPON_CODE",
11  "couponCode": "SAVE10",
12  "orderStatus": "PENDING",
13  "paymentStatus": "UNPAID",
14  "status": true,
15  "currencyId": 2,
16  "customerAddressId": 1,
17  "orderItems": [
18    {
19      "title": "Product ABCDEF",
20      "arabicTitle": "منتج",
21      "quantity": 5,
22      "taxAmount": 11.25,
23      "totalAmount": 64.50,
24      "productWarehouseId": 1
25    }
26  ]
27 }
```

The response status is 201 Created, with a time of 1259 ms and a size of 474 B. The response body is a JSON object:

```
1 {
2   "status": 201,
3   "message": "Created"
4 }
```

2. Update Order

The screenshot shows a REST client interface with a PUT request to `{{url}}/orders`. The request body is a JSON object with the following structure:

```
1 {
2   ... "id": "240509103805431",
3   "shippingCharge": "3.00"
}
```

The response is displayed in the 'Body' tab, showing a detailed JSON object with 31 lines of data, including order details, customer information, and a list of order items. The status is 200 OK, with a response time of 484 ms and a size of 1023 B.

```
6   "zohoSalesOrderNum": "S0123",
7   "shippingCharge": "3.00",
8   "totalTax": 8.0,
9   "totalDiscount": 15.0,
10  "netTotal": 95.0,
11  "grandTotal": 123.0,
12  "paymentMode": "CASH",
13  "notes": "Please deliver before 5 PM",
14  "discountType": "COUPON_CODE",
15  "couponCode": "SAVE10",
16  "orderStatus": "PENDING",
17  "paymentStatus": "UNPAID",
18  "status": true,
19  "customerId": 1,
20  "currencyId": 2,
21  "customerAddressId": 1,
22  "orderItems": [
23    {
24      "id": 1,
25      "title": "Product ABCDEF",
26      "arabicTitle": "منتج",
27      "quantity": "5",
28      "taxAmount": 11.25,
29      "totalAmount": 64.5,
30      "orderId": "240509103805431",
31      "productWarehouseId": 1
    }
  ]
}
```

3. Delete Order

The screenshot shows a REST client interface with a DELETE request to `{{url}}/orders/240509103805431`. The response is displayed in the 'Body' tab, showing a JSON object with the following structure:

```
1 {
2   "status": 200,
3   "message": "OK",
4   "data": "تمت إزالة الطلب بنجاح"
5 }
```


The status is 200 OK, with a response time of 419 ms and a size of 513 B.

4. Get All Orders

The screenshot shows a REST client interface for a request to `GET {{url}}/orders`. The response is a JSON object with the following structure:

```
4  data : {
5    {
6      "id": "240509103805431",
7      "zohoSalesOrderNum": "S0123",
8      "shippingCharge": "3.00",
9      "totalTax": 8.0,
10     "totalDiscount": 15.0,
11     "netTotal": 95.0,
12     "grandTotal": 123.0,
13     "paymentMode": "CASH",
14     "notes": "Please deliver before 5 PM",
15     "discountType": "COUPON_CODE",
16     "couponCode": "SAVE10",
17     "orderStatus": "PENDING",
18     "paymentStatus": "UNPAID",
19     "status": true,
20     "customerId": 1,
21     "currencyId": 2,
22     "customerAddressId": 1,
23     "orderItems": [
24       {
25         "id": 1,
26         "title": "Product ABCDEF",
27         "arabicTitle": "منتج أ",
28         "quantity": "5",
29         "taxAmount": 11.25,
30         "totalAmount": 64.5,
31         "orderId": "240509103805431",
32         "productWarehouseId": 1
33       }
34     ]
35   }
}
```

5. Get Order by Order ID



The screenshot shows a REST client interface with the following details:

- URL:** `{{url}}/orders/240509103805431`
- Method:** GET
- Status:** 200 OK
- Time:** 302 ms
- Size:** 1023 B

The response body is displayed in JSON format:

```
1 {
2   "status": 200,
3   "message": "OK",
4   "data": {
5     "id": "240509103805431",
6     "zohoSalesOrderNum": "S0123",
7     "shippingCharge": "3.00",
8     "totalTax": 8.0,
9     "totalDiscount": 15.0,
10    "netTotal": 95.0,
11    "grandTotal": 123.0,
12    "paymentMode": "CASH",
13    "notes": "Please deliver before 5 PM",
14    "discountType": "COUPON_CODE",
15    "couponCode": "SAVE10",
16    "orderStatus": "PENDING",
17    "paymentStatus": "UNPAID",
18    "status": true,
19    "customerId": 1,
20    "currencyId": 2,
21    "customerAddressId": 1,
22    "orderItems": [
23      {
24        "id": 1,
25        "title": "Product ABCDEF",
26        "arabicTitle": "منتج",
27        "quantity": "5",
28        "taxAmount": 11.25,
29        "totalAmount": 64.5,
30        "orderId": "240509103805431",
31        "productWarehouseId": 1
32      }
33    ]
34  }
35 }
```

6. Get Orders by Order Status

The screenshot shows a REST client interface with the following details:

- URL:** `{{url}}/orders/type/PENDING`
- Method:** GET
- Status:** 200 OK
- Time:** 320 ms
- Size:** 1 KB
- Response Format:** JSON (Pretty)

The response body is a JSON object with the following structure:

```
3  "message": "OK",
4  "data": [
5    {
6      "id": "240509103805431",
7      "zohoSalesOrderNum": "S0123",
8      "shippingCharge": "3.00",
9      "totalTax": 8.0,
10     "totalDiscount": 15.0,
11     "netTotal": 95.0,
12     "grandTotal": 123.0,
13     "paymentMode": "CASH",
14     "notes": "Please deliver before 5 PM",
15     "discountType": "COUPON_CODE",
16     "couponCode": "SAVE10",
17     "orderStatus": "PENDING",
18     "paymentStatus": "UNPAID",
19     "status": true,
20     "customerId": 1,
21     "currencyId": 2,
22     "customerAddressId": 1,
23     "orderItems": [
24       {
25         "id": 1,
26         "title": "Product ABCDEF",
27         "arabicTitle": "منتج أ",
28         "quantity": "5",
29         "taxAmount": 11.25,
30         "totalAmount": 64.5,
31         "orderId": "240509103805431",
32         "productWarehouseId": 1
33       }
24     ]
25   }
26 ]
```

7. Get Orders by Payment Status


The screenshot shows a REST client interface with the following details:

- URL:** `{{url}}/orders/status/UNPAID`
- Method:** GET
- Status:** 200 OK
- Time:** 250 ms
- Size:** 1 KB
- Response Format:** JSON

The response body is a JSON object with the following structure:

```
{
  "status": 200,
  "message": "OK",
  "data": [
    {
      "id": "240509103805431",
      "zohoSalesOrderNum": "S0123",
      "shippingCharge": "3.00",
      "totalTax": 8.0,
      "totalDiscount": 15.0,
      "netTotal": 95.0,
      "grandTotal": 123.0,
      "paymentMode": "CASH",
      "notes": "Please deliver before 5 PM",
      "discountType": "COUPON_CODE",
      "couponCode": "SAVE10",
      "orderStatus": "PENDING",
      "paymentStatus": "UNPAID",
      "status": true,
      "customerId": 1,
      "currencyId": 2,
      "customerAddressId": 1,
      "orderItems": [
        {
          "id": 1,
          "title": "Product ABCDEF",
          "arabicTitle": "منتج أ",
          "quantity": "5",
          "taxAmount": 11.25,
          "totalAmount": 64.5,
          "orderId": "240509103805431",
          "productWarehouseId": 1
        }
      ]
    }
  ]
}
```

8. Get Orders By CustomerID



HTTP Apicart Saudi / Order / Get Orders By Customer Id

GET {{url}}/orders/customer


Params Authorization Headers (9) Body Scripts Tests Settings Cookies

Status: 200 OK Time: 338 ms Size: 1 KB Save as example

Pretty Raw Preview Visualize JSON

```
4  "data": [
5    {
6      "id": "240509103805431",
7      "zohoSalesOrderNum": "S0123",
8      "shippingCharge": "3.00",
9      "totalTax": 8.0,
10     "totalDiscount": 15.0,
11     "netTotal": 95.0,
12     "grandTotal": 123.0,
13     "paymentMode": "CASH",
14     "notes": "Please deliver before 5 PM",
15     "discountType": "COUPON_CODE",
16     "couponCode": "SAVE10",
17     "orderStatus": "PENDING",
18     "paymentStatus": "UNPAID",
19     "status": true,
20     "customerId": 1,
21     "currencyId": 2,
22     "customerAddressId": 1,
23     "orderItems": [
24       {
25         "id": 1,
26         "title": "Product ABCDEF",
27         "arabicTitle": "منتج",
28         "quantity": "5",
29         "taxAmount": 11.25,
30         "totalAmount": 64.5,
31         "orderId": "240509103805431",
32         "productWarehouseId": 1
33       }
34     ]
35   }
36 ]
```

9. Get Net Total By Order ID



GET {{url}}/orders/net/240509103805431


Params Authorization Headers (9) Body Scripts Tests Settings Cookies

Status: 200 OK Time: 250 ms Size: 477 B Save as example

Pretty Raw Preview Visualize JSON

```
1  {
2    "status": 200,
3    "message": "OK",
4    "data": 100.0
5  }
```

10. Get Grand Total By Order ID



GET {{url}}/orders/grand/240509103805431

Params Authorization Headers (9) Body Scripts Tests Settings Cookies

Status: 200 OK Time: 290 ms Size: 477 B Save as example

Pretty Raw Preview Visualize JSON

```
1  {
2    "status": 200,
3    "message": "OK",
4    "data": 123.0
5  }
```

11. Update Order Status

The screenshot shows a REST client interface with a PUT request to the endpoint `{{url}}/orders/240509103805431/DELIVERED`. The response is a JSON object with the following structure:

```
2  "status": 200,
3  "message": "OK",
4  "data": {
5    "id": "240509103805431",
6    "zohoSalesOrderNum": "S0123",
7    "shippingCharge": "3.00",
8    "totalTax": 8.0,
9    "totalDiscount": 15.0,
10   "netTotal": 95.0,
11   "grandTotal": 123.0,
12   "paymentMode": "CASH",
13   "notes": "Please deliver before 5 PM",
14   "discountType": "COUPON_CODE",
15   "couponCode": "SAVE10",
16   "orderStatus": "DELIVERED",
17   "paymentStatus": "UNPAID",
18   "status": true,
19   "customerId": 1,
20   "currencyId": 2,
21   "customerAddressId": 1,
22   "orderItems": [
23     {
24       "id": 1,
25       "title": "Product ABCDEF",
26       "arabicTitle": "منتج أ",
27       "quantity": "5",
28       "taxAmount": 11.25,
29       "totalAmount": 64.5,
30       "orderId": "240509103805431",
31       "productWarehouseId": 1
32     }
33   ]
34 }
```

12. Update Payment Status

The screenshot displays a REST client interface with a PUT request to the endpoint `{{url}}/orders/payment/240509103805431/PAID`. The response is a JSON object indicating a successful update. The status is 200 OK, with a response time of 451 ms and a size of 1023 B. The response body is shown in the JSON format, detailing the order and payment information.

```
1 {
2   "status": 200,
3   "message": "OK",
4   "data": {
5     "id": "240509103805431",
6     "zohoSalesOrderNum": "S0123",
7     "shippingCharge": "3.00",
8     "totalTax": 8.0,
9     "totalDiscount": 15.0,
10    "netTotal": 95.0,
11    "grandTotal": 123.0,
12    "paymentMode": "CASH",
13    "notes": "Please deliver before 5 PM",
14    "discountType": "COUPON_CODE",
15    "couponCode": "SAVE10",
16    "orderStatus": "DELIVERED",
17    "paymentStatus": "PAID",
18    "status": true,
19    "customerId": 1,
20    "currencyId": 2,
21    "customerAddressId": 1,
22    "orderItems": [
23      {
24        "id": 1,
25        "title": "Product ABCDEF",
26        "arabicTitle": "منتج",
27        "quantity": "5",
28        "taxAmount": 11.25,
29        "totalAmount": 64.5,
30        "orderId": "240509103805431",
31        "productWarehouseId": 1
32      }
33    ]
34  }
35 }
```

13. Get Orders By Payment Mode

The screenshot displays a REST client interface for a request to the endpoint `GET {{url}}/orders/payment/CASH`. The response status is `200 OK` with a response time of `292 ms` and a size of `1 KB`. The response body is shown in JSON format, containing a single order object within a `data` array.

```
4  "data": [  
5    {  
6      "id": "240509103805431",  
7      "zohoSalesOrderNum": "S0123",  
8      "shippingCharge": "3.00",  
9      "totalTax": 8.0,  
10     "totalDiscount": 15.0,  
11     "netTotal": 95.0,  
12     "grandTotal": 123.0,  
13     "paymentMode": "CASH",  
14     "notes": "Please deliver before 5 PM",  
15     "discountType": "COUPON_CODE",  
16     "couponCode": "SAVE10",  
17     "orderStatus": "PENDING",  
18     "paymentStatus": "UNPAID",  
19     "status": true,  
20     "customerId": 1,  
21     "currencyId": 2,  
22     "customerAddressId": 1,  
23     "orderItems": [  
24       {  
25         "id": 1,  
26         "title": "Product ABCDEF",  
27         "arabicTitle": "منتج أ",  
28         "quantity": "5",  
29         "taxAmount": 11.25,  
30         "totalAmount": 64.5,  
31         "orderId": "240509103805431",  
32         "productWarehouseId": 1  
33       }  
34     ]  
35   }  
36 ]
```

14. Get Orders By Shipping Charges

The screenshot shows a REST client interface with a GET request to `{{url}}/orders/shipping/3.00`. The response is a JSON object with the following structure:

```
4  "data": [  
5    {  
6      "id": "240509103805431",  
7      "zohoSalesOrderNum": "S0123",  
8      "shippingCharge": "3.00",  
9      "totalTax": 8.0,  
10     "totalDiscount": 15.0,  
11     "netTotal": 95.0,  
12     "grandTotal": 123.0,  
13     "paymentMode": "CASH",  
14     "notes": "Please deliver before 5 PM",  
15     "discountType": "COUPON_CODE",  
16     "couponCode": "SAVE10",  
17     "orderStatus": "PENDING",  
18     "paymentStatus": "UNPAID",  
19     "status": true,  
20     "customerId": 1,  
21     "currencyId": 2,  
22     "customerAddressId": 1,  
23     "orderItems": [  
24       {  
25         "id": 1,  
26         "title": "Product ABCDEF",  
27         "arabicTitle": "منتج",  
28         "quantity": "5",  
29         "taxAmount": 11.25,  
30         "totalAmount": 64.5,  
31         "orderId": "240509103805431",  
32         "productWarehouseId": 1  
33       }  
34     ]  
35   }  
36 ]
```