

Credibility Intelligence API 1.0.0 OAS 3.0

</api/schema/>

A REST API for browsing claims analysing credibility scores, and managing user reports.

[Authorize](#)

default

**GET** **/api/**

API root endpoint listing the main available API routes.

Parameters

[Cancel](#)

No parameters

[Execute](#)[Clear](#)

Responses

Curl

```
curl -X 'GET' \  
  'https://credibility-intelligence-api.onrender.com/api/' \  
  -H 'accept: application/json'
```

Request URL

<https://credibility-intelligence-api.onrender.com/api/>

Server response

Code	Details
200	Response body <pre>{ "claims": "https://credibility-intelligence-api.onrender.com/api/claims/", "reports": "https://credibility-intelligence-api.onrender.com/api/reports/", "score": "https://credibility-intelligence-api.onrender.com/api/score/" }</pre> Download Response headers <pre>allow: GET,OPTIONS alt-svc: h3=":443"; ma=86400 cf-cache-status: DYNAMIC cf-ray: 9dbe698ad863ef54-LHR content-encoding: br content-length: 98 content-type: application/json cross-origin-opener-policy: same-origin date: Fri,13 Mar 2026 22:18:03 GMT priority: u=3,i referrer-policy: same-origin rndr-id: d3c0312c-42c8-4721 server: cloudflare server-timing: cfExtPri vary: Accept,Cookie,origin,Accept-Encoding x-content-type-options: nosniff x-frame-options: DENY x-render-origin-server: gunicorn</pre>

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "claims": "string", "reports": "string", "score": "string", "register": "string", "login": "string" }</pre>	No links

auth



POST /api/auth/register/



Parameters

Cancel

Reset

No parameters

Request body required

application/json

Edit Value Schema

```
{
  "username": "test",
  "email": "user@example.com",
  "password": "1234567890"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://credibility-intelligence-api.onrender.com/api/auth/register/' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -H 'X-CSRFToken: QquwdbI63fNw8nQzGlehK9ZZAeCSzwVoMJwYdCPShH0V1n9PHwbGDbTmM2rj57' \
  -d '{
    "username": "test",
```

```
"email": "user@example.com",
"password": "1234567890"
}'
```

Request URL

https://credibility-intelligence-api.onrender.com/api/auth/register/

Server response

Code	Details
201	Response body <pre>{ "username": "test", "email": "user@example.com" }</pre> Download Response headers <pre>access-control-allow-origin: * allow: POST,OPTIONS alt-svc: h3=":443"; ma=86400 cf-cache-status: DYNAMIC cf-ray: 9dbe6a2d9816ef54-LHR content-encoding: br content-length: 47 content-type: application/json cross-origin-opener-policy: same-origin date: Fri,13 Mar 2026 22:18:30 GMT priority: u=3,i referrer-policy: same-origin rndr-id: bf50a7ec-65b5-4e84 server: cloudflare server-timing: cfExtPri vary: Accept,Cookie,origin,Accept-Encoding x-content-type-options: nosniff x-frame-options: DENY x-render-origin-server: gunicorn</pre>

Responses

Code	Description	Links
201	Media type application/json Controls Accept header. Example Value Schema <pre>{ "username": "iAsWG9CpdH9VsUI-0r-j3buj0_ke8u8vSUhGkD7.XE+3-K@.0QPuHIiRxWwhCb4ExgdafbN", "email": "user@example.com" }</pre>	No links

POST **/api/auth/token/**

Takes a set of user credentials and returns an access and refresh JSON web token pair to prove the authentication of those credentials.

Parameters**Cancel****Reset**

No parameters

Request body required

application/json

Edit Value Schema

```
{
  "username": "test",
  "password": "1234567890"
}
```

//

Execute**Clear****Responses****Curl**

```
curl -X 'POST' \
  'https://credibility-intelligence-api.onrender.com/api/auth/token/' \
```

Request URL

Server response

Responses

Page 6 of 46

Media type

Controls Accept header.

Example Value Schema

```
{
  "access": "string",
  "refresh": "string"
}
```

POST /api/auth/token/refresh/ ^

Takes a refresh type JSON web token and returns an access type JSON web token if the refresh token is valid.

Parameters

No parameters

Request body **required**

Edit Value Schema

```
{
  "refresh":
  "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ0b2t1b190eXB1IjoicmVmcmVzaCI6ImV4cCI6MTc3MzUyNjcyOSwiaWF0IjoxNzczNDQwMzI5LCJqdGkiOiIwZDcxMzQxMTQwNTY0OTJlODQ5ZWRIInZQwYWFkZDk2OCIsInVzZXJfaWQiOiI4In0.GNi6gfcmmToibafuTQpanJZbi23aMLvb-vqFpHSDOGE"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://credibility-intelligence-api.onrender.com/api/auth/token/refresh/' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -H 'X-CSRFToken: QquwdbI63fNw8nQzGlehK9ZZAeCSzwVoMJwYdCPSH0V1n9PHwbgDbTmM2rj57' \
  -d '{
    "refresh": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ0b2t1b190eXB1IjoicmVmcmVzaC"
  }'
```

Request URL

https://credibility-intelligence-api.onrender.com/api/auth/token/refresh/

Server response

Code

Details

200

Response body

```
{
  "access": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ0b2t1b190eXB1IjoicmVmcmVzaC"
}
```

[Download](#)

Response headers

```
access-control-allow-origin: *
allow: POST,OPTIONS
alt-svc: h3=":443"; ma=86400
cf-cache-status: DYNAMIC
cf-ray: 9dbe6b13ee46ef54-LHR
content-encoding: br
content-length: 208
content-type: application/json
cross-origin-opener-policy: same-origin
date: Fri, 13 Mar 2026 22:19:06 GMT
priority: u=3,i
referrer-policy: same-origin
rndr-id: 2207bfd0-ea59-4f64
server: cloudflare
server-timing: cfExtPri
vary: Accept,origin,Accept-Encoding
x-content-type-options: nosniff
x-frame-options: DENY
x-render-origin-server: unicorn
```


Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "access": "string" }</pre>	No links

POST /api/auth/token/verify/



Takes a token and indicates if it is valid. This view provides no information about a token's fitness for a particular use.

Parameters

Cancel

Reset

No parameters

Request body **required**

application/json

Edit Value Schema

/

Clear

Curl

Request URL

Server response

Details

Response body

Download

Response headers

```
access-control-allow-origin: *
allow: POST,OPTIONS
alt-svc: h3=":443"; ma=86400
cf-cache-status: DYNAMIC
cf-ray: 9dbe6b84aefdef54-LHR
content-encoding: br
content-length: 6
content-type: application/json
cross-origin-opener-policy: same-origin
date: Fri,13 Mar 2026 22:19:24 GMT
priority: u=3,i
referrer-policy: same-origin
rndr-id: 221f38be-2d59-4342
server: cloudflare
server-timing: cfExtPri
vary: Accept,origin,Accept-Encoding
x-content-type-options: nosniff
x-frame-options: DENY
x-render-origin-server: gunicorn
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ }</pre>	No links

claims



GET /api/claims/



Read-only endpoints for dataset claims.

Parameters

Cancel

Name	Description
label	Truthfulness label from LIAR dataset.

string
(query)

- **true** - true
- **mostly-true** - mostly-true
- **half-true** - half-true
- **barely-true** - barely-true
- **false** - false
- **pants-fire** - pants-fire

ordering
string
(query)

Which field to use when ordering the results.

page
integer
(query)

A page number within the paginated result set.

party
string
(query)

search
string
(query)

A search term.

speaker_contains
string
(query)

speaker_exact
string
(query)

split
string
(query)

Dataset split (train/valid/test).

- **train** - Train
- **valid** - Validation
- **test** - Test

state
string
(query)

statement_contains
string
(query)

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://credibility-intelligence-api.onrender.com/api/claims/?ordering=created_at&page=1&speaker_contains=trump&split=test' \
  -H 'accept: application/json'
```

Request URL

```
https://credibility-intelligence-api.onrender.com/api/claims/?ordering=created_at&page=1&speaker_contains=trump&split=test
```

Server response

Code

Details

200

Response body

```
{
  "count": 33,
  "next": "https://credibility-intelligence-api.onrender.com/api/claims/?ordering=created_at&page=2&speaker_contains=trump&split=test",
  "previous": null,
  "results": [
    {
      "url": "https://credibility-intelligence-api.onrender.com/api/claims/11525/",
      "id": 11525,
      "liar_id": "11096.json",
      "label": "false",
      "statement": "Says John McCain has done nothing to help the veterans.",
      "subjects": "military,veterans,voting-record",
      "speaker": "donald-trump",
      "speaker_job_title": "President-Elect",
      "state": "New York",
      "party": "republican",
      "barely_true_count": 63,
      "false_count": 114,
      "half_true_count": 51,
      "mostly_true_count": 37,
      "pants_on_fire_count": 61,
      "context": "comments on ABC's This Week "
```

Download

Response headers

```
allow: GET,HEAD,OPTIONS
```

```
alt-svc: h3=":443"; ma=86400
cf-cache-status: DYNAMIC
cf-ray: 9dbe6cabadf8ef54-LHR
content-encoding: br
content-length: 2715
content-type: application/json
cross-origin-opener-policy: same-origin
date: Fri,13 Mar 2026 22:20:11 GMT
priority: u=3,i
referrer-policy: same-origin
rndr-id: 0cc900ad-801a-4331
server: cloudflare
server-timing: cfExtPri
vary: Accept, Cookie, origin, Accept-Encoding
x-content-type-options: nosniff
x-frame-options: DENY
x-render-origin-server: unicorn
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "count": 123, "next": "http://api.example.org/accounts/?page=4", "previous": "http://api.example.org/accounts/?page=2", "results": [{ "url": "string", "id": 0, "liar_id": "string", "label": "true", "statement": "string", "subjects": "string", "speaker": "string", "speaker_job_title": "string", "state": "string", "party": "string", "barely_true_count": 2147483647, "false_count": 2147483647, "half_true_count": 2147483647, "mostly_true_count": 2147483647, "pants_on_fire_count": 2147483647, "context": "string", "split": "train", "created_at": "2026-03-13T22:27:04.207Z" }] }</pre>	No links

GET /api/claims/{id}/



Read-only endpoints for dataset claims.

Parameters

Cancel

Name

Description

id * required

A unique integer value identifying this claim.

integer

(path)

12760

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://credibility-intelligence-api.onrender.com/api/claims/12760/' \
  -H 'accept: application/json'
```

Request URL

```
https://credibility-intelligence-api.onrender.com/api/claims/12760/
```

Server response

Code

Details

200

Response body

```
{
  "url": "https://credibility-intelligence-api.onrender.com/api/claims/12760/",
  "id": 12760,
  "liar_id": "11337.json",
  "label": "mostly-true",
  "statement": "Says the cascading effects of climate change contribu
```

```
ted to the rise of ISIS.",
  "subjects": "climate-change,environment,foreign-policy,terrorism",
  "speaker": "martin-omalley",
  "speaker_job_title": "Maryland governor",
  "state": "Maryland",
  "party": "democrat",
  "barely_true_count": 3,
  "false_count": 1,
  "half_true_count": 10,
  "mostly_true_count": 4,
  "pants_on_fire_count": 0,
  "context": "interview with Democracy Now!",
  "split": "test",
  "created_at": "2026-03-10T17:27:56.995381Z"
}
```

Download

Response headers

```
allow: GET,HEAD,OPTIONS
alt-svc: h3=":443"; ma=86400
cf-cache-status: DYNAMIC
cf-ray: 9dbe6d2c3de9ef54-LHR
content-encoding: br
content-length: 389
content-type: application/json
cross-origin-opener-policy: same-origin
date: Fri,13 Mar 2026 22:20:32 GMT
priority: u=3,i
referrer-policy: same-origin
rndr-id: 89fe72b3-35c6-40f5
server: cloudflare
server-timing: cfExtPri
vary: Accept,Cookie,origin,Accept-Encoding
x-content-type-options: nosniff
x-frame-options: DENY
x-render-origin-server: unicorn
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema { "url": "string", "id": 0, "liar_id": "string", "label": "true", "statement": "string", "subjects": "string", "speaker": "string", "speaker_job_title": "string",	No links


```
"state": "string",
"party": "string",
"barely_true_count": 2147483647,
"false_count": 2147483647,
"half_true_count": 2147483647,
"mostly_true_count": 2147483647,
"pants_on_fire_count": 2147483647,
"context": "string",
"split": "train",
"created_at": "2026-03-13T22:27:04.214Z"
}
```

GET `/api/claims/by-speaker/{speaker}/`

Retrieve claims by speaker (case-insensitive substring match), with the same pagination/filtering/ordering behaviour as the main list. Example: `/api/claims/by-speaker/obama?label=false&ordering=-created_at`

Parameters**Cancel****Name****Description****speaker** * requiredstring
(path)**Execute****Clear****Responses****Curl**

```
curl -X 'GET' \
  'https://credibility-intelligence-api.onrender.com/api/claims/by-speaker/obama/' \
  -H 'accept: application/json'
```

Request URL

```
https://credibility-intelligence-api.onrender.com/api/claims/by-speaker/obama/
```

Server response

Code	Details
200	Response body <pre>{ "count": 623, "next": "https://credibility-intelligence-api.onrender.com/api/claims/by-speaker/obama/?page=2", "previous": null, "results": [{ "url": "https://credibility-intelligence-api.onrender.com/api/claims/12781/", "id": 12781, "liar_id": "609.json", "label": "half-true", "statement": "On offshore drilling.", "subjects": "energy", "speaker": "barack-obama", "speaker_job_title": "President", "state": "Illinois", "party": "democrat", "barely_true_count": 70, "false_count": 71, "half_true_count": 160, "mostly_true_count": 163, "pants_on_fire_count": 9, "context": "", "snlitt": "test" }] }</pre> Download Response headers <pre>allow: GET,HEAD,OPTIONS alt-svc: h3=":443"; ma=86400 cf-cache-status: DYNAMIC cf-ray: 9dbe6d653ebeef54-LHR content-encoding: br content-length: 2751 content-type: application/json cross-origin-opener-policy: same-origin date: Fri, 13 Mar 2026 22:20:41 GMT priority: u=3,i referrer-policy: same-origin rndr-id: 5d3c0807-d7f0-49e9 server: cloudflare server-timing: cfExtPri vary: Accept, Cookie, origin, Accept-Encoding x-content-type-options: nosniff x-frame-options: DENY x-render-origin-server: gunicorn</pre>

Responses

Code	Description	Links
200		No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "url": "string",
  "id": 0,
  "liar_id": "string",
  "label": "true",
  "statement": "string",
  "subjects": "string",
  "speaker": "string",
  "speaker_job_title": "string",
  "state": "string",
  "party": "string",
  "barely_true_count": 2147483647,
  "false_count": 2147483647,
  "half_true_count": 2147483647,
  "mostly_true_count": 2147483647,
  "pants_on_fire_count": 2147483647,
  "context": "string",
  "split": "train",
  "created_at": "2026-03-13T22:27:04.250Z"
}
```

reports



GET /api/reports/

CRUD endpoints for user reports.

Parameters

Cancel

Name	Description
ordering string (query)	Which field to use when ordering the results. ordering
page integer	A page number within the paginated result set.

(query)

risk_level

string

(query)

- **low** - Low
- **medium** - Medium
- **high** - High
- **unknown** - Unknown

search

A search term.

string

(query)

status

string

(query)

- **open** - Open
- **reviewed** - Reviewed
- **resolved** - Resolved

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://credibility-intelligence-api.onrender.com/api/reports/?page=1' \
  -H 'accept: application/json'
```

Request URL

`https://credibility-intelligence-api.onrender.com/api/reports/?page=1`

Server response

Code

Details

200

Response body

```
{
  "count": 2,
  "next": null,
  "previous": null,
```

```
"results": [  
  {  
    "id": 11,  
    "statement_text": "Drinking bleach can cure COVID-19.",  
    "speaker": "Social media post",  
    "report_reason": "Dangerous health misinformation.",  
    "risk_score": 100,  
    "risk_level": "high",  
    "status": "reviewed",  
    "created_at": "2026-03-12T03:40:05.197025Z",  
    "updated_at": "2026-03-13T19:45:35.564828Z",  
    "user": 6  
  },  
  {  
    "id": 6,  
    "statement_text": "Global temperatures have not increased in the last 100 years.",  
    "speaker": "Unknown",  
    "report_reason": "Claim contradicts climate data",  
    "risk_score": 82,  
    "status": "pending",  
    "created_at": "2026-03-13T19:45:35.564828Z",  
    "updated_at": "2026-03-13T19:45:35.564828Z",  
    "user": 6  
  }  
]
```

Download

Response headers

```
allow: GET,POST,HEAD,OPTIONS  
alt-svc: h3=":443"; ma=86400  
cf-cache-status: DYNAMIC  
cf-ray: 9dbe6df3ea02ef54-LHR  
content-encoding: br  
content-length: 371  
content-type: application/json  
cross-origin-opener-policy: same-origin  
date: Fri, 13 Mar 2026 22:21:04 GMT  
priority: u=3,i  
referrer-policy: same-origin  
rndr-id: 49b5cb8c-0daf-400e  
server: cloudflare  
server-timing: cfExtPri  
vary: Accept, Cookie, origin, Accept-Encoding  
x-content-type-options: nosniff  
x-frame-options: DENY  
x-render-origin-server: gunicorn
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema { "count": 123, "next": "http://api.example.org/accounts/?page=4", "previous": "http://api.example.org/accounts/?page=2", }	No links

```
"results": [  
  {  
    "id": 0,  
    "statement_text": "string",  
    "speaker": "string",  
    "report_reason": "string",  
    "risk_score": 0,  
    "risk_level": "low",  
    "status": "open",  
    "created_at": "2026-03-13T22:27:04.265Z",  
    "updated_at": "2026-03-13T22:27:04.265Z",  
    "user": 0  
  }  
]
```

POST /api/reports/



CRUD endpoints for user reports.

Parameters

Cancel

Reset

No parameters

Request body **required**

application/json

Edit Value Schema

```
{  
  "statement_text": "Vaccine causes cancer",  
  "speaker": "someone",  
  "report_reason": "false",  
  "risk_score": 90,  
  "risk_level": "high",  
  "status": "open"  
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://credibility-intelligence-api.onrender.com/api/reports/' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -H 'X-CSRFToken: QquwdbI63fNw8nQzGlehK9ZZAeCSzwVoMJwYdCPShH0V1n9PHwbGDbTmM2rj57' \
  -d '{
    "statement_text": "Vaccine causes cancer",
    "speaker": "someone",
    "report_reason": "false",
    "risk_score": 90,
    "risk_level": "high",
    "status": "open"
  }'
```

Request URL

https://credibility-intelligence-api.onrender.com/api/reports/

Server response

Code

Details

201

Response body

```
{
  "id": 13,
  "statement_text": "Vaccine causes cancer",
  "speaker": "someone",
  "report_reason": "false",
  "risk_score": 90,
  "risk_level": "high",
  "status": "open",
  "created_at": "2026-03-13T22:21:41.881439Z",
  "updated_at": "2026-03-13T22:21:41.881447Z",
  "user": 6
}
```

[Download](#)

Response headers

```
access-control-allow-origin: *
allow: GET,POST,HEAD,OPTIONS
alt-svc: h3=":443"; ma=86400
cf-cache-status: DYNAMIC
cf-ray: 9dbe6ee00c9cef54-LHR
content-encoding: br
```

```
content-length: 168
content-type: application/json
cross-origin-opener-policy: same-origin
date: Fri, 13 Mar 2026 22:21:41 GMT
priority: u=3,i
referrer-policy: same-origin
rndr-id: 23a9a999-3d4d-4f4b
server: cloudflare
server-timing: cfExtPri
vary: Accept, Cookie, origin, Accept-Encoding
x-content-type-options: nosniff
x-frame-options: DENY
x-render-origin-server: gunicorn
```

Responses

Code	Description	Links
201	Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "statement_text": "string", "speaker": "string", "report_reason": "string", "risk_score": 0, "risk_level": "low", "status": "open", "created_at": "2026-03-13T22:27:04.276Z", "updated_at": "2026-03-13T22:27:04.276Z", "user": 0 }</pre>	No links

GET

/api/reports/{id}/

^

CRUD endpoints for user reports.

Parameters

Cancel

Name	Description
id * required integer	A unique integer value identifying this user report.

(path)

13

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://credibility-intelligence-api.onrender.com/api/reports/13/' \
  -H 'accept: application/json'
```

Request URL

```
https://credibility-intelligence-api.onrender.com/api/reports/13/
```

Server response

Code	Details
200	Response body <pre>{ "id": 13, "statement_text": "Vaccine causes cancer", "speaker": "someone", "report_reason": "false", "risk_score": 90, "risk_level": "high", "status": "open", "created_at": "2026-03-13T22:21:41.881439Z", "updated_at": "2026-03-13T22:21:41.881447Z", "user": 6 }</pre> Response headers <pre>allow: GET,PUT,PATCH,DELETE,HEAD,OPTIONS alt-svc: h3=":443"; ma=86400 cf-cache-status: DYNAMIC cf-ray: 9dbe6f23cde0ef54-LHR content-encoding: br content-length: 168 content-type: application/json cross-origin-opener-policy: same-origin date: Fri,13 Mar 2026 22:21:53 GMT priority: u=3,i referrer-policy: same-origin rndr-id: 9eed9da2-a6a8-45ad</pre> Download

```
server: cloudflare
server-timing: cfExtPri
vary: Accept, Cookie, origin, Accept-Encoding
x-content-type-options: nosniff
x-frame-options: DENY
x-render-origin-server: gunicorn
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "statement_text": "string", "speaker": "string", "report_reason": "string", "risk_score": 0, "risk_level": "low", "status": "open", "created_at": "2026-03-13T22:27:04.283Z", "updated_at": "2026-03-13T22:27:04.283Z", "user": 0 }</pre>	No links

PUT /api/reports/{id}/



CRUD endpoints for user reports.

Parameters

Cancel

Reset

Name

Description

id * required

A unique integer value identifying this user report.

integer
(path)

13

Request body required

application/json

Edit Value Schema

```
{
  "statement_text": "vaccine causes cancer.",
  "speaker": "fare news account",
  "report_reason": "string",
  "risk_score": 90,
  "risk_level": "high",
  "status": "open"
}
```

//

Execute

Clear

Responses**Curl**

```
curl -X 'PUT' \
  'https://credibility-intelligence-api.onrender.com/api/reports/13/' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -H 'X-CSRFToken: QquwdbI63fNw8nQzGlehK9ZZAeCSzwVoMJwYdCPShH0V1n9PHwbGDbTmM2rj57' \
  -d '{
    "statement_text": "vaccine causes cancer.",
    "speaker": "fare news account",
    "report_reason": "string",
    "risk_score": 90,
    "risk_level": "high",
    "status": "open"
  }'
```

Request URL

https://credibility-intelligence-api.onrender.com/api/reports/13/

Server response**Code****Details**

200

Response body

```
{
  "id": 13,
  "statement_text": "vaccine causes cancer.",
  "speaker": "fare news account",
  "report_reason": "string",
  "risk_score": 90,
  "risk_level": "high",
  "status": "open",
  "created_at": "2026-03-13T22:21:41.881439Z",
  "updated_at": "2026-03-13T22:23:11.087856Z",
  "user": 6
}
```

Download

Response headers

```
access-control-allow-origin: *
allow: GET,PUT,PATCH,DELETE,HEAD,OPTIONS
alt-svc: h3=":443"; ma=86400
cf-cache-status: DYNAMIC
cf-ray: 9dbe710b5f0bef54-LHR
content-encoding: br
content-length: 184
content-type: application/json
cross-origin-opener-policy: same-origin
date: Fri,13 Mar 2026 22:23:11 GMT
priority: u=3,i
referrer-policy: same-origin
rndr-id: 50927c0f-b803-4ee7
server: cloudflare
server-timing: cfExtPri
vary: Accept,Cookie,origin,Accept-Encoding
x-content-type-options: nosniff
x-frame-options: DENY
x-render-origin-server: gunicorn
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema { "id": 0, "statement_text": "string", "speaker": "string", "report_reason": "string", "risk_score": 0, "risk_level": "low", "status": "open", "created_at": "2026-03-13T22:27:04.294Z", }	No links

```
"updated_at": "2026-03-13T22:27:04.294Z",  
"user": 0  
}
```

PATCH `/api/reports/{id}/`

CRUD endpoints for user reports.

Parameters**Cancel****Reset****Name****Description****id** * required

A unique integer value identifying this user report.

integer

(path)

13

Request body

application/json

Edit Value Schema

```
{  
  "statement_text": "Vaccine causes cancer.",  
  "speaker": "fake news account",  
  "report_reason": "false info",  
  "risk_score": 90,  
  "risk_level": "high",  
  "status": "open"  
}
```

//

Execute

Clear

Responses

Curl

```
curl -X 'PATCH' \
  'https://credibility-intelligence-api.onrender.com/api/reports/13/' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -H 'X-CSRFToken: QquwdbI63fNw8nQzGlehK9ZZAeCSzwVoMJwYdCPSH0V1n9PHwbGDbTmM2rj57' \
  -d '{
    "statement_text": "Vaccine causes cancer.",
    "speaker": "fake news account",
    "report_reason": "false info",
    "risk_score": 90,
    "risk_level": "high",
    "status": "open"
  }'
```

Request URL

https://credibility-intelligence-api.onrender.com/api/reports/13/

Server response

Code

Details

200

Response body

```
{
  "id": 13,
  "statement_text": "Vaccine causes cancer.",
  "speaker": "fake news account",
  "report_reason": "false info",
  "risk_score": 90,
  "risk_level": "high",
  "status": "open",
  "created_at": "2026-03-13T22:21:41.881439Z",
  "updated_at": "2026-03-13T22:24:06.466390Z",
  "user": 6
}
```

[Download](#)

Response headers

```
access-control-allow-origin: *
allow: GET,PUT,PATCH,DELETE,HEAD,OPTIONS
alt-svc: h3=":443"; ma=86400
cf-cache-status: DYNAMIC
cf-ray: 9dbe7267ac7cef54-LHR
content-encoding: br
```

```
content-length: 185
content-type: application/json
cross-origin-opener-policy: same-origin
date: Fri, 13 Mar 2026 22:24:06 GMT
priority: u=3,i
referrer-policy: same-origin
rndr-id: e8a78f38-f00c-4746
server: cloudflare
server-timing: cfExtPri
vary: Accept, Cookie, origin, Accept-Encoding
x-content-type-options: nosniff
x-frame-options: DENY
x-render-origin-server: gunicorn
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "statement_text": "string", "speaker": "string", "report_reason": "string", "risk_score": 0, "risk_level": "low", "status": "open", "created_at": "2026-03-13T22:27:04.306Z", "updated_at": "2026-03-13T22:27:04.306Z", "user": 0 }</pre>	No links

DELETE /api/reports/{id}/



CRUD endpoints for user reports.

Parameters

Cancel

Name	Description
id * required integer	A unique integer value identifying this user report.

(path)

13

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
  'https://credibility-intelligence-api.onrender.com/api/reports/13/' \
  -H 'accept: */*' \
  -H 'X-CSRFToken: QquwdbI63fNw8nQzGLehK9ZZAeCSzwVoMJwYdCPShH0V1n9PHwbGDbTmM2  i7'
```

Request URL

https://credibility-intelligence-api.onrender.com/api/reports/13/

Server response

Code	Details
204	Response headers <pre>access-control-allow-origin: * allow: GET,PUT,PATCH,DELETE,HEAD,OPTIONS alt-svc: h3=":443"; ma=86400 cf-cache-status: DYNAMIC cf-ray: 9dbe72a0d903ef54-LHR cross-origin-opener-policy: same-origin date: Fri,13 Mar 2026 22:24:15 GMT priority: u=3,i referrer-policy: same-origin rndr-id: 87802162-2236-41ce server: cloudflare server-timing: cfExtPri vary: Accept,Cookie,origin x-content-type-options: nosniff x-frame-options: DENY x-render-origin-server: gunicorn</pre>

Responses

Code	Description	Links
204	No response body	No links

SCORE

POST /api/score/



Analyse the credibility of a claim and return a credibility/risk summary.

Parameters

[Cancel](#)

No parameters

Request body **required**

application/json

Examples:

Score request example

Edit Value Schema

```
{
  "text": "vaccines cause autism"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://credibility-intelligence-api.onrender.com/api/score/' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -H 'X-CSRFToken: QquwdbI63fNw8nQzGlehK9ZZAeCSzwVoMJwYdCPShH0V1n9PHwbGDbTmM2rj57' \
  -d '{
    "text": "vaccines cause autism"
  }'
```

Request URL

`https://credibility-intelligence-api.onrender.com/api/score/`

Server response

Code	Details
200	Response body <pre>{ "claim": "vaccines cause autism", "summary": { "final_verdict": "likely_false", "final_credibility_score": 0, "final_risk_score": 100, "final_confidence": 56 }, "local_analysis": { "verdict": "likely_false", "credibility_score": 0, "risk_score": 100, "confidence": 56, "supporting_evidence_count": 0, "refuting_evidence_count": 1, "top_supporting_evidence": [], "top_refuting_evidence": [{ "id": 6560, "url": "https://credibility-intelligence-api.onrender.com/api/claims/6560/", "label": "true", "speaker": "megyn-kelly", "statement": "Science is very certain that the flu doesn't cause autism" }] } }</pre> Download Response headers <pre>access-control-allow-origin: * allow: OPTIONS,POST alt-svc: h3=":443"; ma=86400 cf-cache-status: DYNAMIC cf-ray: 9dbe72e51d20ef54-LHR content-encoding: br content-length: 567 content-type: application/json cross-origin-opener-policy: same-origin date: Fri, 13 Mar 2026 22:24:27 GMT priority: u=3,i referrer-policy: same-origin</pre>

```
rndr-id: 3032a49e-c793-47b8
server: cloudflare
server-timing: cfExtPri
vary: Accept, Cookie, origin, Accept-Encoding
x-content-type-options: nosniff
x-frame-options: DENY
x-render-origin-server: gunicorn
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "claim": "vaccines cause autism", "summary": { "final_verdict": "likely_false", "final_credibility_score": 18, "final_risk_score": 82, "final_confidence": 74 }, "local_analysis": {}, "external_analysis": {}, "fusion": {} }</pre>	No links
400	Media type application/json Example Value Schema <pre>{ "error": "string" }</pre>	No links
401	Media type application/json Example Value Schema <pre>{ "error": "string" }</pre>	No links

Schemas



```
ApiRoot {  
  claims*  
  reports*  
  score*  
  register*  
  login*  
}
```

```
string($uri)  
string($uri)  
string($uri)  
string($uri)  
string($uri)
```

```
Claim {  
  url*
```

```
string($uri)  
readOnly: true
```

```
  id*
```

```
integer  
readOnly: true
```

```
  liar_id*
```

```
string  
maxLength: 50  
Dataset statement id (e.g., 12134.json).
```

```
  label*
```

```
string  
Truthfulness label from LIAR dataset.
```

- **true** - true
- **mostly-true** - mostly-true
- **half-true** - half-true
- **barely-true** - barely-true
- **false** - false
- **pants-fire** - pants-fire

Enum:

```
[ true, mostly-true, half-true, barely-true,  
false, pants-fire ]
```

```
  statement*
```

```
string  
The claim text / statement.
```

```
  subjects
```

```
string  
maxLength: 255  
Comma-separated subjects/topics.
```

```
  speaker
```

```
string  
maxLength: 100  
Speaker name/id (as in dataset).
```

```
  speaker_job_title
```

```
string
```

```

        string
        maxLength: 150
        Speaker job title (may be empty).

    state
        string
        maxLength: 60
        State information (may be empty).

    party
        string
        maxLength: 60
        Party affiliation (may be empty, e.g.,
        republican/democrat/none).

    barely_true_count
        integer
        maximum: 2147483647
        minimum: 0

    false_count
        integer
        maximum: 2147483647
        minimum: 0

    half_true_count
        integer
        maximum: 2147483647
        minimum: 0

    mostly_true_count
        integer
        maximum: 2147483647
        minimum: 0

    pants_on_fire_count
        integer
        maximum: 2147483647
        minimum: 0

    context
        string
        maxLength: 255
        Context/venue/location of the statement.

    split*
        string
        Dataset split (train/valid/test).

        • train - Train
        • valid - Validation
        • test - Test

    Enum:
        [ train, valid, test ]

    created_at*
        string($date-time)
        readOnly: true
}

```

```

ErrorResponse {
    error*
        string
}

```

LabelEnum **string**

- **true** - true
- **mostly-true** - mostly-true
- **half-true** - half-true
- **barely-true** - barely-true
- **false** - false
- **pants-fire** - pants-fire

Enum:

```
[ true, mostly-true, half-true, barely-true, false, pants-fire ]
```

PaginatedClaimList **{**

```

count*
    integer
    example: 123

next
    string($uri)
    nullable: true
    example: http://api.example.org/accounts/?page=4

previous
    string($uri)
    nullable: true
    example: http://api.example.org/accounts/?page=2

results*
    [ Claim {
        url*
            string($uri)
            readOnly: true

        id*
            integer
            readOnly: true

        liar_id*
            string
            maxLength: 50
            Dataset statement id (e.g., 12134.json).

        label*
            string
            Truthfulness label from LIAR dataset.

            • true - true
            • mostly-true - mostly-true
            • half-true - half-true
            • barely-true - barely-true
            • false - false
            • pants-fire - pants-fire

            Enum:
                Array [ 6 ]

        statement*
            string
            The claim text / statement.

        subject*

```

subjects	string <i>maxLength: 255</i> Comma-separated subjects/topics.
speaker	string <i>maxLength: 100</i> Speaker name/id (as in dataset).
speaker_job_title	string <i>maxLength: 150</i> Speaker job title (may be empty).
state	string <i>maxLength: 60</i> State information (may be empty).
party	string <i>maxLength: 60</i> Party affiliation (may be empty, e.g., republican/democrat/none).
barely_true_count	integer <i>maximum: 2147483647</i> <i>minimum: 0</i>
false_count	integer <i>maximum: 2147483647</i> <i>minimum: 0</i>
half_true_count	integer <i>maximum: 2147483647</i> <i>minimum: 0</i>
mostly_true_count	integer <i>maximum: 2147483647</i> <i>minimum: 0</i>
pants_on_fire_count	integer <i>maximum: 2147483647</i> <i>minimum: 0</i>
context	string <i>maxLength: 255</i> Context/venue/location of the statement.
split*	string Dataset split (train/valid/test). • train - Train • valid - Validation • test - Test Enum: Array [3]
created_at*	string (\$date-time) <i>readOnly: true</i>

}

}1


```

PaginatedUserReportList {
  count*
    integer
    example: 123

  next
    string($uri)
    nullable: true
    example: http://api.example.org/accounts/?page=4

  previous
    string($uri)
    nullable: true
    example: http://api.example.org/accounts/?page=2

  results*
    [UserReport {
      id*
        integer
        readOnly: true

      statement_text*
        string

      speaker
        string
        maxLength: 100

      report_reason
        string

      risk_score
        number($double)

      risk_level
        RiskLevelEnum
        RiskLevelEnum string

        • low - Low
        • medium - Medium
        • high - High
        • unknown - Unknown

      Enum:
        [ low, medium, high,
        unknown ]

      status
        StatusEnum
        StatusEnum string

        • open - Open
        • reviewed - Reviewed
        • resolved - Resolved

      Enum:
        [ open, reviewed,
        resolved ]

      created_at*
        string($date-time)
        readOnly: true

      updated_at*
        string($date-time)
        readOnly: true

      user*
        integer
        readOnly: true
        nullable: true

    }]
}

```

```
PatchedUserReport {
  id
    integer
    readOnly: true

  statement_text
    string

  speaker
    string
    maxLength: 100

  report_reason
    string

  risk_score
    number($double)

  risk_level
    RiskLevelEnum RiskLevelEnum string

    • low - Low
    • medium - Medium
    • high - High
    • unknown - Unknown

    Enum:
      [ low, medium, high, unknown ]

  status
    StatusEnum StatusEnum string

    • open - Open
    • reviewed - Reviewed
    • resolved - Resolved

    Enum:
      [ open, reviewed, resolved ]

  created_at
    string($date-time)
    readOnly: true

  updated_at
    string($date-time)
    readOnly: true

  user
    integer
    readOnly: true
    nullable: true
}
```

```
Register {
  username*
    string
    pattern: ^[\w.@+-]+$
    maxLength: 150
    Required. 150 characters or fewer. Letters, digits and
    @/./+/-/_ only.

  email
    Email address string($email)
    title: Email address
    maxLength: 254

  password*
    string
    writeOnly: true
    minLength: 8
}
```

RiskLevelEnum string

- low - Low
- medium - Medium
- high - High
- unknown - Unknown

Enum:

[low, medium, high, unknown]

```
ScoreRequest {
  text*
    string
}
```

```
ScoreResponse {
  claim*
  summary*
  ScoreSummary {
    final_verdict*
    final_credibility_score*
    final_risk_score*
    final_confidence*
  }
  local_analysis*
  external_analysis*
  fusion*
}
```

```
ScoreSummary {
  final_verdict*
  final_credibility_score*
  final_risk_score*
  final_confidence*
}
```

```
SplitEnum string

• train - Train
• valid - Validation
• test - Test
```

```
Enum:
  [ train, valid, test ]
```

StatusEnum `string`

- `open` - Open
- `reviewed` - Reviewed
- `resolved` - Resolved

Enum:`[ open, reviewed, resolved ]`

```
TokenObtainPair    {  
    username*        string  
                        writeOnly: true  
    password*        string  
                        writeOnly: true  
    access*          string  
                        readOnly: true  
    refresh*         string  
                        readOnly: true  
}
```

```
TokenRefresh     {  
    access*          string  
                        readOnly: true  
    refresh*         string  
                        writeOnly: true  
}
```

```
TokenVerify      {  
    token*           string  
                        writeOnly: true  
}
```